

```

data_Wadsleyite
_audit_creation_method 'Created with CONVERT.DLL (www.crystalimpact.com)'
_audit_creation_date 2011-09-04
_audit_update_record 2011-09-04
_journal_coden_ASTM ?
_journal_year ?
_journal_volume ?
_journal_page_first ?
_journal_page_last ?
_publ_author_name '?,'
_publ_section_title
;
' 1084'
;
_chemical_formula_sum 'Mg16 Si8 O32'
_chemical_formula_weight 1125.545
_cell_length_a 5.7391(1)
_cell_length_b 11.5134(2)
_cell_length_c 8.3350(2)
_cell_angle_alpha 90.000
_cell_angle_beta 90.000
_cell_angle_gamma 90.000
_cell_volume 550.7(0)
_symmetry_int_tables_number 74
_symmetry_space_group_name_H-M 'I m m a'
_symmetry_space_group_name_Hall '-I_2b_2'

```

```

loop_
_symmetry_equiv_pos_site_id
_symmetry_equiv_pos_as_xyz
1 x,y,z
2 -x,0.500-y,z
3 x,-y,-z
4 -x,0.500+y,-z
5 -x,-y,-z
6 x,0.500+y,-z
7 -x,y,z
8 x,0.500-y,z
9 0.500+x,0.500+y,0.500+z
10 0.500-x,1.000-y,0.500+z
11 0.500+x,0.500-y,0.500-z
12 0.500-x,1.000+y,0.500-z
13 0.500-x,0.500-y,0.500-z
14 0.500+x,1.000+y,0.500-z
15 0.500-x,0.500+y,0.500+z
16 0.500+x,1.000-y,0.500+z

```

```

loop_
_atom_type_symbol
_atom_type_oxidation_number
_atom_type_radius_bond
Mg ? 1.200
Si ? 1.200

```

O ? 1.200

loop_

_atom_site_label

_atom_site_type_symbol

_atom_site_fract_x

_atom_site_fract_y

_atom_site_fract_z

_atom_site_occupancy

_atom_site_symmetry_multiplicity

_atom_site_Wyckoff_symbol

_atom_site_attached_hydrogens

_atom_site_calc_flag

_atom_site_thermal_displace_type

_atom_site_u_iso_or_equiv

Mg1 Mg 0.0000 0.0000 0.0000 1.000 4 a ? d Biso 0.39(4)

Mg2 Mg 0.0000 0.2500 0.9670(5) 1.000 4 e ? d Biso 0.39(4)

Mg3 Mg 0.2500 0.1286(5) 0.2500 1.000 8 g ? d Biso 0.39(4)

Si1 Si 0.0000 0.1203(4) 0.6168(4) 1.000 8 h ? d Biso 0.39(4)

O1 O 0.0000 0.2500 0.2152(9) 1.000 4 e ? d Biso 0.39(4)

O2 O 0.0000 0.2500 0.7154(10) 1.000 4 e ? d Biso 0.39(4)

O3 O 0.0000 0.9912(4) 0.2551(10) 1.000 8 h ? d Biso 0.39(4)

O4 O 0.2657(6) 0.1255(15) 0.9939(5) 1.000 16 j ? d Biso 0.39(4)