

LETTER

Partition of Al between Phase D and Phase H at high pressure: Results from a simultaneous structure refinement of the two phases coexisting in a unique grain

LUCA BINDI^{1,2,*}, MASAYUKI NISHI^{3,4} AND TETSUO IRIFUNE^{3,4}

¹Dipartimento di Scienze della Terra, Università di Firenze, Via La Pira 4, I-50121 Firenze, Italy

²CNR, Istituto di Geoscienze e Georisorse, sezione di Firenze, Via La Pira 4, I-50121 Firenze, Italy

³Geodynamics Research Center, Ehime University, Matsuyama 790-8577, Japan

⁴Earth-Life Science Institute, Tokyo Institute of Technology, Tokyo 152-8550, Japan

ABSTRACT

The crystal structure of the two dense hydrous magnesium silicates Phase D, $\text{MgSi}_2\text{H}_2\text{O}_6$, and Phase H, MgSiH_2O_4 , synthesized at 45 GPa and 1000 °C and coexisting in the same micrometer-sized grain, was investigated by single-crystal X-ray diffraction to study the preferential partition of Al between the two structures. In agreement with the literature, Phase D was found to be trigonal, space group $P\bar{3}1m$, with lattice parameters $a = 4.752(2)$, $c = 4.314(2)$ Å, $V = 84.37(6)$ Å³ ($R_1 = 0.020$), and Phase H was found to be orthorhombic, space group $Pnmm$, with lattice parameters $a = 4.730(2)$, $b = 4.324(2)$, $c = 2.843(2)$ Å, $V = 58.15(5)$ Å³ ($R_1 = 0.024$). The estimated proportion (vol%) of the two phases from the refinement is $27(2)_{\text{PhD}} - 73_{\text{PhH}}$. The analysis of the geometric details of the two structures shows that Phase D hosts almost all the Al available, whereas Phase H is nearly identical to pure MgSiH_2O_4 . Overexposed electron-microprobe X-ray maps of the same grain used for the X-ray diffraction study together with WDS spots on the two phases confirmed the structural results. Thus, our results suggest that when Phase D and Phase H coexist, Al is strongly partitioned into Phase D at the expense of coexisting Phase H. At pressure above ~50 GPa, where Phase D is no longer stable, Phase H is able to incorporate the high aluminum contents present in hydrous peridotitic compositions in the deep lower mantle and be stabilized at the expense of Phase D and magnesium silicate perovskite.

Keywords: Phase D, Phase H, aluminum, dense hydrous magnesium silicates, lower mantle, crystal structure, synthesis