

LETTER

Heat capacity measurements of $\text{CaAlSiO}_4\text{F}$ from 5 to 850 K and its standard entropy

PETER TROPPER^{1,*}, ULRIKE TROITZSCH², EDGAR DACHS³, AND ARTUR BENISEK³

¹Institute of Mineralogy and Petrography, University of Innsbruck, Innrain 52f, A-6020 Innsbruck, Austria

²Australian National University, College of Physical and Mathematical Sciences, Research School of Earth Sciences, Building 142 Mills Road, Acton ACT, 2601 Australia

³Department of Chemistry and Physics of Materials, University of Salzburg, Jakob-Haringer-Strasse 2a, A-5020 Salzburg

ABSTRACT

Heat capacity (C_p) data of Al-F-bearing titanite are presented that yield the standard entropy $S_{298.15}^\circ$ of F-Al-titanite CaAlFSiO_4 (FAT). C_p of synthetic FAT was measured with relaxation calorimetry and differential scanning calorimetry between 5 and 764 K. The results constrain $S_{298.15}^\circ$ to be 115.4 ± 2.0 J/(mol·K) and subsequently the standard Gibbs free energy of formation from the elements, $\Delta_f G^\circ$, of $\text{CaAlSiO}_4\text{F}$ to be between -2583 ± 3.0 and -2588 ± 3.0 kJ/mol, and the standard enthalpy of formation from the elements, $\Delta_f H^\circ$, to lie between -2728 ± 3.0 and -2733 ± 3.0 kJ/mol depending on the thermodynamic data retrieval approach. These data, in turn, can be used to quantitatively model high-grade and UHP fluid-rock interaction. The calculation of future petrogenetic grids involving F-bearing minerals and titanite solid solutions in the system $\text{CaTiSiO}_4\text{O}-\text{CaAlSiO}_4\text{F}$ will only be possible by expanding existing internally consistent thermodynamic databases to the F-system.

Keywords: F-Al titanite, PPMS, DSC, standard entropy