

The effects of ferromagnetism and interstitial hydrogen on the equation of states of hcp and dhcp FeH_x: Implications for the Earth's inner core age

HITOSHI GOMI^{1,2,*}, YINGWEI FEI¹, AND TAKASHI YOSHINO²

¹Geophysical Laboratory, Carnegie Institution of Washington, Washington, D.C. 20015-1305, U.S.A.

²Institute for Planetary Materials, Okayama University, Misasa, Tottori 682-0193, Japan

ABSTRACT

Hydrogen has been considered as an important candidate of light elements in the Earth's core. Because iron hydrides are unquenchable, hydrogen content is usually estimated from in situ X-ray diffraction measurements that assume the following linear relation: $x = (V_{\text{FeH}_x} - V_{\text{Fe}})/\Delta V_{\text{H}}$, where x is the hydrogen content, ΔV_{H} is the volume expansion caused by unit concentration of hydrogen, and V_{FeH_x} and V_{Fe} are volumes of FeH_x and pure iron, respectively. To verify the linear relationship, we computed the equation of states of hexagonal iron with interstitial hydrogen by using the Korringa-Kohn-Rostoker method with the coherent potential approximation (KKR-CPA). The results indicate a discontinuous volume change at the magnetic transition and almost no compositional (x) dependence in the ferromagnetic phase at 20 GPa, whereas the linearity is confirmed in the non-magnetic phase. In addition to their effect on the density-composition relationship in the Fe-FeH_x system, which is important for estimating the hydrogen incorporation in planetary cores, the magnetism and interstitial hydrogen also affect the electrical resistivity of FeH_x. The thermal conductivity can be calculated from the electrical resistivity by using the Wiedemann-Franz law, which is a critical parameter for modeling the thermal evolution of the Earth. Assuming an Fe_{1-y}Si_yH_x ternary outer core model ($0.0 \leq x \leq 0.7$), we calculated the thermal conductivity and the age of the inner core. The resultant thermal conductivity is ~ 100 W/m/K and the maximum inner core age ranges from 0.49 to 0.86 Gyr.

Keywords: FeH_x, ferromagnetism, chemical disorder, equation of states, KKR-CPA