

Stracherite, $\text{BaCa}_6(\text{SiO}_4)_2[(\text{PO}_4)(\text{CO}_3)]\text{F}$, the first CO_3 -bearing intercalated hexagonal antiperovskite from Negev Desert, Israel

**EVGENY V. GALUSKIN^{1,*}, BILJANA KRÜGER², IRINA O. GALUSKINA¹, HANNES KRÜGER²,
YEVEGENY VAPNIK³, ANUSCHKA PAULUHN⁴, AND VINCENT OLIERIC⁴**

¹Faculty of Earth Sciences, Department of Geochemistry, Mineralogy and Petrography, University of Silesia, Będzińska 60, 41-200 Sosnowiec, Poland

²Institute of Mineralogy and Petrography, University of Innsbruck, Innrain 52, 6020, Innsbruck, Austria

³Department of Geological and Environmental Sciences, Ben-Gurion University of the Negev, POB 653, Beer-Sheva 84105, Israel

⁴Swiss Light Source, Paul Scherrer Institute, 5232 Villigen, Switzerland

ABSTRACT

The new mineral stracherite, $\text{BaCa}_6(\text{SiO}_4)_2[(\text{PO}_4)(\text{CO}_3)]\text{F}$ [$R\bar{3}m$, $a = 7.0877(5)$ Å, $c = 25.201(2)$ Å, $V = 1096.4(1)$ Å³, $Z = 3$], belongs to the zadovite group, which also includes zadovite, $\text{BaCa}_6[(\text{SiO}_4)(\text{PO}_4)](\text{PO}_4)_2\text{F}$; aradite, $\text{BaCa}_6[(\text{SiO}_4)(\text{VO}_4)](\text{VO}_4)_2\text{F}$; and gazeevite, $\text{BaCa}_6(\text{SiO}_4)_2(\text{SO}_4)_2\text{O}$. All minerals of this group exhibit single-layer antiperovskite modules, which are intercalated with tetrahedral layers. In stracherite, the first CO_3 -bearing intercalated hexagonal antiperovskite, about 38% of the $(\text{PO}_4)^{3-}$ tetrahedra are randomly substituted by planar $(\text{CO}_3)^{2-}$ groups. The mineral was discovered in spurrite rocks of the Hatrurim Complex in the Negev Desert near Arad, Israel. Associated minerals are spurrite, calcite, brownmillerite, shulamite, CO_3 -bearing fluorapatite, fluormayenite-fluorkyuygenite, and ariegilatite. The empirical formula of stracherite is: $(\text{Ba}_{0.96}\text{K}_{0.02}\text{Na}_{0.01})_{\Sigma 0.99}\text{Ca}_{6.01}[(\text{SiO}_4)_{1.86}(\text{PO}_4)_{0.12}(\text{AlO}_4)_{0.01}(\text{TiO}_4)_{0.01}]_{\Sigma 2}[(\text{PO}_4)_{1.05}(\text{CO}_3)_{0.75}(\text{SO}_4)_{0.18}(\text{VO}_4)_{0.02}]_{\Sigma 2}(\text{F}_{0.95}\text{O}_{0.03})_{\Sigma 0.98}$. Poikilitic crystals of stracherite are up to 0.5 mm in size and are confined to re-crystallization zones of spurrite marbles under the influence of by-products (gases, fluids) of combustion metamorphism.

Keywords: Stracherite, zadovite group, new mineral, intercalated hexagonal antiperovskites, CO_3 , Raman, pyrometamorphic rocks, Hatrurim Complex