

## **Compressibility of two Na-rich clinopyroxenes: A synchrotron single-crystal X-ray diffraction study**

**EKATERINA A. MATROSOVA<sup>1,\*</sup>, LEYLA ISMAILOVA<sup>2</sup>, ANDREY V. BOBROV<sup>1,3,4</sup>, ELENA BYKOVA<sup>5</sup>,  
MAXIM BYKOV<sup>6</sup>, KONSTANTIN GLAZYRIN<sup>5</sup>, LUCA BINDI<sup>7,8</sup>, SERGEY V. OVSYANNIKOV<sup>6</sup>,  
SERGEY M. AKSENOV<sup>9,10</sup>, DMITRY YU. PUSHCHAROVSKY<sup>3</sup>, AND LEONID DUBROVINSKY<sup>6</sup>**

<sup>1</sup>Vernadsky Institute of Geochemistry and Analytical Chemistry of Russian Academy of Sciences, Moscow, 119991, Russia

<sup>2</sup>Kolkovo Institute of Science and Technology, Skolkovo Innovation Center, 3, Moscow, 143026, Russia

<sup>3</sup>Geological Faculty, Moscow State University, Moscow, 119991, Russia

<sup>4</sup>Institute of Experimental Mineralogy of Russian Academy of Sciences, Chernogolovka, 142432, Russia

<sup>5</sup>Photon Sciences, Deutsches Elektronen-Synchrotron, Notkestrasse 85, D-22607 Hamburg, Germany

<sup>6</sup>Bayerisches Geoinstitut, University of Bayreuth, Universitätsstrasse 30, D-95440 Bayreuth, Germany

<sup>7</sup>Dipartimento di Scienze della Terra, Università di Firenze, Via La Pira 4, 50121 Florence, Italy

<sup>8</sup>CNR—Istituto di Geoscienze e Georisorse, sezione di Firenze, Via La Pira 4, 50121 Florence, Italy

<sup>9</sup>FSRC “Crystallography and Photonics,” Russian Academy of Sciences, Moscow, 119333, Russia

<sup>10</sup>Nesmeyanov Institute of Organoelement Compounds, Russian Academy of Sciences, Moscow, 119334, Russia

### **ABSTRACT**

Synchrotron-based high-pressure single-crystal X-ray diffraction experiments were conducted on synthetic clinopyroxenes at room temperature to a maximum pressure of 40 GPa. We studied two crystals with different compositions. A Na-Ti-pyroxene with formula  $(\text{Na}_{0.86}\text{Mg}_{0.14})(\text{Mg}_{0.57}\text{Ti}_{0.43})\text{Si}_2\text{O}_6$  synthesized at  $P = 7$  GPa and  $T = 1700$  °C, and a Na-pyroxene with composition  $(\text{Na}_{0.886}\text{Mg}_{0.085}\text{Fe}_{0.029})$   $(\text{Si}_{0.442}\text{Mg}_{0.390}\text{Fe}_{0.168})\text{Si}_2\text{O}_6$  synthesized at  $P = 15$  GPa and  $T = 1500$  °C. These phases were found to be monoclinic with the space group  $C2/c$  and exhibit  $K_{T_0}$  of 106.8(2), 121.8(4) GPa, respectively. Na-Ti-pyroxene is more compressible than Fe-bearing Na-Mg-Si-pyroxene, likely due to the fact that the  $\text{FeO}_6$  octahedron is significantly more rigid than  $\text{MgO}_6$  at high pressure. The formation of Na-rich pyroxenes in the deep mantle is related to crystallization of low-degree alkaline carbonate-silicate melts formed when the crust and mantle interact during the slab descent and its stagnation in the transition zone.

**Keywords:** Pyroxene, single-crystal X-ray diffraction, high-pressure, high-temperature, phase transitions, equation of state, Earth’s mantle