

Jingsuiite, TiB₂, a new mineral from the Cr-11 podiform chromitite orebody, Luobusa ophiolite, Tibet, China: Implications for recycling of boron

FAHUI XIONG^{1,2}, XIANGZHEN XU¹, ENRICO MUGNAIOLI³, MAURO GEMMI³, RICHARD WIRTH⁴, EDWARD S. GREW^{5,*,*†}, AND PAUL T. ROBINSON¹

¹Center for Advanced Research on the Mantle (CARMA), Key Laboratory of Deep-Earth Dynamics of Ministry of Land and Resources, Institute of Geology, Chinese Academy of Geological Sciences, Beijing 100037, China

²Southern Marine Science and Engineering Guangdong Laboratory (Guangzhou), Guangzhou 511458, China

³Center for Nanotechnology Innovation@NEST, Istituto Italiano di Tecnologia, Pisa 56127, Italy

⁴Helmholtz Centre Potsdam, GFZ German Research Centre for Geosciences, Section 3.5 Interface Geochemistry, Telegrafenberg, 14473 Potsdam, Germany

⁵School of Earth and Climate Sciences, University of Maine, Orono, Maine 04469, U.S.A.

ABSTRACT

The new mineral jingsuiite (TiB₂, IMA-2018-117b), together with osbornite-khamrabaevite solid solution (TiN-TiC), deltalumite, and a potential new mineral, hexagonal Ti₁₀(Si,P,□)₇, constitute four inclusions up to 50 μm across in corundum recovered from the Cr-11 podiform chromitite orebody near Kangjinla, Luobusa ophiolite, Tibet, China. EELS, EDS, and 3D electron diffraction were applied to study the phases. In one inclusion, jingsuiite forms a rounded grain 40 μm across. Associated osbornite-khamrabaevite solid solution forms an irregular mass up to 10 μm across having the composition Ti(N_{0.5}C_{0.5}) and the Ti₁₀(Si,P,□)₇ phase forms an incomplete overgrowth up to 20 μm thick around the grain of jingsuiite. In a second inclusion, jingsuiite, osbornite-khamrabaevite solid solution, Ti₁₀(Si,P,□)₇ and deltalumite form a lamellar intergrowth 100 μm long composed of tablets of the four phases up to 50 μm long × 4 μm in thickness. Jingsuiite has a primitive hexagonal cell with $a = 3.04(6)$, $b = 3.04(6)$, $c = 3.22(6)$ Å, $\alpha = 90^\circ$, $\beta = 90^\circ$, $\gamma = 120^\circ$, $V = 25.8(9)$ Å³, space group $P6/mmm$, $Z = 1$. Its structure was determined ab initio and dynamically refined on the basis of three-dimensional electron diffraction data; it is equivalent to that of synthetic TiB₂. Results of EELS analyses of jingsuiite in foil no. 5357 (N=20) gave B 61.87(1.22), C 1.53(1.26), Ti 36.62(1.45) at% from which an empirical formula of Ti_{1.10}(B_{1.86}C_{0.05})_{Σ1.91} was calculated on the basis of 3 atoms. The ideal formula is TiB₂. Our preferred scenario is that corundum with entrapped Ti-Si-P-Fe intermetallic melts was precipitated from basaltic magmas during exhumation following deep subduction. Enrichment of B in the melt pockets is attributed to the highly reducing conditions that led to the segregation of siderophile elements into intermetallic melts and to the siderophile behavior of B, thereby concentrating it in the intermetallic melts in preference to silicate melt. Experimental work on the Ti-Fe-Si system indicates that minerals enclosed in corundum grains such as Ti, FeTiSi₂, and TiSi₂ could have crystallized from alloy melts at the lowest T accessible on the liquidus, i.e., <1300 °C. The presence of TiB₂ in four inclusions in the Cr-11 orebody suggests incorporation of crustal sediments in the ophiolite followed by deep subduction to the Transition Zone where qingsongite (cubic BN) is inferred to have crystallized and subsequently exhumed to shallower levels where hexagonal BN and jingsuiite presumably crystallized.

Keywords: Boron, jingsuiite, intermetallic melts, crystal structure, transmission electron microscopy, three-dimensional electron diffraction; Lithium, Beryllium and Boron: Quintessentially Crustal