

The atomic arrangement and electronic interactions in vonsenite at 295, 100, and 90 K

MARC MADERAZZO^{1,*}, JOHN M. HUGHES^{1,2}, M. DARBY DYAR³, GEORGE R. ROSSMAN⁴,
BRANDON J. ACKLEY⁵, ELIZABETH C. SKLUTE³, MARIAN V. LUPULESCU⁶, AND
JEFFREY CHIARENZELLI⁷

¹Department of Geology, University of Vermont, Burlington, Vermont 05405, U.S.A

²Department of Geology and Environmental Earth Sciences, Miami University, Oxford, Ohio 45056, U.S.A.

³Department of Astronomy, Mount Holyoke College, South Hadley, Massachusetts 01075, U.S.A

⁴Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, California 91125-2500, U.S.A

⁵Department of Chemistry, University of Vermont, Burlington, Vermont 05405, U.S.A

⁶Research and Collections, New York State Museum, 3140 CEC, Albany, New York 12230, U.S.A

⁷Department of Geology, St. Lawrence University, Canton, New York 13617, U.S.A

ABSTRACT

Vonsenite, $\text{Fe}_2^{2+}\text{Fe}^{3+}\text{O}_2\text{BO}_3$, has been the subject of many studies in the materials science and condensed matter physics communities due to interest in the electronic and magnetic properties and ordering behavior of the phase. One such study, undertaken on synthetic material of end-member composition, reports X-ray diffraction structure refinements that indicate a phase transition from *Pbam* to *Pbnm* at or just below ~ 283 K, determined subsequently to arise from a Peierls-like instability. To compare the stability of the natural phase with that of synthetic material, we performed high-precision X-ray crystal-structure analyses at 295, 100, and 90 K ($R_1 = 0.0119, 0.0186, \text{ and } 0.0183$, respectively), Mössbauer spectroscopy at 295, 220, 150, 80, and 4.2 K, and wavelength-dispersive electron microprobe analysis on a vonsenite of near-end-member composition from Jayville, New York, U.S.A. The *Pbnm* structure is observed at 100 and 90 K, suggesting similar phase stability for the natural and synthetic phases. Comparison of Mössbauer data and X-ray site occupancies between the natural and synthetic phases suggests a reinterpretation of Mössbauer site assignments. We conclude that the Peierls-like instability underlying the reported transition from *Pbam* to *Pbnm* in synthetic material also occurs in our specimen of natural near-end-member vonsenite at temperatures between 295 and 100 K.

Keywords: Vonsenite, phase transition, low-temperature structure refinements, Peierls-like instability