

## **Cordylite-(Ce): A crystal chemical investigation of material from four localities, including type material**

**GERALD GIESTER,<sup>1</sup> YUNXIANG NI,<sup>2\*</sup> DIETMAR JAROSCH,<sup>1</sup> JOHN M. HUGHES,<sup>2</sup> JØRN RØNSBO,<sup>3</sup>  
ZHUMING YANG,<sup>4</sup> AND JOSEF ZEMANN<sup>1</sup>**

<sup>1</sup>Institute for Mineralogy and Crystallography, University of Vienna, A-1010 Vienna, Austria

<sup>2</sup>Department of Geology, Miami University, Oxford, Ohio 45056, U.S.A.

<sup>3</sup>Institute for Mineralogy, Øster Voldgade 10, DK-1350 K Copenhagen, Denmark

<sup>4</sup>Institute for Geology, Chinese Academy of Sciences, P.O. 9825, Beijing 100029, China

### **ABSTRACT**

Six cordylites from the four known localities [Narsarsssuk (Greenland), Mont St. Hilaire (Canada), Bayan Obo (China), and Kola Peninsula (Russia)] were investigated by electron microprobe and X-ray single-crystal structure determination, and a seventh sample was investigated by X-ray methods only. The material studied included type cordylite. The idealized formula for cordylite is redefined as  $(\text{Na}_{1-x}\text{Ca}_x)\text{BaCe}_2(\text{CO}_3)_4\text{F}$ ,  $0 < x < 1$ , with Ce for the sum of REE; the SrO content may reach about 5.7%. All of our structure refinements ( $P6_3/mmc$ ;  $a \cong 5.10$ ,  $c \cong 23.10$  Å) agree very well among themselves and with the published structures of “baiyuneboite-(Ce)” and unnamed  $(\text{Ca}_{0.5}\square_{0.5})\text{BaCe}_2(\text{CO}_3)_4\text{F}$ . Cordylite has a sheet structure formed of (001) layers of [Ba] [CO<sub>3</sub>] [Ce,CO<sub>3</sub>] [Na,F] [Ce,CO<sub>3</sub>] [CO<sub>3</sub>] [Ba] stacked along [001]. The interatomic distances are as expected, with the exception of unshielded Na-F distances of 2.94 Å; unlike the carbonate groups in basnäsite and synchysite, the carbonate groups in cordylite-(Ce) are parallel (001). Investigation of type cordylite showed that the formula proposed by Flink, i.e.,  $\text{BaCe}_2(\text{CO}_3)_3\text{F}_2$ , is to be modified to that given above, with  $x \cong 0$  for Flink’s material. Baiyuneboite-(Ce), a mineral previously approved by the IMA CNMMN but later withdrawn because of potential similarities with cordylite, is confirmed here as being essentially identical to type cordylite.