

High-resolution synchrotron X-ray powder diffraction and Rietveld structure refinement of two $(\text{Mg}_{0.95}\text{Fe}_{0.05})\text{SiO}_3$ perovskite samples synthesized under different oxygen fugacity conditions

**A.P. JEPHCOAT,^{1,*} J.A. HRILJAC,² C.A. MCCAMMON,³ H. ST.C. O'NEILL,³
D.C. RUBIE,³ AND L.W. FINGER⁴**

¹Department of Earth Sciences, University of Oxford, Parks Road, Oxford, OX1 3PR U.K.

²Department of Applied Science, Chemical Sciences Division, Brookhaven National Laboratory, P.O. Box 5000, Building 815, Upton, Long Island, New York 11973–5000, U.S.A.

³Bayerisches Geoinstitut, Universität Bayreuth, 95440 Bayreuth, Germany

⁴Center for High-Pressure Research and Geophysical Laboratory, 5251 Broad Branch Road, N.W., Washington, D.C. 20015–1305, U.S.A.

ABSTRACT

This paper presents high-resolution synchrotron X-ray powder diffraction data at 290 K on two Fe-bearing, polycrystalline silicate perovskite samples with approximate compositions $(\text{Mg}_{0.95}\text{Fe}_{0.05})\text{SiO}_3$ synthesized at 25 GPa and 1920 K in a multi-anvil press at different oxygen fugacity conditions. Mössbauer studies have indicated that $\text{Fe}^{3+}/\Sigma\text{Fe}$ for the samples are 0.09 ± 0.01 and near 0.16 ± 0.03 . Rietveld structural refinements confirm that Fe^{2+} and Fe^{3+} dominantly substitute for Mg^{2+} in the 8-fold to 12-fold coordinated A site for both compositions. There appears to be no significant differences in the bond distances for these amounts of Fe^{3+} and no conclusive structural evidence to support indications from Mössbauer experiments that Fe^{3+} may occupy both A and B sites. To explore the effect of valence state further, this study also reports the first diffraction patterns of $(\text{Mg,Fe})\text{SiO}_3$ perovskite collected at a wavelength near the Fe absorption edge.