

The results thus strongly indicate that microhardness studies of solid solution series might be utilised in detecting structural breaks and compositional variation.

#### LIMITATION

The obvious limitation of this technique is that although 20 random grains were examined in each case, the highest value obtained might not represent the maximum hardness. However in all cases the ranges of hardness of each species are so widely apart, compared to the range of hardness variation of a mineral with varying orientation, that this limitation does not seem to affect the general observations and conclusions.

#### REFERENCES

1. NAKHLA, F. M. (1956) "The hardness of metallic minerals in polished section." *Econ. Geol. Vol. 51*, No. 8.
2. ROBERTSON, F. AND WILLIAM J. VAN METER (1951) "The Kentron Microhardness Tester, a quantitative tool in opaque mineral identification." *Econ. Geol. Vol. 46*, No. 5.
3. WINCHELL, H. (1945) "The Knoop microhardness tester as a mineralogical tool." *Am. Mineral. 30*, 583.

THE AMERICAN MINERALOGIST, VOL. 45, MAY-JUNE, 1960

#### LATTICE CONSTANTS AND PROBABLE SPACE GROUP OF ANHYDROUS CUPRIC SULFATE (ARTIFICIAL CHALCOCYANITE)\*

CARL W. F. T. PISTORIUS, *Institute of Geophysics, University of California, Los Angeles 24, California.*†

Anhydrous cupric sulfate was prepared by heating Baker and Adamson Reagent Grade  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  to approximately  $300^\circ\text{C}$ . for two hours. The  $x$ -ray powder diffraction pattern at  $25^\circ\text{C}$ . was obtained in a Norelco high angle recording diffractometer, using  $\text{CuK}_\alpha$  radiation ( $\lambda = 1.5418 \text{ \AA}$ ) and a Ni filter. The scanning speed was  $\frac{1}{8}^\circ (2\theta)$  per minute.

The indexing was done by means of the similarity to the zinc sulfate pattern (Schiff, 1934) and by using the goniometric value for the axial ratios of natural chalcocyanite, which is orthorhombic dipyramidal (Dana's system, 1951). All the observed diffraction peaks could be satisfactorily assigned as being due to an orthorhombic lattice with the following unit-cell dimensions, obtained by a least-squares treatment:  $a_0 = 8.391 \pm .013 \text{ \AA}$ ,  $b_0 = 6.811 \pm .010 \text{ \AA}$ ,  $c_0 = 4.791 \pm .008 \text{ \AA}$ .

\* Institute of Geophysics Publication No. 194.

† On leave from the National Physical Research Laboratory, South African Council for Scientific and Industrial Research, P. O. Box 395, Pretoria, Transvaal, Union of South Africa.

TABLE 1. POWDER DATA FOR  $\text{CuSO}_4$ 

$d_{\text{obs.}}$ (Å)	$d_{\text{calc.}}$ (Å)	$hkl$	100 I/I <sub>0</sub>
4.163	4.161	101	73
3.911	3.919	011	5
3.537	3.551	111	100
3.408	3.406	020	4
3.163	3.156, 3.156	201, 120*	5
2.614	2.644, 2.635	220, 121	92
2.415	2.415	301	71
2.316	2.315	221	9
2.297	2.304	102	13
2.088	2.080	202	9
2.053	2.052	031	3
1.997	1.997, 1.990, 1.993	230, 212, 131	6
1.969	1.970	321	6
1.959	1.959	022	20
1.773	1.775	222	35
1.672	1.673, 1.669	421, 140*	8
1.581	1.584, 1.578, 1.578, 1.576	501, 402, 240, 141	14
1.564	1.569	103	4
1.554	1.555	013	8
1.542	1.543, 1.541, 1.537	511, 430, 412	5
1.434	1.436	521	32
1.430	1.432	422	33
1.398	1.398	600	5
1.376	1.374	502	12
1.306	1.306	033	6
1.290	1.291, 1.294	133, 620	4
1.275	1.274, 1.275	441, 522	4
1.248	1.247, 1.249, 1.249	233, 621, 413	4
1.209	1.208	602	3
1.163	1.163	701	4
1.161	1.160	541	2
1.150	1.152, 1.146	204, 711	5
1.097	1.095, 1.095, 1.096	161, 523, 260	8
1.081-1.072	1.081, 1.075, 1.072	640, 343, 702	8 broad
1.002	1.002	820	3
0.9990	0.9984	460	5
0.9969	0.9965	262	3
0.9856	0.9851	642	4
0.9816	0.9811	821	3
0.9796	0.9796, 0.9802	044, 740*	3
0.9592	0.9587	703	2
0.9562	0.9569, 0.9562	543, 651	4
0.9543	0.9546, 0.9540, 0.9536	633, 244, 071	4
0.9250	0.9247, 0.9255	822, 215	3
0.9229	0.9228	723	3
0.9140	0.9151	901	5
0.8057	0.8051, 0.8061	903, 941	4

The axial ratio  $a_0:b_0:c_0=1.232:1:0.7043$  agrees reasonably well with the goniometric value 1.254:1:0.7086, derived from Palache, Berman, Frondel (1951) if their value 0.7971:1:1.1300 is considered to be  $b:a:2c$ .

The calculated density of artificial  $\text{CuSO}_4$  at 25° C., assuming  $Z=4$ , is 3.873 gm/cm<sup>3</sup>. The pycnometric density is  $3.65 \pm 0.05$  gm/cm<sup>3</sup>.

The observed and calculated  $d$ -spacings, assigned indices and observed relative intensities are listed in Table 1. Systematic extinctions are  $0kl$ ,  $k+l$  odd;  $h0l$ , none;  $hk0$ ,  $h$  odd, or  $h+k$  odd. There are three reflections which can be indexed as  $hk0$  with  $h$  odd. These are marked by asterisks in the table. However in each case there is an alternative indexing  $hk0$  with  $h+k$  even. Accordingly the space group was chosen as  $Pnma$ , if  $\text{CuSO}_4$  is dipyramidal. This is in agreement with  $\text{ZnSO}_4$ ;  $a_0=8.58$ ,  $b_0=6.74$ ,  $c_0=4.76$  kX,  $Pnma$  (Schiff, 1934).

#### REFERENCES

- SCHIFF, K. (1934). Bestimmung des Kristallsystems und der Gitterkonstanten des wasserfreien Zinksulfates. *Z. Krist.*, **87**, 379.  
 PALACHE, C., BERMAN, H., AND FRONDEL, C. (1951) Dana's System of Mineralogy, 7th ed., 429 pp., vol. 2: New York, John Wiley and Sons, Inc.

---

#### ANNUAL MEETING

The forty-first annual meeting of the Mineralogical Society of America will be held in Denver, Colorado, Monday through Wednesday, October 31-November 2, 1960. Detailed notices will be mailed to all members.

Abstracts of papers to be presented at the annual meeting must be received by the Secretary on or before July 1, 1960. Abstract blanks may be obtained from the Secretary.

#### NOMINATIONS OF OFFICERS FOR 1961

- President: E. F. Osborn, Pennsylvania State University, University Park, Pa.  
 Vice-President: Ian Campbell, California Division of Mines, San Francisco, Calif.  
 Secretary: George Switzer, U. S. National Museum, Washington, D.C.  
 Treasurer: Marjorie Hooker, U. S. Geological Survey, Washington, D.C.  
 Councilors: (1961-63, two to be elected)  
 Stephen E. Clabaugh, University of Texas, Austin, Texas  
 Robert M. Garrels, Harvard University, Cambridge, Mass.  
 William T. Holser, California Research Corporation, La Habra, Calif.  
 O. F. Tuttle, Pennsylvania State University, University Park, Pa.

## FIFTY-PLUS COMMITTEE

The MSA Fifty-Plus Committee now has 158 members who have pledged a total of \$11,960 to the Endowment Fund over a five-year period. Formed last year to help build up the Endowment Fund, the Committee has been so successful that the Society is even now benefiting from the investment of the funds. Through May 31, 1960, \$6034 had been received. Membership is open to any member or friend of the Society who wishes to pledge not less than \$10 a year for a five-year period. If you would like to join, send a card or note to the Treasurer, Marjorie Hooker, U. S. Geological Survey, Washington 25, D. C. The members of the Committee are listed below:

Abelson, Philip H.	Ellestad, R. B.	Hutton, C. Osborne
Adams, John W.	Emmons, R. C.	Insley, Herbert
Alling, Harold L.	Engel, A. E. J.	Isotoff, A.
Amstutz, G. C.	Enlows, Harold E.	Jago, John B.
Anderson, A. Benton	Erickson, Edwin S., Jr.	Jahns, Richard H.
Anderson, Alfred L.	Fahey, Joseph J.	Kauffman, Albert J.
Bacon, Charles S.	Fairbairn, Harold W.	Keller, Walter D.
Bandy, Mark C.	Faust, George T.	Kennedy, George C.
Barton, Paul B., Jr.	Filer, Russell	Kerr, Paul F.
Beck, Carl W.	Fisher, D. Jerome	Knopf, Adolph
Berman, Joseph	Flagg, A. L.	Koebel, Charles
Bever, James E.	Foster, Margaret D.	Kraus, Edward H.
Bogue, Richard G.	Foster, Wilfrid R.	Larsen, Esper S., Jr.
Boucot, Arthur J.	Frondel, Clifford	Larsen, Esper S., 3d
Boyd, Francis R., Jr.	Fuller, Richard E.	Leonard, B. F.
Bradley, William F.	Galbraith, Frederic W.	Levinson, Alfred A.
Brant, Arthur M.	Gaudin, A. M.	Lyons, John B.
Brown, John S.	Gillson, Joseph L.	Mason, Brian H.
Buddington, Arthur F.	Glass, Jewell J.	Mather, Katharine
Buerger, Newton W.	Goldich, Samuel S.	McCaughey, William J.
Buie, Bennett F.	Goldsmith, Julian R.	McConnell, Duncan
Cameron, Eugene N.	Graf, Donald L.	Merritt, Clifford A.
Campbell, Charles D.	Grawe, Oliver R.	Meyrowitz, Robert
Cannon, Ralph S., Jr.	Green, Robert S.	Mielenz, Richard C.
Cargille, Ralph P.	Grogan, Robert M.	Mikami, Harry M.
Carroll, Dorothy	Gruner, John W.	Milton, Charles
Chesterman, Charles W.	Grunig, James K.	Moneymaker, B. C.
Chidester, Alfred H.	Haff, John C.	Montgomery, Arthur
Clabaugh, Stephen E.	Halbouty, Michel T.	Murata, K. J.
Croft, William J.	†Hamilton, Peggy-Kay	Nason, Howard K.
Cuttiitta, Frank	Henderson, Edward P.	Neuerburg, George J.
De Vries, Robert C.	Hess, Harold D.	Noble, James A.
Donnay, Gabrielle	Hess, Harry H.	Osborn, E. F.
Donnay, Joseph D. H.	Hewett, Donnel F.	Pabst, Adolf
Dosse, A. F.	Holmes, Ralph J.	Page, Lincoln R.
Earley, James W.	Hooker, Marjorie	Pate, Howard
Eckel, Edwin B.	Howland, Arthur L.	Pough, Frederick H.
Ehrmann, Martin L.	Hunt, Walter F.	Ramsdell, Lewis S.
Eitel, Wilhelm	Hurlbut, C. S., Jr.	Reichen, Laura

\* Deceased

Roedder, Edwin W.	Sprague and Henwood	Vlisidis, Angelina
Rowland, Richards A.	Staples, Lloyd W.	Wade, F. Alton
Runner, Joseph J.	Stern, Thomas W.	Waldschmidt, William A.
Sampson, Edward	Stewart, David B.	Weaver, Charles E.
Sampter, E. L.	Stewart, Duncan, Jr.	Webb, Robert W.
Schaller, Waldemar T.	Stoiber, Richard E.	Weeks, Alice D.
Schmidt, Robert G.	Stone, Robert L.	Weiss, E. J.
Schmitt, Harrison A.	Stringham, Bronson	Wenden, Henry E.
Schortmann, R. E.	Sun, Ming-Shan	Wherry, Edgar T.
Servos, Kurt	Taber, Stephen	Winchell, Horace
Siegrist, Marie	Tolman, Carl	Woodford, Alfred O.
Slawson, Chester B.	Tunell, George	Wyman, Richard V.
Smith, Joseph V.	Tuttle, O. Frank	Yntema, Theodore O.
Smith, Robert L.	Verhoogen, John	

#### PEACOCK MEMORIAL PRIZE

The Walker Mineralogical Club announces that it has awarded its Peacock Memorial Prize (1959) of two hundred dollars "for the best scientific paper on pure or applied mineralogy, including crystallography, mineralogy, petrology, ore genesis, and geochemistry," submitted by a graduate student, to

Dr. John Gittins,  
 Department of Geophysics and Geochemistry,  
 College of Mineral Industries, Pennsylvania State University,  
 University Park, Pennsylvania.

Dr. Gittins' paper was entitled "The Petrology of the Nepheline-bearing Rocks of Glamorgan and Monmouth Townships, Ontario, Canada." He did his work under Prof. C. E. Tilley and Dr. S. R. Nockolds at the University of Cambridge, England. Dr. Gittins emigrated to Canada from Manchester, England, in 1948 and resided in Hamilton, Ontario. Prior to doctoral studies at Cambridge, he attended McMaster University, Hamilton, Ontario, where he earned his B.Sc. in Honour Geology in 1955, and his M.Sc. in 1956.

The Walker Mineralogical Club announces also at this time that it is offering the Peacock Memorial Prize again in 1960.

#### FRANKLIN-OGDENSBURG MINERALOGICAL SOCIETY

The Franklin-Ogdensburg Mineral Society is a new organization established to provide a framework for a series of active programs designed to benefit the community, the collector and those interested in the minerals, mineralogy and geology of Franklin and Sterling Hill, New Jersey.

1. To establish, in cooperation with other interested groups, and maintain a sound, permanent museum of Franklin minerals in Franklin, N. J.

2. To develop new information on Franklin minerals and mineralogy, through cooperative scientific programs with universities, and other organizations and individuals.
3. To obtain and make available accurate up-to-date information on Franklin minerals and mineralogy.
4. To facilitate collecting of Franklin minerals while conserving material for future collectors.
5. To facilitate identification of Franklin minerals.
6. To promote fellowship and the advancement of mineralogy and geology by providing meetings of those interested in the Franklin area.

Any adult interested in any of these or related programs is invited to join us. Membership dues of \$2.00 or questions concerning the Society may be addressed to:

Franklin-Ogdensburg Mineralogical Society, Inc. Box 146  
Franklin, New Jersey

#### THE INDIAN MINERALOGIST

A copy of the first number (Jan. 1960) of the semi-annual journal of the Mineralogical Society of India, "The Indian Mineralogist," has just been received. This number contains 112 pages of format slightly larger than that of *The American Mineralogist*. The quality of paper, printing, and illustrations (including half-tones and an inset plate) is very good. Our congratulations go to the new Society on this excellent start. The subscription price is Rs. 10/- per year, and articles are invited from everyone. Orders should be sent to the Treasurer of the Mineralogical Society of India, Department of Geology, Karnatak University, Dharwar, India. The contents of this first number is as follows:

The mineral regions of South Australia .....	A. R. Alderman	1
Interference figures .....	D. J. Fisher	11
The Bowen reaction series and the development of different magma types .....	T. F. W. Barth	24
Laumontite in Finland .....	Pentti Eskola	29
Viridine from Mt. Ragged, Western Australia .....	Rex T. Prider	42
Co-existence relations in feldspars and their implications .....	S. V. Lakshmi Narayana Rao	48
Effect of granular texture on ultrasonic velocities in some rocks .....	S. Balakrishna	57
Contaminated basic members of charnockite series of Pallavaram, Madras, India .....	N. Leelananda Rao	60
Optic axial angles of pyroxenes of Deccan Traps .....	P. R. J. Naidu	68
Iron amphiboles of Hosalli area, Koppal Taluk, Raichur District, Mysore State .....	J. S. Venugopal and M. S. Sadashivaiah	76
The Closepet granite and associated rocks .....	K. V. Suryanarayana	86
The contaminated granites of Sankaridrug, Salem District, Madras State .....	S. Viswanathan	101
List of Members .....		108