

INDEX, VOLUME 71, 1986

- Åberg, G., see Ericsson, T., 136
- Abrecht, J., see Hewitt, D.A., 1126
- Aines, R.D., G.R. Rossman: Relationships between radiation damage and trace water in zircon, quartz, and topaz, 1186
- Aines, R.D., see Rossman, G.R., 779
- Akizuki, M.: Al-Si ordering and twinning in edingtonite, 1510
- Aldridge, L.P., E. Bill, R. Bläs, S. Lauer, V.R. Marathe, A. Sawaryn, A.X. Trautwein, H. Winkler: Electronic structure of Fe in some minerals, derived from iterative extended Hückel theory (IEHT), multiple scattering $X\alpha$ (MS- $X\alpha$) calculations, and Mössbauer measurements, 1015
- Alexander, V.D., D.T. Griffen, T.J. Martin: Crystal chemistry of some Fe- and Ti-poor dumortierites, 786
- Amthauer, G., see Joswig, W., 1194
- Angel, R.J.: Transformation mechanisms between single-chain silicates, 1441
- Angel, R.J., C.T. Prewitt: Crystal structure of mullite: A re-examination of the average structure, 1476
- Armbruster, T.: Role of Na in the structure of low cordierite: A single-crystal X-ray study, 746
- Arth, J.G., see Barker, F., 632
- Artioli, G., see Smith, J.V., 727
- Ashworth, J.R.: Myrmekite replacing albite in prograde metamorphism, 895
- Au, A.Y., see Hazen, R.M., 977
- Barbosa, C.P., see Foord, E.E., 603
- Barker, F., J.G. Arth, T.W. Stern: Evolution of the Coast batholith along the Skagway Traverse, Alaska and British Columbia, 632
- Barnes, H.L., see Murowchick, J.B., 1243
- Barton, M.D.: Phase equilibria and thermodynamic properties of minerals in the BeO-Al₂O₃-SiO₂-H₂O (BASH) system, with petrologic applications, 277
- Barton, M.D., see Hemingway, B.S., 557
- Batiza, R.: Review of Petrology, Mineralogy and Evolution of the Jan Mayen Magma System by Pall Inslund, 848
- Beard, J.S., H.W. Day: Origin of gabbro pegmatite in the Smartville intrusive complex, northern Sierra Nevada, California, 1085
- Bernstein, L.R.: Renierite, Cu₁₀ZnGe₂Fe₄S₁₆-Cu₁₁GeAsFe₄S₁₆: A coupled solid solution series, 210
- Bill, E., see Aldridge, L.P., 1015
- Bird, D.K., see Stern, L.A., 406
- Bläs, R., see Aldridge, L.P., 1015
- Bloss, F.D., see Su, S.-C., 1285, 1384, 1393
- Boettcher, A.L., see Luth, R.W., 264
- Borthwick, J., see Holdaway, M.J., 1135
- Bringhurst, K.N., D.T. Griffen: Staurolite-lusakite series. II. Crystal structure and optical properties of a cobaltoan staurolite, 1466
- Brisbin, W.C.: Mechanics of pegmatite intrusion, 644
- Brown, G.E., Jr., B.A. Mills: High-temperature structure and crystal chemistry of hydrous alkali-rich beryl from the Harding pegmatite, Taos County, New Mexico, 547
- Brown, G.E., Jr., R.C. Ewing: Introduction to the Jahns Memorial Issue, 233. Memorial of Richard Henry Jahns, 652
- Brown, G.E., Jr., see Shigley, J.E., 356
- Brown, G.E., Jr., see Stern, L.A., 406
- Brown, W.E., see Takagi, S., 1229
- Budahn, J.R.: Evidence for equilibrium conditions during the partitioning of nickel between olivine and komatiite liquids, 1337
- Burnham, C. Wayne, H. Nekvasil: Equilibrium properties of granite pegmatite magmas, 239
- Burnham, Charles W., see Post, J.E., 142, 1178
- Burnham, C.W., see Skinner, H.C.W., 860
- Burns, R.G., see Dyar, M.D., 955
- Buseck, P.R., see Rask, J.H., 805
- Carlson, W.D., M.K. Nelis: An occurrence of staurolite in the Llano uplift, central Texas, 682
- Carmichael, I.S.E., see Lange, R.A., 937
- Černý, P., B.E. Goad, F.C. Hawthorne, R. Chapman: Fractionation trends of the Nb- and Ta-bearing oxide minerals in the Greer Lake pegmatitic granite and its pegmatite aureole, southeastern Manitoba, 501
- Chakoumakos, B.C., see Lumpkin, G.R., 569
- Chandrasekhar, B.K., see White, W.B., 1415
- Chang, C.D., see Posey-Dowty, J., 85
- Chapman, R., see Černý, P., 501
- Chernosky, J.V., Jr., see Jenkins, D.M., 924
- Cho, M., J.J. Fawcett: A kinetic study of clinocllore and its high temperature equivalent forsterite-cordierite-spinel at 2 kbar water pressure, 68. Morphologies and growth mechanisms of synthetic Mg-chlorite and cordierite, 78
- Clark, A.H., T.H. Pearce, P.L. Roeder, I. Wolfson: Oscillatory zoning and other microstructures in magmatic olivine and augite: Nomarski interference contrast observations on etched polished surfaces, 734
- Clemens, J.D., J.R. Holloway, A.J.R. White: Origin of A-type granites: Experimental constraints, 317
- Cohen, A.J., see Partlow, D.P., 589
- Cölln, G. von, see Kroll, H., 1
- Couty, R., B. Velde: Pressure-induced band splitting in infrared spectra of sanidine and albite, 99
- Crerar, D., see Posey-Dowty, J., 85
- Crock, J.G., see Foord, E.E., 603
- Cronin, D.J., see Scarfe, C.M., 767
- Cygan, R.T., A.C. Lasaga: Dielectric and polarization behavior of forsterite at elevated temperatures, 758
- Czel, L.J.: Memorial of Robert Mann Grogan, 841

- Day, H.W., see Beard, J.S., 1085
- Desautels, P.E.: Memorial of Paul Seel, 1275
- Dollase, W.A., R.J. Reeder: Crystal structure refinement of huntite, $\text{CaMg}_3(\text{CO}_3)_4$, with X-ray powder data, 163
- Domine, F., B. Piriou: Raman spectroscopic study of the $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O}$ vitreous system: Distribution of silicon second neighbors, 38
- Duesler, E.N., E.E. Foord: Crystal structure of hashemite, BaCrO_4 , a barite structure type, 1217
- Dunn, P.J., C.A. Francis: Davidsonite and lehiite discredited, 1515
- Dunn, P.J., D.R. Peacor, R.C. Erd, R.A. Ramik: Franciscanite and ørebroite, two new minerals from California and Sweden, related to redefined welinite, 1522
- Dunn, P.J., D.R. Peacor, B.D. Sturman, F.J. Wicks: Rouseite, a new lead manganese arsenite from Långban, Sweden, 1034
- Dunn, P.J., see Peacor, D.R., 1517
- Dunn, P.J., see Rouse, R.C., 1240
- Dutrow, B.L., see Holdaway, M.J., 1135, 1142
- Dwornik, E.J., see Evans, H.T., Jr., 1045
- Dyar, M.D.: Practical application of Mössbauer goodness-of-fit parameters for evaluation of real experimental results: A reply, 1266
- Dyar, M.D., R.G. Burns: Mössbauer spectral study ferruginous one-layer trioctahedral micas, 955
- Effenberger, H., F. Pertlik, J. Zemann: Refinement of the crystal structure of krausite: A mineral with an interpolyhedral oxygen-oxygen contact shorter than the hydrogen bond, 202
- Eggleton, R.A., see Sinclair, W., 815
- Ekambaram, V., see Rosenberg, P.E., 971
- Epstein, S., see Newman, S., 1527
- Erd, R.C., see Dunn, P.J., 1522
- Ericksen, G.E., M.E. Mrose, J.W. Marinenko, J.J. McGee: Mineralogical studies of the nitrate deposits of Chile. V. Iquiqueite, $\text{Na}_4\text{K}_3\text{Mg}(\text{CrO}_4)\text{B}_{24}\text{O}_{39}(\text{OH})\cdot 12\text{H}_2\text{O}$, a new saline mineral., 830
- Ericsson, T., A. Filippidis: Cation ordering in the limited solid solution $\text{Fe}_2\text{SiO}_4\text{-Zn}_2\text{SiO}_4$, 1502
- Ericsson, T., A.G. Nord, G. Åberg: Cation partitioning in hydrothermally prepared olivine-related (Fe,Mn)-sarcopsides, 136
- Eugster, H.P.: Minerals in hot water, 655
- Evans, B.W.: Reactions among sodic, calcic, and ferromagnesian amphiboles, sodic pyroxene, and deerite in high-pressure metamorphosed ironstone, Siphnos, Greece, 1118
- Evans, H.T., Jr., E.J. Dwornik, C. Milton: Kassite from the Diamond Jo quarry, Magnet Cove, Hot Spring County, Arkansas: The problem of cafetite and kassite, 1045
- Ewing, R.C., see Brown, G.E., Jr., 233, 652
- Ewing, R.C., see Lumpkin, G.R., 569
- Fawcett, J.J., see Cho, M., 68, 78
- Fenn, P.M.: On the origin of graphic granite, 325
- Fenn, P.M., see Swanson, S.E., 331
- Ferry, J.M.: Acceptance of the Mineralogical Society of America Award for 1985, 853
- Ferry, J.M., see Grove, T.L., 1049
- Filippidis, A., see Ericsson, T., 1502
- Finger, L.W., see Hazen, R.M., 977
- Fitz Gerald, J.D., J.B. Parise, I.D.R. Mackinnon: Average structure of an An_{48} plagioclase from the Hogarth Ranges, 1399
- Fitzgerald, S., A.L. Rheingold, P.B. Leavens: Crystal structure of a Cu-bearing vesuvianite, 1011. Crystal structure of a non-P4/nnc vesuvianite from Asbestos, Quebec, 1483
- Fitzpatrick, J., A. Pabst: Thalenite from Arizona, 188
- Fleischer, M.: Memorial of George T. Faust, 843
- Foit, F.F., Jr., see Rosenberg, P.E., 971
- Foord, E.E., R.V. Gaines, J.G. Crock, W.B. Simmons, Jr., C.P. Barbosa: Minasgeraisite, a new member of the gadolinite group from Minas Gerais, Brazil, 603
- Foord, E.E., H.C. Starkey, J.E. Taggart, Jr.: Mineralogy and paragenesis of "pocket" clays and associated minerals in complex granitic pegmatites, San Diego County, California, 428
- Foord, E.E., see Duesler, E.N., 1217
- Foord, E.E., see Stern, L.A., 406
- Francis, C.A., see Dunn, P.J., 1515
- Franks, P.C., see Smith, M.P., 60
- Frost, M.T., I.E. Grey, I.R. Harrowfield, C. Li: Alteration profiles and impurity element distributions in magnetic fractions of weathered ilmenite, 167
- Fujino, K., H. Momoi, H. Sawamoto, M. Kumazawa: Crystal structure and chemistry of MnSiO_3 tetragonal garnet, 781
- Furukawa, T., see White, W.B., 1415
- Gaffey, S.J.: Spectral reflectance of carbonate minerals in the visible and near infrared (0.35-2.55 microns): Calcite, aragonite, and dolomite, 151
- Gaines, R.V., see Foord, E.E., 603
- Gasparik, T.: Experimental study of subsolidus phase relations and mixing properties of clinopyroxene in the silica-saturated system $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$, 686
- Goad, B.E., see Cerny, P., 501
- Goldsmith, J.R., see Su, S.-C., 1384
- Grant, J.A.: Quartz-philogopite-liquid equilibria and origins of charnockites, 1071
- Grave, E.D., see Vochten, R., 1037
- Green, N.L., S.I. Usdansky: Toward a practical plagioclase-muscovite thermometer, 1109. Ternary-feldspar mixing relations and thermobarometry, 1100
- Grew, E.S., J.R. Hinthorne, N. Marquez: Li, Be, B, and Sr in margarite and paragonite from Antarctica, 1129
- Grey, I.E., see Frost, M.T., 167
- Griffen, D.T., see Alexander, V.D., 786
- Griffen, D.T., see Bringhurst, K.N., 1466
- Griffen, D.T., see Phillips, L.V., 1461
- Griffin, W.L., see Mottana, A., 1426
- Groat, L.A., F.C. Hawthorne: Structure of ungemachite, $\text{K}_3\text{Na}_9\text{Fe}^{3+}(\text{SO}_4)_6(\text{NO}_3)_2\cdot 6\text{H}_2\text{O}$, a mixed sulfate-nitrate mineral, 826
- Grove, T.L., J.M. Ferry, F.S. Spear: Phase transitions in calcic plagioclase: A correction and further discussion, 1049

- Gutmann, J.T.: Origin of four- and five-phase ultramafic xenoliths from Sonora, Mexico, 1076
- Hafner, S.S., see Stenek, J., 127
- Hammarstrom, J.M., E. Zen: Aluminum in hornblende: An empirical igneous geobarometer, 1297
- Hanson, G.N., see Walker, R.J., 440
- Harmon, R.S., see Holdaway, M.J., 1135
- Harneit, O., see Viswanathan, K., 1489
- Harris, D.W., see Hochella, M.F., Jr., 1247
- Harrowfield, I.R., see Frost, M.T., 167
- Harte, B.: Genesis of diamond: A mantle saga-- Distorted in the telling, 1258
- Haselton, H.T., Jr., see Hemingway, B.S., 557
- Hawthorne, F.C.: Lammerite, $\text{Cu}_3(\text{AsO}_4)_2$, a modulated close-packed structure, 206
- Hawthorne, F.C., see Černý, P., 501
- Hawthorne, F.C., see Groat, L.A., 826
- Hayes, J.F., see Skinner, H.C.W., 860
- Haymon, R.M., M. Kastner: Caminite: A new magnesium-hydroxide-sulfate-hydrate mineral found in a submarine hydrothermal deposit, East Pacific Rise, 21°N, 819
- Hazen, R.M., A.Y. Au, L.W. Finger: High-pressure crystal chemistry of beryl ($\text{Be}_3\text{Al}_2\text{Si}_6\text{O}_{18}$) and euclase ($\text{BeAlSiO}_4\text{OH}$), 977
- Hellmann, R., see Posey-Dowty, J., 85
- Hemingway, B.S., M.D. Barton, R.A. Robie, H.T. Haselton, Jr.: Heat capacities and thermodynamic functions for beryl, $\text{Be}_3\text{Al}_2\text{Si}_6\text{O}_{18}$, phenakite, Be_2SiO_4 , euclase, $\text{BeAlSiO}_4(\text{OH})$, bertrandite, $\text{Be}_4\text{Si}_2\text{O}_7(\text{OH})_2$, and chrysoberyl, BeAl_2O_4 , 557
- Henderson, D.M., see Yang, W., 712
- Henry, Darrell: Review of The Tourmaline Group by R.V. Dietrich, 1549
- Hewitt, D.A., J. Abrecht: Limitations on the interpretation of biotite substitutions from chemical analyses of natural samples, 1126
- Hinthorne, J.R., see Grew, E.S., 1129
- Hinton, R.W., see Holdaway, M.J., 1135
- Hirai, H., H. Nakazawa: Grandite garnet from Nevada: Confirmation of origin of iridescence by electron microscopy and interpretation of a moiré-like texture, 123. Visualizing low symmetry of a grandite garnet on precession photographs, 1210
- Hochella, M.F., Jr., D.W. Harris, A.M. Turner: Scanning Auger microscopy as a high-resolution microprobe for geologic materials, 1247
- Hofmeister, A.M., G.R. Rossman: A spectroscopic study of blue radiation coloring in plagioclase, 95
- Hokanson, S.A., R.A. Yund: Comparison of alkali interdiffusion rates for cryptoperthites, 1409
- Holdaway, M.J.: Report of the Editor, 862
- Holdaway, M.J., B.L. Dutrow, J. Borthwick, P. Shore, R.S. Harmon, R.W. Hinton: H content of staurolite as determined by H extraction line and ion microprobe, 1135
- Holdaway, M.J., B.L. Dutrow, P. Shore: A model for the crystal chemistry of staurolite, 1142
- Hollister, L.S.: Review of A Practical Guide to Fluid Inclusion Studies by T. Shepard, A.H. Rankin, and P.H.M. Alderton, 1284
- Holloway, J.R., see Clemens, J.D., 317
- Hori, H., K. Nagashima, M. Yamada, R. Miyawaki, T. Marubashi: Ammonioleucite, a new mineral from Tatarazawa, Fujioka, Japan, 1022
- Hovis, G.L.: Behavior of alkali feldspars: Crystallographic properties and characterization of composition and Al-Si distribution, 869
- Huang, W., P.J. Wyllie: Phase relationships of gabbro-tonalite-granite-water at 15 kbar with applications to differentiation and anatexis, 301
- Hudleston, P.J.: Memorial of Strathmore R. B. Cooke, 1542
- Huebner, J.S.: Nature of phases synthesized along the join $(\text{Mg},\text{Mn})_2\text{Si}_2\text{O}_6$, 111
- Huebner, M., T.K. Kyser, E.G. Nisbet: Stable-isotope geochemistry of high-grade metapelites from the Central zone of the Limpopo belt, 1343
- Iwano, S., see Nagashima, K., 1028
- Iyer, G.V.A., see Subbanna, G.N., 1198
- Jahns, R.H., see Stern, L.A., 406
- Jenkins, D.M., J.V. Chernosky, Jr.: Phase equilibria and crystallochemical properties of Mg-chlorite, 924
- Jolliff, B.L., J.J. Papike, C.K. Shearer: Tourmaline as a recorder of pegmatite evolution: Bob Ingersoll pegmatite, Black Hills, South Dakota, 472
- Joswig, W., G. Amthauer, Y. Takéuchi: Neutron-diffraction and Mössbauer spectroscopic study of clintonite (xanthophyllite), 1194
- Kane, R.E., see Shigley, J.E., 1214
- Kastner, M., see Haymon, R.M., 819
- Kato, A., see Nagashima, K., 1028
- Kechid, S., see Smith, D.C., 1372
- Keller, W.D.: Compositions of condensates from heated clay minerals and shales, 1420
- Kirkpatrick, R.J., R. Oestrike, C.A. Weiss, Jr., K.A. Smith, E. Oldfield: High-resolution ^{27}Al and ^{29}Si NMR spectroscopy of glasses and crystals along the join $\text{CaMgSi}_2\text{O}_6$ - $\text{CaAl}_2\text{SiO}_6$, 705
- Kirkpatrick, R.J., see Wood, B.J., 999
- Kirkpatrick, R.J., see Yang, W., 712
- Kitamura, M., see Shen, B., 1455
- Koyama, E., see Nakai, I., 1234
- Kroll, H., I. Schmiemann, G. von Cölln: Feldspar solid solutions, 1
- Kumazawa, M., see Fujino, K., 781
- Kutty, T.R.N., see Subbanna, G.N., 1198
- Kvick, A., see Smith, J.V., 727
- Kyser, T.K., see Huebner, M., 1343
- Lange, R.A., I.S.E. Carmichael, J.F. Stebbins: Phase transitions in leucite (KAlSi_2O_6), orthorhombic KAlSiO_4 , and their iron analogues (KFeSi_2O_6 , KFeSiO_4), 937
- Lasaga, A.C., see Cygan, R.T., 758
- Lauer, S., see Aldridge, L.P., 1015
- Laul, J.C., see Shearer, C.K., 518
- Laul, J.C., see Walker, R.J., 440
- Leavens, P.B., see Fitzgerald, S., 1011, 1483

- Leavens, P.B., see White, J.S., Jr., 1221
 Leavens, P.B., see Zanazzi, P.F., 1224
 Leonard, B.F.: Memorial of A. F. Buddington, 1268
 Li, C., see Frost, M.T., 167
 Linnehan, D.G., see White, W.B., 1415
 Lofgren, G.E., see Petersen, J.S., 343
 London, D.: Magmatic-hydrothermal transition in the Tanco rare-element pegmatite: Evidence from fluid inclusions and phase-equilibrium experiments, 376. Formation of tourmaline-rich gem pockets in miarolitic pegmatites, 396
 Long, P.E., W.C. Luth: Origin of K-feldspar megacrysts in granitic rocks: Implications of a partitioning model for barium, 367
 Lumpkin, G.R., B.C. Chakoumakos, R.C. Ewing: Mineralogy and radiation effects of microlite from the Harding pegmatite, Taos County, New Mexico, 569
 Luth, R.W., A.L. Boettcher: Hydrogen and the melting of silicates, 264
 Luth, W.C., see Long, P.E., 367
 Mackinnon, I.D.R., see Fitz Gerald, J.D., 1399
 Mackinnon, I.D.R., see Zolensky, M.E., 1201
 Manson, D.V., see Shigley, J.E., 1214
 Marathe, V.R., see Aldridge, L.P., 1015
 Marinenko, J.W., see Ericksen, G.E., 830
 Markgraf, S.A., see Reeder, R.J., 795
 Marquez, N., see Grew, E.S., 1129
 Martin, T.J., see Alexander, V.D., 786
 Marubashi, T., see Hori, H., 1022
 Mascarenhas, Y.P., see Vencato, I., 222
 Mason, D.R.: Magmatic ferromagnesian inclusions in granitoid plagioclase cores, Barrington Tops Granodiorite, New South Wales, Australia, 1314
 Masutomi, K., see Nakai, I., 1234
 Mathew, M., see Takagi, S., 1229
 Matson, D.W., S.K. Sharma, J.A. Philpotts: Raman spectra of some tectosilicates and of glasses along the orthoclase-anorthite and nepheline-anorthite joins, 694
 Matsubara, S., see Nagashima, K., 1028
 Matsumura, M., see White, W.B., 1415
 Mattievich, E., see Vencato, I., 222
 Mattson, S.M., see Rossman, G.R., 599
 McCormick, T.C.: Crystal-chemical aspects of nonstoichiometric pyroxenes, 1434
 McGee, E.S.: Garnet megacrysts of the Williams diatremes, north-central Montana, 674
 McGee, J.J., see Ericksen, G.E., 830
 McLaughlin, G.M., see Sinclair, W., 815
 McMillan, K.: Spatially varied miaroles in the albite porphyry of Cuchillo Mountain, south-western New Mexico, 625
 McMillan, P.F., R.R. Remmele, Jr.: Hydroxyl sites in SiO₂ glass: A note on infrared and Raman spectra, 772
 McMullan, R.K., see Peterson, R.C., 742
 Mellini, M., S. Merlino, M. Pasero: X-ray and HRTEM structure analysis of orientite, 176
 Merlino, S., see Mellini, M., 176
 Meyer, H.O.A.: Genesis of diamond: A mantle saga--A reply, 1259. Proceedings of the Sixty-sixth Annual Meeting of the Mineralogical Society of America in Orlando, Florida, 855. Report of the Secretary for 1985, 856
 Mills, B.A., see Brown, G.E., Jr., 547
 Milton, C., see Evans, H.T., Jr., 1045
 Milton, D.J.: Chloritoid-sillimanite assemblage from North Carolina, 891
 Miyawaki, R., see Hori, H., 1022
 Miyawaki, R., see Nagashima, K., 1028
 Momoi, H., see Fujino, K., 781
 Montez, B., see Wood, B.J., 999
 Moore, P.B.: Quartz: Variations on a theme, 540
 Morimoto, N., see Shen, B., 1455
 Mottana, A., W.L. Griffin: Crystal chemistry of two coexisting K-richterites from St. Marcel (Val d'Aosta, Italy), 1426
 Mrose, M.E., see Ericksen, G.E., 830
 Muir, I.D.: Memorial of Peter Gay, 1055
 Murowchick, J.B., H.L. Barnes: Formation of cubic FeS, 1243
 Murray, H.H.: Memorial of Richards A. Rowland, 1053
 Nabelek, P.I.: Trace-element modeling of the petrogenesis of granophyres and aplites in the Notch Peak granitic stock, Utah, 460
 Nagashima, K., R. Miyawaki, J. Takase, I. Nakai, K. Sakurai, S. Matsubara, A. Kato, S. Iwano: Kimuraite, CaY₂(CO₃)₄·6H₂O, a new mineral from fissures in an alkali olivine basalt from Saga Prefecture, Japan, and new data on lokkaite, 1028
 Nagashima, K., see Hori, H., 1022
 Nagashima, K., see Nakai, I., 1234
 Nakai, I., H. Okada, K. Masutomi, E. Koyama, K. Nagashima: Henmilite, Ca₂Cu(OH)₄[B(OH)₄]₂, a new mineral from Fuka, Okayama Prefecture, Japan, 1234
 Nakai, I., see Nagashima, K., 1028
 Nakazawa, H., see Hirai, H., 123, 1210
 Naney, M.T., F.H. Ward: Sample manipulator and quenching apparatus for high-temperature 1-atm experiments, 837
 Navrotsky, A.: Cation-distribution energetics and heats of mixing in MgFe₂O₄-MgAl₂O₄, ZnFe₂O₄-ZnAl₂O₄, and NiAl₂O₄-ZnAl₂O₄ spinels: Study by high-temperature calorimetry, 1160
 Nekvasil, H., see Burnham, C. Wayne, 239
 Nelis, M.K., see Carlson, W.D., 682
 Nelson, S.A., Review of Igneous Petrology by Alexander R. McBirney, 1283
 Newbury, D., see Rouse, R.C., 1240
 Newman, S., E.M. Stolper, S. Epstein: Measurement of water in rhyolitic glasses: Calibration of an infrared spectroscopic technique, 1527
 Newnham, R.E.: Memorial of George W. Brindley, 1058
 Nicholls, I.A., see Oba, T., 1354
 Nisbet, E.G., see Huebner, M., 1343
 Nord, A.G., see Ericsson, T., 136
 Nord, G.L., Jr.: Report of the Treasurer for 1985, 857
 Nord, G.L., Jr., see Skinner, H.C.W., 860
 O'Brient, J.D.: Preservation of primary magmatic features in subvolcanic pegmatites, aplites, and granite from Rabb Park, New Mexico, 608
 O'Neill, H.S.C.: Mo-MoO₂ (MOM) oxygen buffer and the free energy of formation of MoO₂, 1007

- O'Neill, J.R., see Walker, R.J., 440
- Oba, T., I.A. Nicholls: xperimental study of cummingtonite and Ca-Na amphibole relations in the system Cum-Act-P1-Qz-H₂O, 1354
- Oberti, R., see Rossi, G., 1378
- Oestrike, R., see Kirkpatrick, R.J., 705
- Okada, H., see Nakai, I., 1234
- Oldfield, E., see Kirkpatrick, R.J., 705
- Pabst, A., see Fitzpatrick, J., 188
- Papike, J.J., see Jolliff, B.L., 472
- Papike, J.J., see Shearer, C.K., 518
- Papike, J.J., see Walker, R.J., 440
- Parise, J.B., see Fitz Gerald, J.D., 1399
- Partlow, D.P., A.J. Cohen: Optical studies of biaxial Al-related color centers in smoky quartz, 589
- Pasero, M., see Mellini, M., 176
- Peacor, D.R., P.J. Dunn, W.B. Simmons, F.J. Wicks: Arsenites related to layer silicates: Manganarsite, the arsenite analogue of manganopyrosomalite, and unnamed analogues of friedelite and schallerite from Långban, Sweden, 1517
- Peacor, D.R., see Dunn, P.J., 1034, 1522
- Peacor, D.R., see Rouse, R.C., 1240, 1494
- Peacor, D.R., see Yau, Y., 985
- Pearce, T.H., see Clark, A.H., 734
- Pelsmaekers, J., see Vochten, R., 1037
- Pertlik, F., see Effenberger, H., 202
- Petersen, J.S., G.E. Lofgren: Lamellar and patchy intergrowths in feldspars: Experimental crystallization of eutectic silicates, 343
- Peterson, R.C., R.K. McMullan: Neutron diffraction studies of sillimanite, 742
- Pfaffl, F.A.: Memorial of Heinz Meixner, 1051
- Phillips, L.V., D.T. Griffen: Staurolite-lusakite series. I. Synthetic Fe-Co staurolites, 1461
- Philpotts, J.A., see Matson, D.W., 694
- Piriou, B., see Domine, F., 38
- Posey-Dowty, J., D. Crerar, R. Hellmann, C.D. Chang: Kinetics of mineral-water reactions: Theory, design and applications of circulating hydrothermal equipment, 85
- Post, J.E., Charles W. Burnham: Ionic modeling of mineral structures and energies in the electron gas approximation: TiO₂ polymorphs, quartz, forsterite, diopside, 142. Modeling tunnel-cation displacements in hollandites using stucture-energy calculations, 1178
- Powell, R., see Sandiford, M., 946
- Presnall, D.C.: An algebraic method for determining equilibrium crystallization and fusion paths in multicomponent systems, 1061
- Prewitt, C.T., see Angel, R.J., 1476
- Rager, H., H. Schneider: EPR study of Fe³⁺ centers in cristobalite and tridymite, 105
- Ramik, R.A., see Dunn, P.J., 1522
- Ranson, W.A.: Complex exsolution in inverted pigeonite: Exsolution mechanisms and temperatures of crystallization and exsolution, 1322
- Rask, J.H., P.R. Buseck: Topotactic relations among pyrolusite, manganite, and Mn₅O₈: A high-resolution transmission electron microscopy investigation, 805
- Reader, J.M., see Shelton, K.L., 916
- Reeder, R.J., S.A. Markgraf: High-temperature crystal chemistry of dolomite, 795
- Reeder, R.J., see Dollase, W.A., 163
- Reenen, D.D. von: Hydration of cordierite and hypersthene and a description of the retrograde orthoamphibole isograd in the Limpopo belt, South Africa, 900
- Remmele, R.R., Jr., see McMillan, P.F., 772
- Rheingold, A.L., see Fitzgerald, S., 1011, 1483
- Ribbe, P.H., see Su, S.-C., 1285, 1384, 1393
- Robie, R.A., see Hemingway, B.S., 557
- Roeder, P.L., see Clark, A.H., 734
- Rosenberg, P.E., F.F. Foit, Jr., V. Ekambara: Synthesis and characterization of tourmaline in the system Na₂O-Al₂O₃-SiO₂-B₂O₃-H₂O, 971
- Ross, L.M., see Shelton, K.L., 916
- Rossi, G., R. Oberti, D.C. Smith: Crystal structure of lisetite, CaNa₂Al₄Si₄O₁₆, 1378
- Rossi, G., see Smith, D.C., 1372
- Rossman, G.R., R.D. Aines: Spectroscopy of a birefringent grossular from Asbestos, Ontario, Canada, 779
- Rossman, G.R., S.M. Mattson: Yellow, Mn-rich elbaite with Mn-Ti intervalence charge transfer, 599
- Rossman, G.R., see Aines, R.D., 1186
- Rossman, G.R., see Hofmeister, A.M., 95
- Rouse, R.C., D.R. Peacor: Crystal structure of the zeolite mineral goosecreekite, CaAl₂Si₆O₁₆·5H₂O, 1494
- Rouse, R.C., D.R. Peacor, P.J. Dunn, W.B. Simmons, D. Newbury: Wheatleyite, Na₂Cu(C₂O₄)₂·2H₂O, a natural sodium copper salt of oxalic acid, 1240
- Rumble, D., III: Presentation of the Mineralogical Society of America Award for 1985 to John M. Ferry, 852
- Sakurai, K., see Nagashima, K., 1028
- Salje, E.: Heat capacities and entropies of andalusite and sillimanite: The influence of fibrolitization on the phase diagram of the Al₂SiO₅ polymorphs, 1366
- Sandiford, M., R. Powell: Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000°C metamorphic temperatures in Archean continental crust, 946
- Sawamoto, H., see Fujino, K., 781
- Sawaryn, A., see Aldridge, L.P., 1015
- Sawicki, J.A., see Stenek, J., 127
- Scarfe, C.M., D.J. Cronin: Viscosity-temperature relationships of melts at 1 atm in the system diopside-albite, 767
- Schmiemann, I., see Kroll, H., 1
- Schneider, H., see Rager, H., 105
- Schreyer, W.: Memorial of Paul Ramdohr, 839
- Seidemann, D.E., see Shelton, K.L., 916
- Sharma, S.K., see Matson, D.W., 694
- Shearer, C.K., J.J. Papike, S.B. Simon, J.C. Laul: Pegmatite-wallrock interactions, Black Hills, South Dakota: Interaction between pegmatite-derived fluids and quartz-mica schist wallrock, 518
- Shearer, C.K., see Jolliff, B.L., 472
- Shelton, K.L., J.M. Reader, L.M. Ross, G.W. Viele, D.E. Seidemann: Ba-rich adularia from

- the Ouachita Mountains, Arkansas: Implications for a postcollisional hydrothermal system, 916
- Shen, B., O. Tamada, M. Kitamura, N. Morimoto: Superstructure of laihunite-3M ($\text{Ca}_{0.40}\text{Fe}^{2+}_{80}\text{Fe}^{3+}_{80}\text{SiO}_4$), 1455
- Shigley, J.E., G.E. Brown, Jr.: Lithiophilite formation in granitic pegmatites: A reconnaissance experimental study of phosphate crystallization from hydrous aluminosilicate melts, 356
- Shigley, J.E., R.E. Kane, D.V. Manson: A notable Mn-rich gem elbaite tourmaline and its relationship to "tsilaisite," 1214
- Shigley, J.E., see Stern, L.A., 406
- Shore, P., see Holdaway, M.J., 1135, 1142
- Simmons, W.B., Jr., see Foord, E.E., 603
- Simmons, W.B., see Peacor, D.R., 1517
- Simmons, W.B., see Rouse, R.C., 1240
- Simon, S.B., see Shearer, C.K., 518
- Sinclair, W., R.A. Eggleton, G.M. McLaughlin: Structure refinement of calzirtite from Jacupiranga, Brazil, 815
- Skinner, H.C.W., K.M. Towe, J.F. Hayes, G.L. Nord, Jr., C.W. Burnham: Report of the Financial Advisory Committee for 1985, 860
- Smith, B.K.: Variations in the framework structure of the zeolite ferrierite, 989
- Smith, D.C., S. Kechid, G. Rossi: Occurrence and properties of lisetite, $\text{CaNa}_2\text{Al}_4\text{Si}_4\text{O}_{16}$, a new tectosilicate in the system Ca-Na-Al-Si-O, 1372
- Smith, D.C., see Rossi, G., 1378
- Smith, J.V., G. Artioli, A. Kvick: Low albite, $\text{NaAlSi}_3\text{O}_8$: Neutron diffraction study of crystal structure at 13 K, 727
- Smith, K.A., see Kirkpatrick, R.J., 705
- Smith, M.P., P.C. Franks: Mg-rich hollow sanidine in partially melted granite xenoliths in a mica peridotite at Rose dome, Woodson County, Kansas, 60
- Smith, P.P.K.: Direct imaging of tunnel cations in zinkenite by high-resolution electron microscopy, 194
- Spaulding, L.B., Jr., see Stern, L.A., 406
- Spear, F.S., see Grove, T.L., 1049
- Starkey, H.C., see Foord, E.E., 428
- Stebbins, J.F., see Lange, R.A., 937
- Steele, I.M.: Cathodoluminescence and minor elements in forsterites from extraterrestrial samples, 966
- Stenek, J., S.S. Hafner, J.A. Sawicki: Local states of Fe^{2+} and Mg^{2+} in magnesium-rich olivines, 127
- Stern, L.A., G.E. Brown, Jr., D.K. Bird, R.H. Jahns, E.E. Foord, J.E. Shigley, L.B. Spaulding, Jr.: Mineralogy and geochemical evolution of the Little Three pegmatite-aplite layered intrusive, Ramona, California, 406
- Stern, T.W., see Barker, F., 632
- Stolper, E.M., see Newman, S., 1527
- Sturman, B.D., see Dunn, P.J., 1034
- Su, S.-C.: Review of Optical Mineralogy by D. Shelley, 1060
- Su, S.-C., P.H. Ribbe, F.D. Bloss: Alkali feldspars: Structural state determined from composition and optic axial angle $2V$, 1285
- Su, S.-C., P.H. Ribbe, F.D. Bloss, J.R. Goldsmith: Optical properties of single crystals in the order-disorder series low albite-high albite, 1384
- Su, S.-C., P.H. Ribbe, F.D. Bloss, J.K. Warner: Optical properties of a high albite (analbite) - high sanidine solid-solution series, 1393
- Subbanna, G.N., T.R.N. Kutty, G.V.A. Iyer: Structural intergrowth of brucite in anorthophyllite, 1198
- Swanson, S.E., P.M. Fenn: Quartz crystallization in igneous rocks, 331
- Taggart, J.E., Jr., see Foord, E.E., 428
- Takagi, S., M. Mathew, W.E. Brown: Crystal structures of bobierite and synthetic $\text{Mg}_3(\text{PO}_4)_2 \cdot 8\text{H}_2\text{O}$, 1229
- Takase, J., see Nagashima, K., 1028
- Takéuchi, Y., see Joswig, W., 1194
- Tamada, O., see Shen, B., 1455
- Tossell, J.A.: Studies of unoccupied molecular orbitals of the B-O bond by molecular orbital calculations, X-ray absorption near edge, electron transmission, and NMR spectroscopy, 1170
- Towe, K.M., see Skinner, H.C.W., 860
- Trautwein, A.X., see Aldridge, L.P., 1015
- Turner, A.M., see Hochella, M.F., Jr., 1247
- Uzdansky, S.I., see Green, N.L., 1100, 1109
- Vanko, D.A.: High-chlorine amphiboles from oceanic rocks: Product of highly-saline hydrothermal fluids?, 51
- Velde, B., see Couty, R., 99
- Velde, D., see Wagner, C., 17, 1473
- Vencato, I., Y.P. Mascarenhas, E. Mattievich: The crystal structure of $\text{Fe}^{2+}\text{Fe}^{3+}(\text{PO}_3\text{OH})_4(\text{H}_2\text{O})_4$: A new synthetic compound of mineralogic interest, 222
- Viele, G.W., see Shelton, K.L., 916
- Viswanathan, K., O. Harneit: Refined crystal structure of beta-uranophane, $\text{Ca}(\text{UO}_2)_2(\text{SiO}_3\text{OH})_2 \cdot 5\text{H}_2\text{O}$, 1489
- Vochten, R., E.D. Grave, J. Pelsmaekers: Synthesis, crystallographic and spectroscopic data, solubility, and electrokinetic properties of metakahlerite and its Mn analogue, 1037
- Wagner, C., D. Velde: The mineralogy of K-rich richterite-bearing lamproites, 17. Davanite, $\text{K}_2\text{TiSi}_6\text{O}_{15}$, in the Smoky Butte (Montana) lamproites, 1473
- Walker, R.J., G.N. Hanson, J.J. Papike, J.R. O'Neill, J.C. Laul: Internal evolution of the Tin Mountain pegmatite, Black Hills, South Dakota, 440
- Ward, F.H., see Naney, M.T., 837
- Warner, J.K., see Su, S.-C., 1393
- Waychunas, G.A.: Performance and use of Mössbauer goodness-of-fit parameters: Response to spectra of varying signal/noise ratio and possible misinterpretations, 1261
- Weiss, C.A., Jr., see Kirkpatrick, R.J., 705
- Wenk, H.-R.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1985 to Francis John Turner, 849

- White, A.J.R., see Clemens, J.D., 317
 White, J.S., Jr., P.B. Leavens, P.F. Zanazzi:
 Switzerite redefined as $Mn_3(PO_4)_2 \cdot 7H_2O$, and
 metaswitzerite, $Mn_3(PO_4)_2 \cdot 4H_2O$, 1221
 White, J.S., Jr., see Zanazzi, P.F., 1224
 White, W.B., M. Matsumura, D.G. Linnehan, T.
 Furukawa, B.K. Chandrasekhar: Absorption and
 luminescence of Fe^{3+} in single-crystal or-
 thoclase, 1415
 Wicks, F.J., see Dunn, P.J., 1034
 Wicks, F.J., see Peacor, D.R., 1517
 Winchell, H.: Memorial of Clifton Sherwin Cor-
 bett, 1274
 Winkler, H., see Aldridge, L.P., 1015
 Wolfson, I., see Clark, A.H., 734
 Wood, B.J., R.J. Kirkpatrick, B. Montez: Order-
 disorder phenomena in $MgAl_2O_4$ spinel, 999
 Wyllie, P.J., see Huang, W., 301
 Yamada, M., see Hori, H., 1022
- Yang, W., R.J. Kirkpatrick, D.M. Henderson:
 High-resolution ^{29}Si , ^{27}Al , and ^{23}Na NMR
 spectroscopic study of Al-Si disordering in
 annealed albite and oligoclase, 712
 Yau, Y., D.R. Peacor: Jerrygibbsite-
 leucophoenicite mixed layering and general
 relations between the humite and
 leucophoenicite families, 985
 Yund, R.A., see Hokanson, S.A., 1409
- Zanazzi, P.F., P.B. Leavens, J.S. White, Jr.:
 Crystal structure of switzerite,
 $Mn_3(PO_4)_2 \cdot 7H_2O$, and its relationship to
 metaswitzerite, $Mn_3(PO_4)_2 \cdot 4H_2O$, 1224
 Zanazzi, P.F., see White, J.S., Jr., 1221
 Zemann, J., see Effenberger, H., 202
 Zen, E., see Hammarstrom, J.M., 1297
 Zolensky, M.E., I.D.R. Mackinnon: Microstruc-
 tures of cylindrical tochilinites, 1201
- (Ag,Cu) $_4$ TeS, 1281
 AgInS $_2$, 846
 Al in orthopyroxene, 1076
 Al $_2$ SiO $_5$ polymorphs, 1366
 An-Or Margules parameters, 1100
 actinolite, 51, 1118, 1314,
 1354
 adularia, 916
 aegirine-augite, 1118
 Afghanistan
 beryl, 396
 pegmatite, 396
 spodumene, 396
 tourmaline, 396
 Alaska
 germanite, 210
 hornblende, 1297
 orthogneiss, 632
 renierite, 210
 tonalite, 632
 albite, 99, 264, 406, 440, 712,
 895, 1384
 high, 1393
 low, 727
 See also alkali feldspar
 albite porphyry, 625
 alkali feldspar, 1, 608, 869,
 1100, 1285, 1393
 B-bearing K-feldspar, 428
 almandine, 1118
 alpha quartz, natural and
 synthetic, 589
 amblygonite, 440
 ammonian arcanite, 1282
 ammonioleucite, 1022
 amphiboles, 301, 1085, 1297
 Ca-Na, 1354
 Cr and V in, 1314
 Cl and F in, 51
 coexisting, 1118
 solvus, 900
 amphibole asbestos, 1198
 analcime, 1022
- Analyses (chemical), minerals
 actinolite, 51, 1118, 1314,
 1354
 adularia, 916
 aegirine-augite, 1118
 albite, 406, 440, 1384
 alkali feldspar, 1, 869,
 1285, 1393
 almandine, 1118
 alpha quartz, natural and
 synthetic, 589
 amblygonite, 440
 ammonioleucite, 1022
 amphibole, 1085, 1297, 1354
 andalusite, 1366
 anthophyllite, 900, 1198
 apatite, 440
 augite, 734, 1076, 1085,
 1118, 1314
 beidellite, 428
 beryl, 277, 440, 547
 biotite, 518, 608, 900, 1126,
 1129
 calcite, 85
 calzirtite, 815
 caminite, 819
 Ca-Na amphibole, 1354
 cassiterite, 501
 chloritoid, 891
 chromite, 17
 Cl-hastingsite, 51
 clinopyroxene, 946
 clintonite, 1194
 columbite, 501
 cordierite, 746, 900
 cristobalite, 105
 crossite, 1118
 cummingtonite, 1118, 1314,
 1354
 davanite, 1473
 deerite, 1118
 diaspore, 1420, 1527
 dickite, 1420
- diopside, 1076
 dolomite, 151
 dumortierite, 786
 elbaite, 406, 599, 1214
 enstatite, 1076
 fayalite-willemitite, 1502
 feldspar, 608
 Fe $^{2+}$ Fe $^{3+}$ (PO $_3$ OH) $_4$ (H $_2$ O) $_4$, 222
 (Fe,Mn)-sarcopsides, 136
 fluid inclusions, 376
 fluorite, 85
 forsterite, 966
 franciscanite, 1522
 garnet, 123, 674, 779, 781,
 900, 1210
 gedrite, 900
 gibbsite, 1420
 grandite garnet, 123, 1210
 grossular, 779
 halloysite, 1420
 hashemite, 1217
 hastingsite, Cl-, 51
 henmilite, 1234
 hornblende, 51, 608, 1314
 hypersthene, 900, 1314
 illite, 1420
 ilmenite, 17, 167, 1314
 iquiqueite, 830
 ixiolite, 501
 K-feldspar, 367, 406, 440
 K-richterite, 17, 1426
 KAlSiO $_4$, 937
 kaolinite, 1420
 KFeSiO $_4$, 937
 KFeSi $_2$ O $_6$, 937
 kimuraite, 1028
 lanthanite, 1028
 lawsonite, 1527
 lepidolite, 406, 440
 leucite, 937
 Li-tosudite, 428
 lisetite, 1372
 lithiophilite, 356

- Analyses (chemical), minerals
 --continued
 lokkaite, 1028
 magnetite, 1314
 manganarsite, 1517
 margarite, 1129
 metaswitzerite, 1221
 microlite, 501, 569
 minasgeraisite, 603
 MnSiO₃ garnet, 781
 montmorillonite, 428
 muscovite, 406, 440, 518
 Na-Al tourmaline, 971
 niobian rutile, 501
 olivine, 734, 1076, 1085
 omphacite, 1434
 örebroite, 1522
 orthopyroxene, 946, 1085
 palygorskite, 428
 paragonite, 1129
 phlogopite, 17
 plagioclase, 95, 343, 1049,
 1076, 1085, 1399
 priderite, 17
 pseudobrookite, 17
 pyrophyllite, 1527
 pyroxene, 946, 1085, 1322
 quartz, alpha, 589
 renierite, 210
 richterite, 17, 1426
 riebeckite, 1118
 rouseite, 1034
 rutile (niobian-tantalum),
 501
 sanidine, 343, 1393
 sarcopsides, (Fe,Mn)-, 136
 sillimanite, 742, 1366
 smectite, 1420
 spinel, 1076
 spodumene, 440, 1129
 staurolite, 682, 1135, 1142,
 1466
 switzerite, 1221
 tantalum rutile, 501
 tantalite, 501
 ternary feldspar, 1
 thalenite, 188
 tochilinite, 1201
 topaz, 406
 tosudite, Li-, 428
 tourmaline, 472, 518, 971,
 1214
 tridymite, 105
 vesuvianite, 1011, 1483
 welinite, 1522
 wheatleyite, 1240
 willemite-fayalite, 1502
 winchite, 1118
 wodginite, 501
 zeolite, 608
 zinkenite, 194
- Analyses (chemical), rocks
 aplite, 460, 608
 bauxite, 1420
 bentonite, 1420
 china clay, 1420
 granite, 460, 608
 granophyre, 460
 granulites, 946
 kaolin, 1420
 lamproites, 17
 Mg-rich metapelite, 900
 obsidian, 1527
 orthogneiss, 632
 pegmatite, 239, 440, 608
 pyroxene-bearing granulites,
 946
 rhyolite, 608, 1354, 1527
 schist, 518
 shale, 1420
 tonalite, 632
 anatexis of lower crust, 301
 andalusite, 277, 1366
 anhydrous melts, 239
 annite, 955
 anorthite, 694
 Antarctica
 margarite, 1129
 paragonite, 1129
 pyroxene, 946
 anthophyllite, 900, 1198
 apatite, 440
 aplite, 428, 460, 608
 apophyllite, 1247
 aragonite, 151
 Archean, 946
 Arizona
 augite, 734
 olivine, 734
 thalenite, 188
 Arkansas
 adularia, 916
 kassite, 1045
 shale, 916
 arsenites, 1517
 arsenogoyazite, 845
 A-type granite, 317
 Auger microscopy, 1247
 augite, 734, 1076, 1085, 1314
 Australia
 A-type granite, 317
 amphibole, 1314
 bobierrite, 1229
 dacite, 1314
 Fe-Ti oxides, 1314
 ferriannite, 955
 granodiorite, 1314
 ilmenite (altered), 167
 plagioclase, 1399
 pyroxene, 1314
 autoradiograph, thalenite, 188
 a-X relations in plagioclase-
 muscovite assemblages, 1109
- Ba zoning, 367
 B-bearing K-feldspar, 428
 BeO-Al₂O₃-SiO₂-H₂O, 277
 BeO-SiO₂-H₂O, 277
 Bi-Cu-Pb-Se-Te sulfides, 847
 bastnaesite, 1277
 bayankhanite, 1543
 bauxite, 1420
 bavenite, 428
 behoite, 277
 beidellite, 428
 bentonite, 1420
 bertrandite, 277, 557
 beryl, 277, 396, 440, 547, 557,
 977
 beta-uranophane, 1489
 biotite, 518, 608, 955, 1126,
 1129
 biotite-garnet, 682, 900
 black smoker chimneys, 819
 bobierrite, 1229
 Book reviews
 Batiza, R.: Petrology,
 Mineralogy and Evolution
 of the Jan Mayen Magma
 System by Pall Imsland,
 848
 Henry, Darrell: The Tour-
 maline Group by R.V.
 Dietrich, 1549
 Hollister, L.S.: A Practical
 Guide to Fluid Inclusion
 Studies by T. Shepard,
 A.H. Rankin, and P.H.M.
 Alderton, 1284
 Nelson, S.A.: Igneous Petro-
 logy by Alexander R. McBir-
 ney, 1283
 Su, S.-C.: Review of Optical
 Mineralogy by D. Shelley,
 1060
- borate, 231, 1170
 braunite II, 1543
 Brazil
 andalusite, 1366
 euclase, 557
 minasgeraisite, 603
 phenakite, 557
 quartz, 589
 synthetic alpha quartz, 589
 tochilinite, 1201
 brewsterite, 1494
 bustamite, 1441
- CaAl₂Si₂O₈-NaAlSi₃O₈-KAlSi₃O₈,
 343
 CaMgSi₂O₆-H₂O-H₂, 264
 CaMg₃(CO₃)₄, 163
 Ca-Na amphibole, 1354
 CaO-Al₂O₃-SiO₂, 694
 CaO-MgO-Al₂O₃-SiO₂, 686
 Cl-hastingsite, 51
 Cl in amphiboles, 51
 Cu(Ir,Pt)₂S₄, 231
 California
 albite, 1
 alkali feldspars, 406
 amphibole, 1085
 aplite, 428
 beidellite, 428
 beryl, 396
 biotite, 955
 calcite, 428
 cleavelandite (blue), 95
 clinopyroxene, 1085
 columbite, 406
 cookeite, 428
 elbaite, 406, 599
 ferrierite, 989
 franciscanite, 1522

- California--continued
 gabbro pegmatite, 1085
 laumontite, 428
 lepidolite, 406
 lithiophilite, 356
 montmorillonite, 428
 muscovite, 406
 olivine, 1085
 orthopyroxene, 1085
 palygorskite, 428
 pegmatite, 396, 428
 plagioclase, 1085
 pocket Li-tosudite, 428
 quartz, 406
 schorl, 406
 spodumene, 396
 stibio-bismuth-columbite-tantalite, 406
 stilbite, 428
 topaz, 406
 tourmaline, 396
 calcite, 85, 151, 428, 625
 calcite dissolution, 85
 calzirtite, 815
 caminite, 819
 canaphite, 1543
 Canada
 anorthosite, 1322
 columbite, 501
 edingtonite, 1510
 grossular, 779
 hornblende, 1297
 ixiolite, 501
 microlite, 501
 pegmatite, 376
 plagioclase feldspar (oligoclase), 712
 pyroxene, 1322
 tantalite, 501
 vesuvianite, 1483
 wodginite, 501
 caratiite, 227
 carnegieite, 694
 cassiterite, 501
 cathodoluminescence, 966
 cation and anion geothermometry, 1343
 cerite, 540
 charnockite, 1071
 chemical crystallography, 540
 cherepanovite, 1544
 Chile, iquiqueite, 830
 china clay, 1420
 China (PRC), laihunite-3M, 1455
 chlorite, 68, 78, 924
 chloritoid, 891
 chromite, 17
 chrysoberyl, 277, 557
 clairite, 229
 clinocllore, 68, 924
 clinopyroxene, 301, 674
 and orthopyroxene, 946, 1076, 1085
 clintonite, 1194
 color
 K-richterite, 1426
 plagioclase, 95
 tourmaline, 599
 Colorado
 annite, 955
 dendritic quartz, 331
 germanite (?), 210
 renierite, 210
 columbite, 406, 501
 comparison of cation and anion, 1343
 Compressibility measurements
 beryl, 977
 euclase, 977
 cookeite, 428
 cordierite, 78, 746, 900, 924
 Cpx + An + Qtz, 686
 cristobalite, 105
 crossite, 1118
 cryptomelane, 1178
 Crystal growth, 331, 343
 cubic FeS, 1243
 diamond, 1258
 edingtonite, 1510
 mackinawite, 1243
 tochilinite, 1201
 troilite, 1243
 crystallization paths in multi-component systems, 1061
 Crystal structure
 albite, 727
 beryl, 547, 977
 beta-uranophane, 1489
 bobierite, 1229
 calzirtite, 815
 CaMg₃(CO₃)₄, 163
 caminite, 819
 cerite, 540
 clintonite, 1194
 cordierite, 746
 diopside, 142
 dolomite, 795
 dumortierite, 786
 edingtonite, 1510
 euclase, 977
 (Fe,Mn)-sarcopsides, 136
 ferrierite, 989
 forsterite, 142
 garnet, 781, 1210
 goosecreekite, 1494
 grandite garnet, 1210
 hashemite, 1217
 henmilite, 1234
 humite, 985
 huntite, 163
 K-richterite, 1426
 krausite, 202
 laihunite-3M, 1455
 lammerite, 206
 leucophoenicite, 985
 lisetite, 1378
 low albite, 727
 microlite, 569
 minasgeraisite, 603
 MnSiO₃ garnet, 781
 modeling, 142
 mullite, 1476
 orientite, 176
 plagioclase, 1399
 prehnite, 540
 quartz, 142, 540
 renierite, 210
 rhabdophane, 540
 richterite, K-, 1426
 sarcopsides, (Fe,Mn)-, 136
 sillimanite, 742
 staurolite (cobaltoan), 1466
 staurolite, 1142
 steenstrupine, 540
 switzerite, 1224
 TiO₂ polymorphs, 142
 ungemachite, 826
 uranophane, beta-, 1489
 vesuvianite, 1483
 vesuvianite, Cu-bearing, 1011
 wheatleyite, 1240
 Crystal synthesis
 clinocllore, 924
 cubic FeS, 1243
 fayalite-willemite, 1502
 mackinawite, 1243
 metakahlerite, 1037
 Na-Al tourmaline, 971
 omphacite, 1434
 staurolite (Co and Fe), 1461
 tourmaline, Na-Al, 971
 troilite, 1243
 willemite-fayalite, 1502
 Cuba, orientite, 176
 cubic FeS, 1243
 cummingtonite, 1118, 1314, 1354
 cupralite, 1278
 cuproiridsite, 1277
 cuprorhodsite, 1277
 Di-Ab melts, viscosity, 767
 Di-CaTs pyroxene solution, 686
 Di-CaTs system, 705
 Di-CaTs-CaEs pyroxene solutions, 686
 dacite, 1314
 davanite, 1473
 davissonite, discredited, 1515
 deerite, 1118
 dehydroxylation, 1420
 determinants in phase equilibria, 1061
 diamond, 1258, 1259
 diaspore, 1420, 1527
 dielectric constant, forsterite, 758
 dickite, 1420
 differential scanning calorimetry, 937
 Differential thermal analysis, thermogravimetric analysis
 ammonioleucite, 1022
 beta-uranophane, 1489
 heat capacities and entropies, 1366
 iquiqueite, 830
 kimuraitite, 1028
 rouseite, 1034
 uranophane, beta-, 1489
 welinite, 1522
 diopside, 142, 264, 1076
 discredited minerals 1282, 1515
 dissolution, 85

- dolomite, 151, 795
donpeacorite, 111
doyleite, 845
dumortierite, 786
- East Pacific Ocean
metaplutonic rocks, 51
 caminite, 819
eclogite, 1372, 1434
edingtonite, 1510
ehrleite, 1544
elbaite, 406, 599
 Mn-rich, 1214
- Electrical properties
forsterite, 758
metakahlerite, 1037
- Electron diffraction
bustamite, 1441
ferrierite, 989
jerrygibbsite, 985
johannsenite, 1441
leucophoenicite, 985
plagioclase, 1399
pyroxmangite, 1441
rhodonite, 1441
wollastonite, 1441
- Electron microscopy
adularia, 916
amphibole, 301, 1085
annite, 955
anthophyllite, 1198
apophyllite, 1247
augite, 1085
biotite, 955
bustamite, 1441
calcite, 625
caminite, 819
chlorite, Mg-, 78
clinopyroxene, 301
cordierite, 78
epidote, 625
ferrierite, 989
ferriphlogopite, 955
fluid inclusions, 396
garnet, 123, 301
ilmenite, 167
iquiqueite, 830
jerrygibbsite, 985
johannsenite, 1441
leucophoenicite, 985
lithiophilite, 356
manganite, 805
Mg-chlorite, 78
mica, 301
microlite, 569
minasgeraisite, 603
Mn₅O₈, 805
Na-Al tourmaline, 971
olivine, 734, 1085
orientite, 176
orthopyroxene, 1085
phlogopite, 955
plagioclase, 301, 895, 1049, 1085
pyrite, 1247
pyrolusite, 805
pyroxene, 301, 1085
pyroxmangite, 1441
- quartz, 895
renierite, 210
rhodonite, 1441
tochilinite, 1201
tourmaline, Na-Al, 971
wollastonite, 1441
zinkenite, 194
- Electron paramagnetic resonance
spectroscopy
 cristobalite, 105
 iquiqueite, 830
 plagioclase (sodic), 95
 tridymite, 105
- enstatite, 1076
epidote, 625
ertixiite, 1544
euclase, 277, 557, 977
- Expansivity measurements
 beryl, 547
- Experimental petrology
 actinolite, 1354
 albite, 264
 amphibole, 1354
 A-type granite, 317
 bertrandite, 277
 beryl, 277
 Ca-Na amphibole, 1354
 chlorite, 68, 78, 924
 chrysoberyl, 277
 cordierite, 78, 924
 cummingtonite, 1354
 Di-Ab system, 767
 Di-CaTs-CaEs pyroxene solutions, 686
 diopside, 264
 euclase, 277
 feldspar, 325
 gabbro, 301
 granite, 301, 317
 granite pegmatite, 608
 LiAlSi₄-NaAlSi₃O₈-SiO₂-Li₂B₄O₇-H₂O, 376
 lithiophilite, 356
 Mg-chlorite, 68, 78
 (Mg,Mn)-pyroxenes, 111
 (Mg,Mn)-pyroxenoids, 111
 Ne-An joins, 694
 Or-An joins, 694
 pegmatite, 239, 325
 phenakite, 277
 pyroxenes, 111, 686
 pyroxenoids, 111
 quartz, 264, 325
 quartz crystallization, 331
 quartz-phlogopite-liquid, 1071
 rhyolite, 1354
 rhyolite porphyry, 608
 spinel, 999
 ternary feldspar, 343
 tonalite, 301
- exsolution
 plagioclase, 1049
 pyroxene, 946, 1322
- Fe²⁺Fe³⁺(PO₃OH)₄(H₂O)₄, 222
Fe³⁺ spectra, 1415
(Fe,Mn)-sarcopsides, K_D , 136
- Fe-rich micas, 955
Fe titanate, 846
Fe-Ti oxides, 1314
fayalite-willemitite, 1502
feldspar, 239, 325, 440, 608
 See also individual feldspars
feldspar intergrowths, 343
ferriannite, 955
ferridiopside, 1544
ferrierite, 989
ferriphlogopite, 955
Finland, sillimanite, 1366
fluid inclusions, 376, 396
fluorannite, 955
fluorite, 85
fluorite dissolution, 85
forsterite, 142, 758, 966
France, lamproite, 17
franciscanite, 1522
fredrikssonite, 227
- gabbro, 301
gabbro pegmatite, oxygen in, 1085
gadolinite group, 603
garnet, 301, 674, 900, 1015
 grandite, 123, 1210
 grossular, 779
 MnSiO₃, 781
garnet-biotite, 682, 900
gedrite, 900
georgechaoite, 227
- Geothermometry-geobarometry
 adularia, 916
 Al in orthopyroxene, 1076
 alkali feldspar, 1100
 amphibole solvus, 900
 andalusite-sillimanite equilibrium, 1366
 biotite-garnet, 682, 900
 Cpx + An + Qtz, 686
 calcite, 428
 clinopyroxene, 301, 674
 clinopyroxene-orthopyroxene, 946, 1076, 1085
 comparison of cation and anion, 1343
 dacite, 1314
 eclogite, 1372
 feldspar, 440, 608
 fluid inclusions, 376
 garnet, 301
 garnet-biotite, 682, 900
 granodiorite, 1314
 hornblende, 1297
 ironstone, 1118
 lisetite, 1372
 lithium aluminosilicate systems, 396
 muscovite-plagioclase, 1109
 orthoamphibole solvus, 900
 orthopyroxene-clinopyroxene, 946, 1076, 1085
 pelite, 895
 plagioclase, 1100
 plagioclase-muscovite, 1109
 pyroxene, 1076, 1314, 1322
 quartz, 440, 916

- Geothermometry-geobarometry--
 continued
 sillimanite-andalusite equi-
 librium, 1366
 ternary feldspar, 1100
 gerdtremlite, 845
 germanite, 210
 Germany, sillimanite, 1366
 gibbsite, 1420
 gillespite, 1015
 goldfieldite-like mineral, 847
 goosecreekite, 1494
 grandite garnet, 123, 1210
 granite, 301, 317, 460, 608
 See also Jahns Memorial
 Issue, 233-654
 granitic pegmatite, 603, 608
 See also Jahns Memorial
 Issue, 233-654
 granitic melts, 239
 granodiorite, 1314
 granophyre, 460
 granulites, 946
 graphic granite, 325
 grischunite, 227
 Greece
 co-existing amphiboles, 1118
 ironstone, 1118
 grossular, 779
 gupeite, 228
- H₂-H₂O, 264
 Hg₂I₂ mineral, 1548
 halloysite, 1420
 hashemite, 1217
 hastingsite, Cl-, 51
 Hawaii
 augite, 734
 olivine, 734
 heat capacities and entropies
 of Al₂SiO₅ polymorphs, 1366
 henmilite, 1234
 high-grade metapelite, 1343
 high-pressure equations of
 state, 977
 hollandite, 1178
 hornblende, 51, 608, 1297, 1314
 humite, 985
 huntite, 163
 hydrogen
 in staurolite, 1135
 in zircon and quartz, 1186
 hydrotalcite-manasseite group
 members, 1548
 hydrothermal systems, 51
 hydrous glasses, 772
 hydrous melts, 239
 hypersthene, 900, 1314
- Iceland, olivine, 734
 Idaho, hornblende, 1297
 illite, 1420
 ilmenite, 17, 1314
 altered, 167
 imitérite, 1277
 inaglyite, 228
 India
 anthophyllite, 1198
- quartz (amethyst), 1186
 Infrared spectroscopy
 albite, 99
 amethyst, 1186
 ammonioleucite, 1022
 analcime, 1022
 aragonite, 151
 calcite, 151
 citrine, 1186
 dolomite, 151
 grossular, 779
 henmilite, 1234
 iquiqueite, 830
 K-richterite, 1426
 kimuraite, 1028
 leucite, 1022
 lokkaite, 1028
 metakahlerite, 1037
 obsidian, 1527
 plagioclase, 95
 quartz, 1186
 rhyolite, 1527
 richterite, 1426
 sanidine, 99
 SiO₂-H₂O glass, 772
 topaz, 1186
 zircon, 1186
 intrusion mechanics, 644
 ion microprobe, 1129
 iquiqueite, 830
 iridescence, 123
 ironstone, 1118
 irtysite, 1545
 Italy
 clintonite, 1194
 K-richterite, 1426
 leucite, 937
 ixiolite, 501
- Jahns Memorial Issue, 233-654
 Japan
 ammonioleucite, 1022
 henmilite, 1234
 kimuraite, 1028
 lokkaite, 1028
 jerrygibbsite, 985
 johannsenite, 1441
 Jordan, hashemite, 1217
- K₂O-Al₂O₃-SiO₂, 694
 KAlSiO₄, 937
 KFeSiO₄, 937
 KFeSi₂O₆, 937
 K-feldspar, 367, 406, 440, 501
 B-bearing, 428
 K-richterite, 17, 1426
 Kagomé net, 540
 kanoite (synthetic), 111
 kaolin, 1420
 kaolinite, 1420
 kassite, 1045
 Kenya, albite (blue), 95
 khatyrkite, 1278
 kimberlite, 1258, 1259
 kimuraite, 1028
 Kinetics
 albite, 895
 calcite dissolution, 85
- cation and anion geother-
 mometry, 1343
 clinocllore, 68
 cubic FeS, 1243
 dissolution, 85
 edingtonite, 1510
 fluorite dissolution, 85
 mackinawite, 1243
 mineral-water reactions, 85
 plagioclase exsolution, 1049
 quartz crystallization, 331
 troilite, 1243
 kipushite, 228
 kirkiite, 1278
 kolarite, 1545
 komatiite, 1337
 konderite, 229
 krausite, 202
 kyanite, 900
- Li-tosudite, 428
 LiAlSiO₄-NaAlSi₃O₈-SiO₂-
 Li₂B₄O₇-H₂O, 376
 Li pegmatite, 239
 laihunite-3M, 1455
 lamellar intergrowth, 343
 lammerite, 206, 847
 lamproite, 17, 1473
 lanthanite, 1028
 laumontite, 428
 lawsonite, 1527
 lehiite, discredited, 1515
 lepidolite, 406, 440
 lherzolite, 1076
 leucite, 694, 937, 1022
 leucophoenicite, 985
 lisetite, 1372, 1378
 lithiophilite, 356
 lithium aluminosilicate sys-
 tems, 396
 lithium-hydroxrhodonite, 1282
 lokkaite, 1028
 loncreekite, 229
 luminescence, 1415
- (Mg,Mn)-pyroxenes, 111
 (Mg,Mn)-pyroxenoids, 111
 Mg-chlorite, 68, 78
 Mg-rich metapelite, 900
 MgO-Al₂O₃-SiO₂-H₂O, 68
 MgO-MnO-SiO₂, 111
 Mn₅O₈, 805
 Mo-MoO₂ oxygen buffer, 1007
 mackinawite, 1243
 Madagascar, orthoclase, 1415
 magma differentiation, 301
 magmatic fluids, 460
 magmatic vapor phase, 625
 magnetite, 1314
 Maine, bertrandite, 557
 mammothite, 229, 1548
 manganarsite, 1517
 manganese arsenites, 1517
 manganite, 805
 mannardite, 230, 1178
 margarite, 1129
 Margules parameters, An-Or,
 1100

- Massachusetts, annite, 955
 melt-fluid partitioning, 460
 Melt structure
 albite, 264
 aplite, 460
 Di-Ab system, 767
 Di-CaTs system, 705
 diopside, 264
 (Fe,Mn)-sarcopsides, 136
 granite, 239, 460
 Ne-An, 694
 Or-An, 694
 phosphate-silicate, 356
 quartz, 264
 SiO₂-H₂O glass, 772
 SiO₂-K₂O-Al₂O₃ system, 38
 silicate-phosphate, 356
 sarcopsides, 136
- Memorials
 A. F. Buddington, 1268
 Clifton Sherwin Corbett, 1274
 George T. Faust, 843
 George W. Brindley, 1058
 Heinz Meixner, 1051
 Paul Ramdohr, 839
 Paul Seel, 1275
 Peter Gay, 1055
 Richards A. Rowland, 1053
 Robert Mann Grogan, 841
 Strathmore R. B. Cooke, 1542
- metakahlerite, 1037
 metal complexing, 655
 metamict, 569
 metamorphism, 895, 1118, 1372
 metapelite, 900, 1343
 metaswitzerite, 1221
 methodology, ion microprobe,
 1129
- Mexico
 lherzolite, 1076
 websterite, 1076
 wehrlite, 1076
 mioholes, 396, 608, 625
 mica, 239, 301
 See also individual micas
 Michigan, orientite, 176
 microcline, 1
 maximum, 406
 See also alkali feldspar
 microlite, 501, 569
 mid-ocean ridge, 51
 milarite, 603
 minasgeraisite, 603
 mineral-fluid partitioning, 460
 mineral-water reactions, 85
 Mineralogical Society of
 America Award, 1985, 852
 mixed volatiles (H₂ + H₂O),
 264
 modeling, 142
 mongolite, 1279
- Montana
 lamproite, 17
 annite, 955
 davanite, 1473
 garnet megacryst, 674
 lamproite, 1473
 montmorillonite, 428
- Mössbauer spectroscopy
 annite, 955
 biotite, 955
 clintonite, 1194
 fayalite-willemite, 1502
 ferriannite, 955
 ferriphlogopite, 955
 Fe²⁺+Fe³⁺(PO₃OH)₄(H₂O)₄, 222
 fluorannite, 955
 garnet, 1015
 gillespite, 1015
 goodness-of-fit, 1266
 metakahlerite, 1037
 olivine, 127, 1015
 phlogopite, 955
 renierite, 210
 simulated spectra, 1261
 statistics, 1266
 staurolite, 1461
 willemite-fayalite, 1502
- Mozambique, albite (blue), 95
 mullite, 1476
 muscovite, 406, 440, 518
 and plagioclase, 1109
 myrmekite, 895
- Na-Al tourmaline, 971
 NaAlSi₃O₈-H₂O-H₂, 264
 NaAlSi₃O₈-KAlSi₃O₈-CaAl₂Si₂O₈,
 1
 Na₂O-Al₂O₃-SiO₂, 694
 Na₂O-K₂O-Al₂O₃-SiO₂-H₂O, 406
 Na₂O-K₂O-CaO-Al₂O₃-SiO₂-H₂O,
 239
- Nb-Ta fractionation, 501
 Ne-An, 694
 Nepal, elbaite, 599
 nepheline, 694
 Neutron diffraction
 clintonite, 1194
 low albite, 727
 plagioclase, 1399
 sillimanite, 742
- Nevada
 ferrierite, 989
 grandite garnet, 123
 tonalite, 301
- New Hampshire, biotite, 955
- New Jersey
 humite, 985
 vesuvianite, 1011
- New Mexico
 albite porphyry, 625
 beryl, 547
 epidote, 625
 feldspar, 325
 K-feldspar, 367
 microlite, 569
 pegmatite, 239, 325, 569, 608
 quartz, 325
 rhyolite porphyry, 608
 sanidine aplite, 608
 sanidine granite, 608
- New minerals
 ammonioleucite, 1022
 arsenogoyazite, abs., 845
 bastnaesite, abs., 1277
 bayankhanite, abs., 1543
- braunite II, abs., 1543
 caminite, 819
 canaphite, abs., 1543
 caratiite, abs., 227
 cherepanovite, abs., 1544
 clairite, abs., 229
 cupalite, abs., 1278
 cuproiridsite, abs., 1277
 cuprorhodsite, abs., 1277
 doyleite, abs., 845
 ehrleite, abs., 1544
 ertixiite, abs., 1544
 ferridiopside, abs., 1544
 franciscanite, 1522
 fredrikssonite, abs., 227
 georgechaoite, abs., 227
 gerdtremmelite, abs., 845
 grischunite, abs., 227
 gupeite, abs., 228
 henmilite, 1234
 imitèrite, abs., 1277
 inaglyite, abs., 228
 iquiqueite, 830
 irtysite, abs., 1545
 khatyrkite, abs., 1278
 kimuraite, 1028
 kipushite, abs., 228
 kirkiite, abs., 1278
 kolarite, abs., 1545
 konderite, abs., 229
 lisetite, 1372
 loncreekite, abs., 229
 mammothite, abs., 229
 manganarsite, 1517
 mannardite, abs., 230
 metaswitzerite, 1221
 minasgeraisite, 603
 mongolite, abs., 1279
 nickel-boussingaultite, abs.,
 1545
 örebroite, 1522
 oyelite, abs., 230
 philipsburgite, abs., 1279
 phyllostungstite, abs., 846
 radhakrishnaite, abs., 1545
 rouseite, 1034
 sabieite, abs., 229
 shigaite, abs., 1546
 sidwillite, abs., 1546
 sodium-pharmacosiderite,
 abs., 230
 srebrodolskite, abs., 1279
 switzerite, 1221
 tiptopite, abs., 230
 turneaureite, abs., 1280
 ungursaite, abs., 1546
 uranotungstite, abs., 1547
 usonite, abs., 1280
 villyaellenite, abs., 1547
 vinciennite, abs., 1280
 wheatleyite, 1240
 xifengite, abs., 228
 yecoraite, abs., 1547
 yuksporite, abs., 1547
 yushkinite, abs., 846
 nickel-boussingaultite, 1545
 niobian rutile, 501
 nitrate deposits, 830

- nomenclature, 955
 North Carolina
 chloritoid, 891
 dendritic quartz, 331
 feldspar, 325
 metaswitzerite, 1221
 pegmatite, 239, 325
 quartz, 325
 switzerite, 1221, 1224
 Norway
 lisetite, 1372, 1378
 thalenite, 188
 Nuclear magnetic resonance spectroscopy
 albite, 712
 borate, 1170
 Di-CaTs system, 705
 plagioclase feldspar, 712
 spinel, 999
 Or-An liquids, 694
 obsidian, 1527
 olivine, 127, 734, 1015, 1076, 1085
 olivine tholeiitic basalt, 301
 omphacite, 1434
 Optical properties
 adularia, 916
 albite, 1384, 1393
 albite porphyry, 625
 alkali feldspar, 1285, 1393
 ammonioleucite, 1022
 augite, 734
 caminite, 819
 cubic FeS, 1243
 dumortierite, 786
 edingtonite, 1510
 elbaite, 1214
 franciscanite, 1522
 grandite garnet, 123, 1210
 grossular, 779
 henmilite, 1234
 iquiqueite, 830
 K-richterite, 1426
 kimuraite, 1028
 lisetite, 1372
 manganarsite, 1517
 minasgeraisite, 603
 olivine, 734
 örebroite, 1522
 plagioclase, 343, 895, 1399
 pyroxene, 1322
 quartz, 589, 895
 renierite, 210
 richtertite, 1426
 rouseite, 1034
 sanidine, 343, 1393
 smoky quartz, 589
 staurolite, 1466
 switzerite, 1221
 thalenite, 188
 tourmaline, 971
 Optical spectroscopy
 amethyst, 1186
 aragonite, 151
 calcite, 151
 citrine, 1186
 dolomite, 151
 elbaite, 599, 1214
 grossular, 779
 orthoclase, 1415
 plagioclase, sodic, 95
 quartz, 589, 1186
 renierite, 210
 smoky quartz, 589
 topaz, 1186
 order-disorder
 Al-Si, 999, 1494, 1510
 albite, 1384
 alkali feldspar, 869, 999, 1285, 1393
 columbite-tantalite, 501
 edingtonite, 1510
 feldspar, 1393
 goosecreekite, 1494
 hollandite minerals, 1178
 Mg-Al, 999
 spinel, 1160
 zeolite, 1494
 örebroite, 1522
 orientite, 176
 orthoamphibole solvus, 900
 orthoclase, 406, 1415
 orthogneiss, 632
 orthopyroxene
 Al in, 1076
 and clinopyroxene, 946, 1076, 1085
 osumilite group member, 846
 oxides, Cr and V in, 1314
 See also individual oxides
 oxygen buffer, Mo-MoO₂, 1007
 oxygen in gabbro pegmatite, 1085
 oyelite, 230
 Pb-Sb chlorosulfosalt, 1281
 Pb-Sb-Te sulfosalt, 1281
 palygorskite, 428
 paragonite, 1129
 patchy zoning, 343
 pegmatite, 239, 325, 376, 396, 440, 472, 569, 608
 gabbro, 1085
 See Jahns Memorial Issue, 233-654
 pelite, 895
 Pennsylvania
 tochilinite, 1201
 wheatleyite, 1240
 phase equilibria
 determinants in, 1061
 plagioclase, 1049
 sillimanite-andalusite, 1366
 phenakite, 277, 557
 philipsburgite, 1279
 phlogopite, 17
 phosphate-silicate, 356
 phyllostungstite, 846
 plagioclase, 301, 343, 712, 895, 1076, 1085, 1100, 1399
 exsolution, 1049
 sodic, color, 95
 See also individual plagioclases
 plagioclase-muscovite, 1109
 polarizability of forsterite, 758
 prehnite, 540
 priderite, 17, 1178
 Proceedings for 1985, 855
 pseudobrookite, 17
 pyrite, 1247
 pyrolusite, 805
 pyrophyllite, 1527
 pyroxene, 946, 1314, 1322
 CaTs and CaEs solutions, 686
 (Mg,Mn)-, 111
 pyroxenoids, (Mg,Mn)-, 111
 pyroxmangite, 1441
 Quantum mechanical calculations
 borate, 1170
 cryptomelane, 1178
 garnet, 1015
 gillespite, 1015
 hollandite, 1178
 mannardite, 1178
 olivine, 1015
 priderite, 1178
 quartz, 142, 239, 264, 325, 440, 540, 895, 916
 H in amethyst and citrine, 1186
 natural and synthetic, 589
 smoky, 589
 quartz crystallization, 331
 quartz monzonite, 460
 quartz-phlogopite-liquid, 1071
 quenching apparatus, 837
 Rb/Sr data, 632
 radhakrishnaite, 1545
 radiation effects, 569, 1186
 radiometric K-Ar dating,
 adularia, 916
 Raman spectroscopy
 anorthite, 694
 carnegieite, 694
 leucite, 694
 Ne-An liquids, 694
 nepheline, 694
 Or-An liquids, 694
 sanidine, 694
 SiO₂-H₂O glass, 772
 SiO₂-K₂O-Al₂O₃ glass, 38
 Rare-earth elements
 albite, 440
 amblygonite, 440
 apatite, 440
 aplite, 460
 beryl, 440
 granite, 460
 granophyre, 460
 K-feldspar, 440
 kimuraite, 1028
 lanthanite, 1028
 lepidolite, 440
 lokkaitite, 1028
 microlite, 569
 minasgeraisite, 603
 muscovite, 440
 orthogneiss, 632
 pegmatite, 376, 396, 440

- Rare-earth elements--continued
 schist, 518
 spodumene, 440
 thalenite, 188
 tonalite, 632
 renierite, 210
 Report of the Editor for 1985, 862
 Report of the Financial Advisory Committee for 1985, 860, 1549
 Report of the Secretary for 1985, 856
 Report of the Treasurer for 1985, 857
 Reviews. See Book reviews
 rhabdophane, 540
 rhodonite, 1441
 rhyolite, 608, 1354, 1527
 rhyolite porphyry, 608
 richterite, 17, 1426
 riebeckite, 1118
 Roebling Medal, 1985, 849
 "roedderite"-like phase, 17
 roubaultite, 1282
 rouseite, 1034
 rutile (niobian-tantalum), 501
 rynersonite, 428
- $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O}$, 38
 $\text{SiO}_2\text{-H}_2\text{O}$, 772
 $\text{SiO}_2\text{-H}_2\text{O}$ glass, 772
 $\text{SiO}_2\text{-H}_2\text{O-H}_2$, 264
 $\text{SiO}_2\text{-K}_2\text{O-Al}_2\text{O}_3$ glass, 38
 $\text{SiO}_2\text{-K}_2\text{O-Al}_2\text{O}_3$ system, 38
 sabieite, 229
 sabinaitite, 231
 sahlinitite, 231
 sample manipulator, 837
 sanidine, 99, 343, 694, 1393
 sarcopsides, (Fe,Mn), 136
 scanning Auger microscopy, 1247
 schist, 518
 schorl, 406
 Scotland, olivine tholeiitic basalt, 301
 shale, 1420
 shigaite, 1546
 sidwillite, 1546
 silicate inclusions in diamond, 1258
 silicate-phosphate, 356
 sillimanite, 742, 1366
 simulated spectra, 1261
 skarn, 1210
 smectite, 1420
 smoky quartz, 589
 sodium-pharmacosiderite, 230
 South Africa
 anthophyllite, 900
 cordierite, 900
 eclogite, 1434
 gedrite, 900
 hypersthene, 900
 kyanite, 900
 omphacite, 1434
 South Carolina, oligoclase (blue), 95
- South Dakota
 granite, 301
 pegmatite, 440, 472, 518
 schist, 518
 tourmaline, 472
 South Korea
 grandite garnet, 1210
 skarn, 1210
 South-West Africa, beta-uranophane, 1489
 Spain
 lamproite, 17
 sillimanite, 1366
 spinels, 999, 1076, 1160
 spodumene, 396, 440, 1129
 srebrodolskite, 1279
 Sri Lanka, zircon, 1186
 Stable isotopes
 albite, 440
 amblygonite, 440
 apatite, 440
 beryl, 440
 gabbro pegmatite, 1085
 K-feldspar, 440
 lepidolite, 440
 metapelite, high-grade, 1343
 muscovite, 440
 obsidian, 1527
 oxygen in gabbro pegmatite, 1085
 pegmatite, 440
 quartz, 440
 rhyolite, 1527
 spodumene, 440
 statistics, 1266
 staurolite, 682
 Co and Fe, synthetic, 1461
 crystal chemistry, 1142
 cobaltoan, 1466
 H content of, 1135
 steenstrupine, 540
 stibio-bismuth-columbite-tantalite, 406
 stilbite, 428
 stringhamite, 231
 structural anisotropies, 644
 structure-energy calculations, 142, 1178
 submarine hydrothermal deposits, 819
 sulfosalt, 231
 supercritical fluids, 655
 Sweden
 manganarsite, 1517
 örebroite, 1522
 rouseite, 1034
 thalenite, 188
 trigonite, 1034
 welinitite, 1522
 switzerite, 1221, 1224
 Systems
 BeO-Al₂O₃-SiO₂-H₂O, 277
 BeO-SiO₂-H₂O, 277
 CaAl₂Si₂O₈-NaAlSi₃O₈-KAlSi₃O₈, 343
 CaMgSi₂O₆-H₂O-H₂, 264
 CaO-Al₂O₃-SiO₂, 694
 CaO-MgO-Al₂O₃-SiO₂, 686
- Di-Ab, 767
 Di-CaTs, 705
 K₂O-Al₂O₃-SiO₂, 694
 LiAlSi₄-NaAlSi₃O₈-SiO₂-Li₂B₄O₇-H₂O, 376
 MgO-Al₂O₃-SiO₂-H₂O, 68
 MgO-MnO-SiO₂, 111
 NaAlSi₃O₈-H₂O-H₂, 264
 NaAlSi₃O₈-KAlSi₃O₈-CaAl₂Si₂O₈, 1
 Na₂O-Al₂O₃-SiO₂, 694
 Na₂O-K₂O-Al₂O₃-SiO₂-H₂O, 406
 Na₂O-K₂O-CaO-Al₂O₃-SiO₂-H₂O, 239
 SiO₂-Al₂O₃-K₂O, 38
 SiO₂-H₂O, 772
 SiO₂-H₂O-H₂, 264
- TiO₂ polymorphs, 142
 tantalum rutile, 501
 tantalite, 406, 501
 taylorite, discredited, 1282
 ternary feldspar, 1, 343, 1100
 ternary-feldspar An-Or Margules parameters, 1100
 Texas, staurolite, 682
 thalenite, 188
 thermal expansion, dolomite, 795
 Thermodynamic data
 Al₂SiO₅ polymorphs, 1366
 a-X relations in plagioclase-muscovite assemblages, 1109
 alkali feldspar, 1
 anhydrous melts, 239
 behoite, 277
 bertrandite, 277, 557
 beryl, 277, 557
 chlorite, Mg, 68
 chrysoberyl, 277, 557
 clinocllore, 924
 Di-CaTs-CaEs pyroxene solutions, 686
 differential scanning calorimetry, 937
 entropies of Al₂SiO₅ polymorphs, 1366
 euclase, 277, 557
 fayalite-willemitite, 1502
 feldspar, 239
 (Fe,Mn)-sarcopsides, K_D, 136
 heat capacities of Al₂SiO₅ polymorphs, 1366
 hydrous melts, 239
 KAlSiO₄, 937
 KFeSiO₄, 937
 KFeSi₂O₆, 937
 leucite, 937
 MnSiO₃ garnet, 781
 MoO₂, 1007
 Margules parameters, 1100
 muscovite-plagioclase, 1109
 phenakite, 277, 557
 plagioclase-muscovite, 1109
 pyroxene, Di-CaTs-CaEs solutions, 686
 quartz, 239

- Thermodynamic data--continued
 sarcopsides, K_p , 136
 spinels, 999, 1160
 supercritical fluids, 655
 ternary-feldspar An-Or Mar-
 gules parameters, 1100
 willemite-fayalite, 1502
 tiptopite, 230
 tochilinite, 1201
 todorokite, 428
 tonalite, 301, 632
 topaz, 406, 1186
 tourmaline, 396, 472, 518
 Mn-rich, 1214
 Na-Al, 971
 See also individual tour-
 malines
 Trace elements
 amphibole, 51, 1314
 apfite, 460
 bavenite, 428
 beidellite, 428
 biotite, 518
 calcite, 428
 caminite, 819
 forsterite, 966
 granite, 460
 granophyre, 460
 hydrogen in zircon and
 quartz, 1186
 K-feldspar, 367, 428, 428,
 501
 laumontite, 428
 microlite, 569
 minasgeraisite, 603
 montmorillonite, 428
 muscovite, 518
 orthogneiss, 632
 oxides, 1314
 palygorskite, 428
 pyroxene, 1314
 quartz, 589, 1186
 rhyersonite, 428
 schist, 518
 smoky quartz, 589
 stilbite, 428
 thalenite, 188
 todorokite, 428
 tonalite, 632
 tourmaline, 472
 zircon, 1186
 transformation mechanisms, 1441
 tridymite, 105
 trigonite, 1034
 troilite, 1243
 Turkey
 myrmekite, 895
 pelite, 895
 turneaureite, 1280
 U silicate, 1281
 U-Ti silicate, 1281
 uklonskovite, 1282
 ultramafic xenoliths, 1076
 Ultraviolet spectroscopy
 elbaite, 599
 smoky quartz, 589
 ungemachite, 826
 ungersaite, 1546
 Unit-cell data
 albite, 406, 727, 1384
 alkali feldspar, 1, 608, 869,
 1285
 ammonioleucite, 1022
 andalusite, 277
 bertrandite, 277, 557
 beryl, 277, 547, 557
 beta-uranophane, 1489
 $\text{CaMg}_3(\text{CO}_3)_4$, 163
 caminite, 819
 cassiterite, 501
 chlorite, 924
 chrysoberyl, 277, 557
 clintonite, 1194
 columbite, 501
 cordierite, 746
 Di-CaTs pyroxene solution,
 686
 dayanite, 1473
 dolomite, 795
 dumortierite, 786
 elbaite, 406, 1214
 euclase, 277, 557
 $\text{Fe}^{2+}\text{Fe}^{3+}(\text{PO}_3\text{OH})_4(\text{H}_2\text{O})_4$, 222
 (Fe,Mn)-sarcopsides, 136
 fayalite-willemite, 1502
 ferrierite, 989
 franciscanite, 1522
 garnet, 781
 goosecreekite, 1494
 grandite garnet, 123, 1210
 hashemite, 1217
 hemimilitite, 1234
 huntite, 163
 iquiqueite, 830
 ixiolite, 501
 K-richterite, 1426
 kassite, 1045
 kimuraite, 1028
 laihunite-3M, 1455
 lammerite, 206
 lisetite, 1372, 1378
 lokkaite, 1028
 low albite, 727
 manganarsite, 1517
 maximum microcline, 406
 metakahlerite, 1037
 (Mg,Mn)-pyroxenes, 111
 (Mg,Mn)-pyroxenoids, 111
 microlite, 501, 569
 minasgeraisite, 603
 MnSiO_3 garnet, 781
 Na-Al tourmaline, 971
 niobian rutile, 501
 omphacite, 1434
 örebroite, 1522
 orthoclase, 406
 phenakite, 277, 557
 plagioclase, 1399
 pyroxenes, 111, 686
 pyroxenoids, 111
 renierite, 210
 richterite, K-, 1426
 rouseite, 1034
 rutile (niobian-tantalian),
 501
 sanidine (high), 1393
 sarcopsides, 136
 schorl, 406
 sillimanite, 742
 spinel, 999
 staurolite, 1142, 1461, 1466
 switzerite, 1221, 1224
 tantalian rutile, 501
 tantallite, 501
 ternary feldspar, 1
 thalenite, 188
 topaz, 406
 tourmaline, 971
 ungemachite, 826
 uranophane, 1489
 vesuvianite, 1011, 1483
 wheatleyite, 1240
 willemite-fayalite, 1502
 wodginite, 501
 zinkenite, 194
 Unnamed minerals
 (Ag,Cu) $_4\text{TeS}$, 1281
 AgInS $_2$, 846
 Bi-Cu-Pb-Se-Te sulfides, 847
 borate, 231
 Cu(Ir,Pt) $_2\text{S}_4$, 231
 Fe titanate, 846
 goldfieldite-like mineral,
 847
 Hg $_2\text{I}_2$ mineral, 1548
 hydrotalcite-manasseite group
 members, 1548
 KFeSi_2O_6 , 937
 manganese arsenites, 1517
 osumilite group member, 846
 Pb-Sb chlorosulfosalt, 1281
 Pb-Sb-Te sulfosalt, 1281
 "roedderite"-like mineral,
 17
 sulfosalt, 231
 U silicate, 1281
 U-Ti silicate, 1281
 ZnAl_2 , 1278
 Zn_2Al , 1278
 $(\text{Zn,Fe})_2\text{Cu}_3\text{In}_3\text{S}_8$, 846
 uranophane, beta-, 1489
 uranotungstite, 1547
 usonite, 1280
 Utah
 lamproite, 17
 apfite, 460
 davisonite, 1515
 granite, 460
 granophyre, 460
 krausite, 202
 lehiite, 1515
 quartz monzonite, 460
 topaz, 1186
 vesuvianite, 1011, 1483
 Cu-bearing, 1011
 villyaellenite, 1547
 vinciennite, 1280
 Virginia
 albite, 712
 goosecreekite, 1494
 low albite, 727
 viscosity, Di-Ab melts, 767

- Washington, ferrierite, 989
 websterite, 1076
 wehrlite, 1076
 welinite, 1522
 wheatleyite, 1240
 willemite-fayalite, 1502
 winchite, 1118, 1548
 wodginite, 501
 wollastonite, 1441
 Wyoming, leucite, 937
- X-ray diffraction data
 adularia, 916
 albite, 406
 alkali feldspar, 1, 869
 ammonioleucite, 1022
 $\text{CaMg}_3(\text{CO}_3)_4$, 163
 caminite, 819
 chlorite, 924
 dolomite, 795
 donpeacorite, 111
 elbaite, 406, 1214
 $\text{Fe}^{2+}\text{Fe}^{3+}(\text{PO}_3\text{OH})_4(\text{H}_2\text{O})_4$, 222
 (Fe-Mn)-sarcopsides, 136
 franciscanite, 1522
 henmilite, 1234
 huntite, 163
 ilmenite (altered), 167
- iquiqueite, 830
 K-feldspar, 406
 K-richterite, 1426
 kassite, 1045
 kimuraite, 1028
 lepidolite, 406
 lisetite, 1372, 1378
 lokkaite, 1028
 manganarsite, 1517
 manganese arsenites, 1517
 microlite, 569
 minasgeraisite, 603
 Na-Al tourmaline, 971
 örebroite, 1522
 renierite, 210
 richterite, 1426
 rouseite, 1034
 sarcopsides, 136
 schorl, 406
 switzerite, 1221
 ternary feldspar, 1
 topaz, 406
 tourmaline, 971
 wheatleyite, 1240
- X-ray fluorescence data
 borate, 1170
 KAlSiO_4 , 937
 KFeSiO_4 , 937
- KFeSi_2O_6 , 937
 leucite, 937
 xifengite, 228
- yecoraite, 1547
 yttrialite,
 Yugoslavia, microcline, 1
 yuksporite, 1547
 yushkinite, 846
- Zn_2Al , 1278
 ZnAl_2 , 1278
 $(\text{Zn},\text{Fe})_2\text{Cu}_3\text{In}_3\text{S}_8$, 846
 zaherite, 231
- Zambia
 elbaite, 599, 1214
 staurolite (cobaltoan), 1466
 zeolite, 608, 989, 1494
 zinkenite, 194
- Zimbabwe
 anthophyllite, 900
 cordierite, 900
 gedrite, 900
 high-grade metapelites, 1343
 hypersthene, 900
 kyanite, 900
 zircon, H in, 1186
 zoning in pegmatite, 440