

INDEX, VOLUME 73, 1988

- Abbott, R.N., Jr., C.W. Burnham: Polytypism in micas: A polyhedral approach to energy calculations, 105
- Abrecht, J.: Experimental evaluation of the  $MnCO_3 + SiO_2 = MnSiO_3 + CO_2$  equilibrium at 1 kbar, 1285
- Abrecht, J., D.A. Hewitt: Experimental evidence on the substitution of Ti in biotite, 1275
- Afifi, A.M., E.J. Essene: MINFILE: A microcomputer program for storage and manipulation of chemical data on minerals, 446
- Ahn, J.H., D.M. Burt, P.R. Buseck: Alteration of andalusite to sheet silicates in a pegmatite, 559
- Aizenshtat, Z., see Heller-Kallai, L., 376
- Akizuki, M., K. Harada: Symmetry, twinning, and parallel growth of scolecite, mesolite, and natrolite, 613
- Akizuki, M., H. Nishido: Epistilbite: Symmetry and twinning, 1434
- Allan, J.F., R.O. Sack, R. Batiza: Cr-rich spinels as petrogenetic indicators: MORB-type lavas from the Lamont seamount chain, eastern Pacific, 741
- Allen, F.M., P.R. Buseck: XRD, FTIR, and TEM studies of optically anisotropic grossular garnets, 568
- Altaner, S.P., C.M. Bethke: Interlayer order in illite/smectite, 766
- Altaner, S.P., N. Vergo: Sericite from the Silverton caldera, Colorado: Discussion, 1472
- Altaner, S.P., J.J. Fitzpatrick, M.D. Krohn, P.M. Bethke, D.O. Hayba, J.A. Goss, Z.A. Brown: Ammonium in alunites, 145
- Andersen, D.J., D.H. Lindsley: Internally consistent solution models for Fe-Mg-Mn-Ti oxides: Fe-Ti oxides, 714
- Andersen, D.J., see Frost, B.R., 727
- Angel, R.J.: High-pressure structure of anorthite, 1114
- Anovitz, L.M., E.J. Essene, W.R. Durham: Order-disorder experiments on orthopyroxenes: Implications for the orthopyroxene geospeedometer, 1060
- Appleman, D.E., see Post, J.E., 1401
- Arima, M., see Edgar, A.D., 524
- Armbruster, T., R. Oberhänsli: Crystal chemistry of double-ring silicates: Structural, chemical, and optical variation in osumilites, 585
- Armbruster, T., R. Oberhänsli: Crystal chemistry of double-ring silicates: Structures of sugilite and brannockite, 595
- Aurischio, C., G. Fioravanti, O. Grubessi, P.F. Zanazzi: Reappraisal of the crystal chemistry of beryl, 826
- Bacon, C.R., M.M. Hirschmann: Mg/Mn partitioning as a test for equilibrium between coexisting Fe-Ti oxides, 57
- Bailey, S.W., see MacKinney, J.A., 365
- Bailey, S.W., see Peacor, D.R., 876
- Baldwin, D.K., see Edgar, A.D., 524
- Ball, D.G.A., see Robin, P.F., 253
- Barton, M., C. Van Gaans: Formation of orthopyroxene - Fe-Ti oxide symplectites in Precambrian intrusives, Rogaland, southwestern Norway, 1046
- Batiza, R., see Allan, J.F., 741
- Bayliss, P., A.A. Levinson: A system of nomenclature for rare-earth mineral species: Revision and extension, 422
- Belkin, H.E., G. Cavarretta, B. De Vivo, F. Tecce: Hydrothermal phlogopite and anhydrite from the SH2 well, Sabatini volcanic district, Latium, Italy: Fluid inclusions and mineral chemistry, 775
- Bell, D.R., see Edgar, A.D., 524
- Bernstein, L.R., see Ross, C.R., II, 657
- Bethke, C.M., see Altaner, S.P., 766
- Bethke, P.M., see Altaner, S.P., 145
- Bettison, L.A., P. Schiffman: Compositional and structural variations of phyllosilicates from the Point Sal ophiolite, California, 62
- Bhattacharya, A., A.C. Mazumdar, S.K. Sen: Fe-Mg mixing in cordierite: Constraints from natural data and implications for cordierite-garnet geothermometry in granulites, 338
- Bhattacharya, R.N., see Ganguly, J., 901
- Bianchi, R., T. Pilati, V. Diella, C.M. Gramaccioli, G. Mannucci: A re-examination of thortveitite, 601
- Bish, D.L., see Post, J.E., 861
- Bish, D.L., see Veblen, D.R., 677
- Bladh, K.W., see Jambor, J.L., 927
- Bloss, F.D.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1987 to Gerald V. Gibbs, 668
- Bloss, F.D.: Memorial of D. Jerome Fisher, 925
- Bloss, F.D., see Gunter, M.E., 1481
- Boak, J.L., see Dymek, R.F., 547
- Boggs, R.C.: Calciohilairite:  $CaZrSi_3O_9 \cdot 3H_2O$ , the calcium analogue of hilairite from the Golden Horn batholith, northern Cascades, Washington, 1191
- Boland, J.N., see Konings, R.J.M., 754
- Boulègue, J., see Stouff, P., 1162
- Bowles, J.F.W.: Definition and range of composition of naturally occurring minerals with the pseudobrookite structure, 1377
- Brothers, S.C., see Dymek, R.F., 547
- Brown, Z.A., see Altaner, S.P., 145
- Bryndzia, L.T., O.J. Kleppa: High-temperature reaction calorimetry of solid and liquid phases in part of the quasi-binary system  $Cu_2S-Sb_2S_3$ , 707
- Burke, E.A.J., see Hawthorne, F.C., 189
- Burke, E.A.J., see Jambor, J.L., 1492
- Burnham, C.W., see Abbott, R.N., Jr., 105
- Burnham, C.W., see Pinckney, L.R., 798, 809
- Burt, D.M.: Planet Alsioff: A problem set for students of phase equilibria or metamorphic petrology, 936

- Burt, D.M.: Planet Alsioff: Solutions to problems posed in the previous issue, 1201
- Burt, D.M.: Stability of genthelvite,  $Zn_4(BeSiO_4)_3S$ : An exercise in chalcophilicity using exchange operators, 1384
- Burt, D.M., see Ahn, J.H., 559
- Burt, D.M., see Kortemeier, W.T., 507
- Burton, B.P., P.M. Davidson: Order-disorder in omphacitic pyroxenes: A model for coupled substitution in the point approximation--Reply, 916
- Buseck, P.R., see Ahn, J.H., 559
- Buseck, P.R., see Allen, F.M., 568
- Buseck, P.R., see Hassan, I., 119
- Buseck, P.R., see Sharp, T.G., 1292
- Campana, C.F., see Hughes, J.M., 181
- Cannillo, E., F. Mazzi, G. Rossi: Crystal structure of andremeyerite:  $BaFe(Fe,Mn,Mg)Si_2O_7$ , 608
- Carlson, W.D.: Subsolidus phase equilibria on the forsterite-saturated join  $Mg_2Si_2O_6$ - $CaMgSi_2O_6$  at atmospheric pressure, 232
- Carlson, W.D., D.H. Lindsley: Thermochemistry of pyroxenes on the join  $Mg_2Si_2O_6$ - $CaMgSi_2O_6$ , 242
- Carlson, W.D., G.R. Rossman: Vanadium- and chromium-bearing andalusite: Occurrence and optical-absorption spectroscopy, 1366
- Carlson, W.D., J.S. Swinnea, D.E. Miser: Stability of orthoenstatite at high temperature and low pressure, 1255
- Carlson, W.D., see Davidson, P.M., 1264
- Carmichael, I., see Kress, V.C., 1267
- Carpenter, P.K., see Williams, L.B., 1457
- Carroll, M.R., M.J. Rutherford: Sulfur speciation in hydrous experimental glasses of varying oxidation state: Results from measured wavelength shifts of sulfur X-rays, 845
- Catti, M., G. Ferraris, G. Ivaldi: Thermal behavior of the crystal structure of strontian piemontite, 1370
- Catti, M., see Ivaldi, G., 358
- Cavarretta, G., see Belkin, H.E., 775
- Chakoumakos, B.C., see Duesler, E.N., 1186
- Chakoumakos, B.C., see Lumpkin, G.R., 1405
- Chakraborty, S., see Ganguly, J., 901
- Chappell, B.W., see Whalen, J.B., 281
- Christy, A.G.: A new  $2c$  superstructure in beryllian sapphirine from Casey Bay, Enderby Land, Antarctica, 1134
- Chu, H., see Shen, P., 383
- Clowe, C.A., R.K. Popp, S.J. Fritz: Experimental investigation of the effect of oxygen fugacity on ferric-ferrous ratios and unit-cell parameters of four natural clin amphiboles, 487
- Clowe, C.A., see Phillips, M.W., 500
- Cohen, R.E.: Order-disorder in omphacitic pyroxenes: A model for coupled substitution in the point approximation--Discussion, 910
- Collyer, S., N.W. Grimes, D.J. Vaughan, G. Longworth: Studies of crystal structure and crystal chemistry of titanomaghemite, 153
- Cosca, M.A., R.C. Rouse, E.J. Essene: Dorrite  $[Ca_2(Mg_2Fe_3^{2+})(Al_4Si_2)O_{20}]$ , a new member of the aenigmatite group from a pyrometamorphic melt-rock, 1440
- Craig, J.R., see Johnson, N.E., 389
- Criddle, A.J., see Dunn, P.J., 405, 413
- Criddle, A.J., see Rouse, R.C., 643
- Daddar, R., see King, R.W., 424
- Davidson, P.M., D.H. Lindsley, W.D. Carlson: Thermochemistry of pyroxenes on the join  $Mg_2Si_2O_6$ - $CaMgSi_2O_6$ : A revision of the model for pressures up to 30 kbar, 1264
- Davidson, P.M., see Burton, B.P., 916
- de Camargo, M.B., S. Isotani: Optical absorption spectroscopy of natural and irradiated pink tourmaline, 172
- de Gennaro, M., see Franco, E., 420
- DePaolo, D.J.: Acceptance of the Mineralogical Society of America Award for 1987, 674
- De Vivo, B., see Belkin, H.E., 775
- Diella, V., see Bianchi, R., 601
- Drexler, J.W., see Hughes, J.M., 181
- Duesler, E.N., B.C. Chakoumakos, E.E. Foord: Zimbabweite,  $Na(Pb,Na,K)_2As_4(Ta,Nb,Ti)_4O_{18}$ , an arsenite-tantalate with a novel corner-linked octahedral sheet, 1186
- Dunn, P.J.: Protocols for scientists on the deposition of investigated mineral specimens, 1480
- Dunn, P.J., D.R. Peacor, A.J. Criddle, C.J. Stanley: Ingersonite, a new calcium-manganese antimonate related to pyrochlore, from Långban, Sweden, 405
- Dunn, P.J., D.R. Peacor, A.J. Criddle, C.J. Stanley: Filipstadite, a new  $Mn-Fe^{3+}-Sb$  derivative of spinel, from Långban, Sweden, 413
- Dunn, P.J., J.D. Grice, F.J. Wicks, R.A. Gault: Paulkellerite, a new bismuth iron phosphate mineral from Schneeberg, Germany, 870
- Dunn, P.J., J.D. Grice, W.C. Metropolis: Zodacite, the Mn analogue of montgomeryite, from Mangualde, Portugal, 1179
- Dunn, P.J., C.A. Francis, J. Innes: A mcgovernite-like mineral and leucophoenicite from the Kombat mine, Namibia, 1182
- Dunn, P.J., see Peacor, D.R., 632, 838, 888
- Dunn, P.J., see Rouse, R.C., 643
- Durham, W.R., see Anovitz, L.M., 1060
- Dutrow, B.L., see Holdaway, M.J., 20
- Dyar, M.D., M.T. Naney: Effects of quench methods on  $Fe^{3+}/Fe^{2+}$  ratios: Reply, 1479
- Dymek, R.F., J.L. Boak, S.C. Brothers: Titanian chondrodite- and titanian clinohumite-bearing metadunite from the 3800 Ma Isua supracrustal belt, West Greenland: Chemistry, petrology, and origin, 547
- Eberl, D.D., J. Šrodoň: Ostwald ripening and interparticle-diffraction effects for illite crystals, 1335
- Eberl, D.D., J. Šrodoň, M. Lee, P.H. Nadeau: Sericite from the Silverton caldera, Colorado: Reply, 1475
- Edgar, A.D., M. Arima, D.K. Baldwin, D.R. Bell, S.R. Shee, E.M.W. Skinner, E.C. Walker: High-pressure - high-temperature melting experiments on a  $SiO_2$ -poor aphanitic kimberlite from the Wesselton mine, Kimberley, South Africa, 524
- Eggleston, C.M., see Hochella, M.F., Jr., 1449

- Enami, M., Q. Zang: Magnesian staurolite in garnet-corundum rocks and eclogite from the Donghai district, Jiangsu province, east China, 48
- Ercit, T.S., see Hawthorne, F.C., 189
- Ercit, T.S., see Jambor, J.L., 927, 1492
- Essene, E.J., see Afifi, A.M., 446
- Essene, E.J., see Anovitz, L.M., 1060
- Essene, E.J., see Cosca, M.A., 1440
- Essene, E.J., see Peacor, D.R., 632
- Ettel, V.A., see Krause, E., 850
- Ferraris, G., see Catti, M., 1370
- Ferraris, G., see Ivaldi, G., 358
- Ferrell, R.E., see Williams, L.B., 1457
- Fioravanti, G., see Aurisicchio, C., 826
- Fitzpatrick, J.J., see Altaner, S.P., 145
- Foord, E.E., see Duesler, E.N., 1186
- Francis, C.A., see Dunn, P.J., 1182
- Franco, E., M. de Gennaro: Panunzite, a new mineral from Mt. Somma - Vesuvio, Italy, 420
- Freed, R.L., see Rouse, R.C., 168
- Fritz, S.J., see Clowe, C.A., 487
- Fronzel, C.: Memorial of Martin Julian Buerger, 1483
- Frost, B.R.: Review of The Interpretation of Geological Phase Diagrams, by Ernest G. Ehlers, 939
- Frost, B.R., D.H. Lindsley, D.J. Andersen: Fe-Ti oxide - silicate equilibria: Assemblages with fayalitic olivine, 727
- Fudali, R.F.: Effects of quench methods on Fe<sup>3+</sup>/Fe<sup>2+</sup> ratios: Discussion, 1478
- Fuhrman, M.L., D.H. Lindsley: Ternary-feldspar modeling and thermometry, 201
- Ganguly, J., R.N. Bhattacharya, S. Chakraborty: Convolution effect in the determination of compositional profiles and diffusion coefficients by microprobe step scans, 901
- Gault, R.A., see Dunn, P.J., 870
- Gibbs, G.V.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1987, 670
- Gittins, J.: Partial melting of fenitized crustal xenoliths in the Oldoinyo Lengai carbonatitic volcano, Tanzania: Discussion, 1465
- Goss, J.A., see Altaner, S.P., 145
- Gramaccioli, C.M., see Bianchi, R., 601
- Green, N.L., S.I. Usdansky: Ternary-feldspar mixing relations and thermobarometry [erratum], 667
- Grew, E.S.: Kornerupine at the Sar-e-Sang, Afghanistan, whiteschist locality: Implications for tourmaline-kornerupine distribution in metamorphic rocks, 345
- Grew, E.S., see Hawthorne, F.C., 189
- Grew, E.S., see Jambor, J.L., 439, 927
- Grice, J.D., L.A. Groat: Crystal structure of paulkellerite, 873
- Grice, J.D., see Dunn, P.J., 870, 1179
- Grice, J.D., see Hawthorne, F.C., 189
- Grice, J.D., see Jambor, J.L., 927, 1492
- Grice, J.D., see Peacor, D.R., 632
- Griffen, D.T.: Howlite, Ca<sub>2</sub>Si<sub>5</sub>O<sub>9</sub>(OH)<sub>5</sub>: Structure refinement and hydrogen bonding, 1138
- Grimes, N.W., see Collyer, S., 153
- Groat, L.A., see Grice, J.D., 873
- Grubessi, O., see Aurisicchio, C., 826
- Gunter, M.E., F.D. Bloss, S. Su: EXCALIBUR revisited, 1481
- Hafner, S.S., see Petrov, I., 97
- Halicz, L., see Heller-Kallai, L., 376
- Harada, K., see Akizuki, M., 613
- Hassan, I., P.R. Buseck: HRTEM characterization of scapolite solid solutions, 119
- Hawthorne, F.C., E.A.J. Burke, T.S. Ercit, E.S. Grew, J.D. Grice, J.L. Jambor, J. Puziewicz, A.C. Roberts, D.A. Vanko: New mineral names, 189
- Hayba, D.O., see Altaner, S.P., 145
- Hazen, R.M., Z.D. Sharp: Compressibility of sodalite and scapolite, 1120
- Heller-Kallai, L., I. Miloslavski, Z. Aizenshtat, L. Halicz: Chemical and mass spectrometric analysis of volatiles derived from clays, 376
- Hemphill, W.R., see Tyson, R.M., 1145
- Hervig, R.L., see Kovalenko, V.I., 1038
- Hewitt, D.A., see Abrecht, J., 1275
- Higgins, M.D., see Shaw, D.M., 894
- Hinton, R.W., see Holdaway, M.J., 20
- Hirschmann, M.M., see Bacon, C.R., 57
- Hochella, M.F., Jr., J.R. Lindsay, V.G. Mossotti, C.M. Eggleson: Sputter depth profiling in mineral-surface analysis, 1449
- Hodges, K.V., see McKenna, L.W., 1205
- Holdaway, M.J., B.L. Dutrow, R.W. Hinton: Devonian and Carboniferous metamorphism in west-central Maine: The muscovite-almandine geobarometer and the staurolite problem revisited, 20
- Hollis, D.B.: Review of hyper - Rayleigh and second-harmonic scattering in minerals and other inorganic solids, 701
- Hover-Granath, V.C., see Labotka, T.C., 1095
- Huebner, J.S., D.E. Voigt: Electrical conductivity of diopside: Evidence for oxygen vacancies, 1235
- Hughes, J.M., J.W. Drexler, C.F. Campana, M.L. Malinconico: Howardevansite, NaCu<sup>2+</sup>Fe<sup>3+</sup>(VO<sub>4</sub>)<sub>3</sub><sup>-</sup>, a new fumarolic sublimate from Izalco volcano, El Salvador: Descriptive mineralogy and crystal structure, 181
- Hwang, S., see Shen, P., 383
- Innes, J., see Dunn, P.J., 1182
- Innes, J., see Peacor, D.R., 632, 888
- Innes, J., see Rouse, R.C., 643
- Inoue, A., B. Velde, A. Meunier, G. Touchard: Mechanism of illite formation during smectite-to-illite conversion in a hydrothermal system, 1325
- Irving, A.J., see O'Brien, H.E., 1007
- Isotani, S., see de Camargo, M.B., 172
- Ivaldi, G., M. Catti, G. Ferraris: Crystal structure at 25 and 700 °C of magnesiochloritoid from a high-pressure assemblage (Monte Rosa), 358
- Ivaldi, G., see Catti, M., 1370
- Jaffe, E.B., see Ollila, P.W., 261
- Jaffe, H.W., see Ollila, P.W., 261

- Jambor, J.L.: New mineral names, 666  
 Jambor, J.L., E.S. Grew, J. Puziewicz, D.A.  
   Vanko: New mineral names, 439  
 Jambor, J.L., K.W. Bladh, T.S. Ercit, J.D.  
   Grice, E.S. Grew: New mineral names, 927  
 Jambor, J.L., E.A.J. Burke, T.S. Ercit, J.D.  
   Grice: New mineral names, 1492  
 Jambor, J.L., see Hawthorne, F.C., 189  
 Jansen, J.B.H., see Konings, R.J.M., 754  
 Jeng, R., see Shen, P., 383  
 Johnson, N.E., J.R. Craig, J.D. Rimstidt: Crystal chemistry of tetrahedrite, 389  
 Jones, B.F.: Memorial of Hans P. Eugster, 1489
- Kamineni, D.C., A.T. Rao: Sapphirine granulites, Kakanuru area, Eastern Ghats, India, 692  
 Kampf, A.R., C.R. Ross II: End-member villyaellenite from Mapimi, Durango, Mexico: Descriptive mineralogy, crystal structure, and implications for the ordering of Mn and Ca in type villyaellenite, 1172  
 Kato, A., E.H. Nickel: A possible unit cell for danielsite, 187  
 Katsura, S., see Sabelli, C., 398  
 Kerrich, R.W., see King, R.W., 424  
 Kesson, S.E., see Myhra, S., 161  
 King, R.W., R.W. Kerrich, R. Daddar: REE distributions in tourmaline: An INAA technique involving pretreatment by B volatilization, 424  
 Kirkpatrick, R.J., see Oestrike, R., 534  
 Kleppa, O.J., see Bryndzia, L.T., 707  
 Konings, R.J.M., J.N. Boland, S.P. Vriend, J.B.H. Jansen: Chemistry of biotites and muscovites in the Abas granite, northern Portugal, 754  
 Kortemeier, W.T., D.M. Burt: Ongonite and topazite dikes in the Flying W ranch area, Tonto basin, Arizona, 507  
 Kovalenko, V.I., R.L. Hervig, M.F. Sheridan: Ion-microprobe analyses of trace elements in anorthoclase, hedenbergite, aenigmatite, quartz, apatite, and glass in pantellerite: Evidence for high water contents in pantellerite melt, 1038  
 Koziol, A.M., R.C. Newton: Redetermination of the anorthite breakdown reaction and improvement of the plagioclase-garnet- $Al_2SiO_5$ -quartz geobarometer, 216, 1501 [erratum]  
 Krause, E., V.A. Ettel: Solubility and stability of scorodite  $FeAsO_4 \cdot 2H_2O$ : New data and further discussion, 850  
 Kress, V.C., I. Carmichael: Stoichiometry of the iron oxidation reaction in silicate melts, 1267  
 Kretz, R.: SEM study of dolomite microcrystals in Grenville marble, 619  
 Krohn, M.D., see Altaner, S.P., 145  
 Kubicki, J.D., A.C. Lasaga: Molecular dynamics simulations of  $SiO_2$  melt and glass: Ionic and covalent models, 941  
 Kushiro, I., see Mysen, B.O., 1
- Labotka, T.C., P.I. Nabelek, J.J. Papike, V.C. Hover-Granath, J.C. Laul: Effects of contact metamorphism on the chemistry of calcareous rocks in the Big Horse Limestone Member, Notch Peak, Utah, 1095  
 Labotka, T.C., P.I. Nabelek, J.J. Papike: Fluid infiltration through the Big Horse Limestone Member in the Notch Peak contact-metamorphic aureole, Utah, 1302  
 Lasaga, A.C., see Kubicki, J.D., 941  
 Lasaga, A.C., see Muncill, G.E., 982  
 Laul, J.C., see Labotka, T.C., 1095  
 Lee, M., see Eberl, D.D., 1475  
 Lehmann, B., see Nakai, S., 1111  
 Levinson, A.A., see Bayliss, P., 422  
 Lindsay, J.R., see Hochella, M.F., Jr., 1449  
 Lindsley, D.H., see Andersen, D.J., 714  
 Lindsley, D.H., see Carlson, W.D., 242  
 Lindsley, D.H., see Davidson, P.M., 1264  
 Lindsley, D.H., see Frost, B.R., 727  
 Lindsley, D.H., see Fuhrman, M.L., 201  
 Longworth, G., see Collyer, S., 153  
 Lumpkin, G.R., B.C. Chakoumakos: Chemistry and radiation effects of thorite-group minerals from the Harding pegmatite, Taos County, New Mexico, 1405  
 Luth, R.W.: Raman spectroscopic study of the solubility mechanisms of F in glasses in the system  $CaO-CaF_2-SiO_2$ , 297  
 Luth, R.W.: Effects of F on phase equilibria and liquid structure in the system  $NaAlSiO_4-CaMgSi_2O_6-SiO_2$ , 306
- MacKinney, J.A., C.I. Mora, S.W. Bailey: Structure and crystal chemistry of clintonite, 365  
 Malinconico, M.L., see Hughes, J.M., 181  
 Malvin, D.J.: Silica-glass containers for high-temperature experiments, 1198  
 Mandarino, J.A., see Nickel, E.H., 200  
 Mannucci, G., see Bianchi, R., 601  
 Martin, R.F., V. Morogan: Partial melting of fenitized crustal xenoliths in the Oldoinyo Lengai carbonatitic volcano, Tanzania: Reply, 1468  
 Masuda, A., see Nakai, S., 1111  
 Mazumdar, A.C., see Bhattacharya, A., 338  
 Mazzi, F., see Cannillo, E., 608  
 McCallum, I.S., see O'Brien, H.E., 1007  
 McKenna, L.W., K.V. Hodges: Accuracy versus precision in locating reaction boundaries: Implications for the garnet - plagioclase - aluminum silicate - quartz geobarometer, 1205  
 Meagher, E.P.: Review of Crystal Structures and Cation Sites of the Rock-Forming Minerals, by J.R. Smyth and D.L. Bish, 1501  
 Merzbacher, C.I., W.B. White: Structure of Na in aluminosilicate glasses: A far-infrared reflectance spectroscopic study, 1089  
 Metropolis, W.C., see Dunn, P.J., 1179  
 Meunier, A., see Inoue, A., 1325  
 Meyer, C., S.V. Yang: Tungsten-bearing yt-trobetafite in lunar granophyre, 1420  
 Meyer, H.O.A.: Report of the Secretary for 1987, 1209  
 Middleton, T.A., see Shaw, D.M., 894  
 Miloslavski, I., see Heller-Kallai, L., 376  
 Miser, D.E., see Carlson, W.D., 1255  
 Mogessie, A., see Rammlair, D., 651  
 Moore, P.B.: The joesmithite enigma: Note on the  $6s^2 Pb^{2+}$  lone pair, 843  
 Mora, C.I., see MacKinney, J.A., 365

- Morimoto, N.: Nomenclature of pyroxenes, 1123  
 Morogan, V., see Martin, R.F., 1468  
 Mossotti, V.G., see Hochella, M.F., Jr., 1449  
 Muncill, G.E., A.C. Lasaga: Crystal-growth kinetics of plagioclase in igneous systems: Isothermal H<sub>2</sub>O-saturated experiments and extension of a growth model to complex silicate melts, 982  
 Munoz, J.L.: Review of Hydrothermal Experimental Techniques, edited by G.C. Ulmer and H.L. Barnes, 939  
 Munoz, J.L.: Report of the Editor for 1987, 1214  
 Murad, E., U. Schwertmann: Iron oxide mineralogy of some deep-sea ferromanganese crusts, 1395  
 Myhra, S., T.J. White, S.E. Kesson, J.C. Riviere: X-ray photoelectron spectroscopy for the direct identification of Ti valence in [Ba<sub>x</sub>Cs<sub>y</sub>][(Ti,Al)<sub>2x+y</sub>Ti<sub>8-2x-y</sub>O]<sub>16</sub> hollandites, 161  
 Mysen, B.O., I. Kushiro: Condensation, evaporation, melting, and crystallization in the primitive solar nebula: Experimental data in the system MgO-SiO<sub>2</sub>-H<sub>2</sub> to 1.0 x 10<sup>-9</sup> bar and 1870 °C with variable oxygen fugacity, 1  
 Nabelek, P.I., see Labotka, T.C., 1095, 1302  
 Nadeau, P.H., see Eberl, D.D., 1475  
 Nakai, S., A. Masuda, B. Lehmann: La-Ba dating of bastnaesite, 1111  
 Nakai, I., see Sabelli, C., 398  
 Naney, M.T., see Dyar, M.D., 1479  
 Navrotsky, A., see Ross, N.L., 1355  
 Nekvasil, H.: Calculation of equilibrium crystallization paths of compositionally simple hydrous felsic melts, 956  
 Nekvasil, H.: Calculated effect of anorthite component on the crystallization paths of H<sub>2</sub>O-undersaturated haplogranitic melts, 966  
 Nelen, J.A., see Peacor, D.R., 632, 888  
 Newton, R.C., see Koziol, A.M., 216, 1501  
 Nickel, E.H., see Kato, A., 187  
 Nickel, E.H., J.A. Mandarino: Procedures involving the IMA Commission on New Minerals and Mineral Names and guidelines on mineral nomenclature [errata], 200  
 Nishido, H., see Akizuki, M., 1434  
 Nitkiewicz, A.M., S.M. Sterner: An improved Bond air mill for the preparation of spherical single crystals, 662  
 Nord, G.L., Jr.: Report of the Treasurer for 1987, 1210  
 Northrop, H.R., see Whitney, G., 77  
 O'Brien, H.E., A.J. Irving, I.S. McCallum: Complex zoning and resorption of phenocrysts in mixed potassic mafic magmas of the Highwood Mountains, Montana, 1007  
 O'Neill, H.St.C.: Systems Fe-O and Cu-O: Thermodynamic data for the equilibria Fe-"FeO," Fe-Fe<sub>3</sub>O<sub>4</sub>, "FeO"-Fe<sub>3</sub>O<sub>4</sub>, Fe<sub>3</sub>O<sub>4</sub>-Fe<sub>2</sub>O<sub>3</sub>, Cu-Cu<sub>2</sub>O, and Cu<sub>2</sub>O-CuO from emf measurements, 470  
 Oberhänsli, R., see Armbruster, T., 585, 595  
 Oestrike, R., R.J. Kirkpatrick: <sup>27</sup>Al and <sup>29</sup>Si MASS NMR spectroscopy of glasses in the system anorthite-diopside-forsterite, 534  
 Ollila, P.W., H.W. Jaffe, E.B. Jaffe: Pyroxene exsolution: An indicator of high-pressure igneous crystallization of pyroxene-bearing quartz syenite gneiss from the High Peaks region of the Adirondack Mountains, 261  
 Paces, J.B., see Zolensky, M.E., 313  
 Papike, J.J., see Labotka, T.C., 1095, 1302  
 Papike, J.J., see Shearer, C.K., 324  
 Parnell, J.: Native platinum in pyrobitumen from Fonda, New York, 1170  
 Pasteris, J.D., B.J. Wanamaker: Laser Raman microprobe analysis of experimentally re-equilibrated fluid inclusions in olivine: Some implications for mantle fluids, 1074  
 Pe-Piper, G.: Calcic amphiboles of mafic rocks of the Jeffers Brook plutonic complex, Nova Scotia, Canada, 993  
 Peacor, D.R., P.J. Dunn: Dollaseite-(Ce) (magnesium orthite redefined): Structure refinement and implications for F + M<sup>2+</sup> substitutions in epidote-group minerals, 838  
 Peacor, D.R., R.C. Rouse: Holdawayite, Mn<sub>6</sub>(CO<sub>3</sub>)<sub>2</sub>(OH)<sub>7</sub>(Cl,OH), a structure containing anions in zeolite-like channels, 637  
 Peacor, D.R., E.J. Essene, R.C. Rouse, P.J. Dunn, J.A. Nelen, J.D. Grice, J. Innes, O. von Knorring: Holdawayite, a new manganese hydroxyl-carbonate from the Kombat mine, Namibia, 632  
 Peacor, D.R., R.C. Rouse, S.W. Bailey: Crystal structure of franklinfurnaceite: A tri-dioctahedral zincosilicate intermediate between chlorite and mica, 876  
 Peacor, D.R., H. Sarp, P.J. Dunn, J. Innes, J.A. Nelen: Defernite from the Kombat mine, Namibia: A second occurrence, structure refinement, and crystal chemistry, 888  
 Peacor, D.R., see Dunn, P.J., 405, 413  
 Peacor, D.R., see Rouse, R.C., 168, 643  
 Petrov, I., S.S. Hafner: Location of trace Fe<sup>3+</sup> ions in sanidine, KAlSi<sub>3</sub>O<sub>8</sub>, 97  
 Phillips, M.W., R.K. Popp, C.A. Clowe: Structural adjustments accompanying oxidation-dehydrogenation in amphiboles, 500  
 Pilati, T., see Bianchi, R., 601  
 Pinckney, L.R., C.W. Burnham: Effects of compositional variation on the crystal structures of pyroxmangite and rhodonite, 798  
 Pinckney, L.R., C.W. Burnham: High-temperature crystal structure of pyroxmangite, 809  
 Podvin, P.: Ni-Mg partitioning between synthetic olivines and orthopyroxenes: Application to geothermometry, 274  
 Popp, R.K., see Clowe, C.A., 487  
 Popp, R.K., see Phillips, M.W., 500  
 Post, J.E., D.E. Appleman: Chalcophanite, ZnMn<sub>3</sub>O<sub>7</sub>·3H<sub>2</sub>O: New crystal-structure determinations, 1401  
 Post, J.E., D.L. Bish: Rietveld refinement of the todorokite structure, 861  
 Post, J.E., see Turner, S., 1155  
 Powell, R., see Sandiford, M., 434  
 Price, G.D., see Wall, A., 224  
 Pring, A., see Williams, T.B., 1426  
 Purtscheller, F., see Rammlmair, D., 651  
 Puziewicz, J., see Hawthorne, F.C., 189  
 Puziewicz, J., see Jambor, J.L., 439

- Radke, F., see Rule, A.C., 135
- Rajabali, G.: Ordering behavior of albite using modified sequential construction method, 91
- Rammelmair, D., A. Mogessie, F. Purtscheller, R. Tessadri: Högbonite from the Vumba schist belt, Botswana, 651
- Rao, A.T., see Kamineni, D.C., 692
- Reed, M.H.: Memorial of Charles Meyer, 1486
- Reinitz, I.M., G.R. Rossman: Role of natural radiation in tourmaline coloration, 822
- Ribbe, P.H.: Assessment of prestige and price of professional publications, 449, 1501 [errata]
- Ribbe, P.H.: Mammon and prestige in earth science departments, 1221
- Rietmeijer, F.J.M.: Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000 °C metamorphic temperatures in Archean continental crust-- Discussion, 432
- Rimstidt, J.D., see Johnson, N.E., 389
- Riviere, J.C., see Myhra, S., 161
- Roberts, A.C., see Hawthorne, F.C., 189
- Robin, P.F., D.G.A. Ball: Coherent lamellar exsolution in ternary pyroxenes: A pseudobinary approximation, 253
- Rock, N.M.S., see Wheatley, M., 919
- Rosenberg, P.E.: Aluminum fluoride hydrates, volcanogenic salts from Mount Erebus, Antarctica, 855
- Ross, C.R., II, L.R. Bernstein, G.A. Waychunas: Crystal-structure refinement of stottite,  $\text{FeGe}(\text{OH})_6$ , 657
- Ross, C.R., II, see Kampf, A.R., 1172
- Ross, N.L., A. Navrotsky: Study of the  $\text{MgGeO}_3$  polymorphs (orthopyroxene, clinopyroxene, and ilmenite structures) by calorimetry, spectroscopy, and phase equilibria, 1355
- Rossi, G., see Cannillo, E., 608
- Rossman, G.R., see Carlson, W.D., 1366
- Rossman, G.R., see Reinitz, I.M., 822
- Rossman, G.R., see Solomon, G.C., 818
- Rouse, R.C., D.R. Peacor, R.L. Freed: Pyrophosphate groups in the structure of canaphite,  $\text{CaNa}_2\text{P}_2\text{O}_7 \cdot 4\text{H}_2\text{O}$ : The first occurrence of a condensed phosphate as a mineral, 168
- Rouse, R.C., D.R. Peacor, P.J. Dunn, A.J. Criddle, C.J. Stanley, J. Innes: Asisite, a silicon-bearing lead oxychloride from the Kombat mine, South West Africa (Namibia), 643
- Rouse, R.C., see Cosca, M.A., 1440
- Rouse, R.C., see Peacor, D.R., 632, 637, 876
- Rule, A.C., F. Radke: Baileychlorite, the Zn end member of the trioctahedral chlorite series, 135
- Rutherford, M.J., see Carroll, M.R., 845
- Sabelli, C., I. Nakai, S. Katsura: Crystal structures of cetineite and its sythetic Na analogue  $\text{Na}_{3.6}(\text{Sb}_2\text{O}_3)_3(\text{SbS}_3)(\text{OH})_{0.6} \cdot 2.4\text{H}_2\text{O}$ , 398
- Sack, R.O., see Allan, J.F., 741
- Sandiford, M., R. Powell: Pyroxene exsolution in granulites from Fyfe Hills, Enderby Land, Antarctica: Evidence for 1000 °C metamorphic temperatures in Archean continental crust-- Reply, 434
- Sarp, H., see Peacor, D.R., 888
- Schiffman, P., see Bettison, L.A., 62
- Schwertmann, U., see Murad, E., 1395
- Sen, S.K., see Bhattacharya, A., 338
- Sharp, T.G., P.R. Buseck: Prograde versus retrograde chlorite-amphibole intergrowths in a calc-silicate rock, 1292
- Sharp, Z.D., see Hazen, R.M., 1120
- Shaw, D.M., M.D. Higgins, M.G. Truscott, T.A. Middleton: Boron contamination in polished thin sections of meteorites: Implications for other trace-element studies by alpha-track image or ion microprobe, 894
- Shearer, C.K., J.J. Papike: Pegmatite-wallrock interaction: Holmquistite-bearing amphibolite, Edison pegmatite, Black Hills, South Dakota, 324
- Shee, S.R., see Edgar, A.D., 524
- Shen, P., S. Hwang, H. Chu, R. Jeng: STEM study of "ferritchromit" from the Heng-Chun chromitite, 383
- Sheridan, M.F., see Kovalenko, V.I., 1038
- Sherman, D.M., N. Vergo: Optical spectrum, site occupancy, and oxidation state of Mn in montmorillonite, 140
- Sherman, D.M., N. Vergo: Optical (diffuse reflectance) and Mössbauer spectroscopic study of nontronite and related Fe-bearing smectites, 1346
- Sinkankas, J.: Review of Gemstones, by Michael O'Donoghue, 1500
- Skinner, E.M.W., see Edgar, A.D., 524
- Smith, R.L., see Warshaw, C.M., 1025
- Solomon, G.C., G.R. Rossman:  $\text{NH}_4^+$  in pegmatitic feldspars from the southern Black Hills, South Dakota, 818
- Šrodoň, J., see Eberl, D.D., 1335, 1475
- Stanley, C.J., see Dunn, P.J., 405, 413
- Stanley, C.J., see Rouse, R.C., 643
- Sternner, S.M., see Nitkiewicz, A.M., 662
- Stevenson, L.S.: Memorial of John Sinclair Stevenson, 922
- Stolper, E.: Presentation of the Mineralogical Society of America Award for 1987 to Donald J. DePaolo, 673
- Stouff, P., J. Boulègue: Synthetic 10-Å and 7-Å phyllosulfates: Their structures as determined by EXAFS, 1162
- Su, S., see Gunter, M.E., 1481
- Swinnea, J.S., see Carlson, W.D., 1255
- Sylvester, P.J., see Zolensky, M.E., 313
- Tecce, F., see Belkin, H.E., 775
- Tessadri, R., see Rammelmair, D., 651
- Theisen, A.F., see Tyson, R.M., 1145
- Tingle, T.N.: Retrieval of uncracked single crystals from high pressure in piston-cylinder apparatus, 1195
- Touchard, G., see Inoue, A., 1325
- Truscott, M.G., see Shaw, D.M., 894
- Turner, S., J.E. Post: Refinement of the substructure and superstructure of romanechite, 1155
- Tyson, R.M., W.R. Hemphill, A.F. Theisen: Effect of the W:Mo ratio on the shift of excitation and emission spectra in the scheelite-powellite series, 1145

- Usdansky, S.I., see Green, N.L., 667
- Van Gaans, C., see Barton, M., 1046
- Vanko, D.A., see Hawthorne, F.C., 189
- Vanko, D.A., see Jambor, J.L., 439
- Vaughan, D.J., see Collyer, S., 153
- Veblen, D.R., D.L. Bish: TEM and X-ray study of orthopyroxene megacrysts: Microstructures and crystal chemistry, 677
- Velde, B., see Inoue, A., 1325
- Vergo, N., see Altaner, S.P., 1472
- Vergo, N., see Sherman, D.M., 140, 1346
- Voigt, D.E., see Huebner, J.S., 1235
- von Knorring, O., see Peacor, D.R., 632
- Vriend, S.P., see Konings, R.J.M., 754
- Walker, E.C., see Edgar, A.D., 524
- Wall, A., G.D. Price: Computer simulation of the structure, lattice dynamics, and thermodynamics of ilmenite-type  $MgSiO_3$ , 224
- Walther, J.V.: Review of Chemical Transport in Metasomatic Processes, edited by Harold C. Helgeson, 1204
- Wanamaker, B.J., see Pasteris, J.D., 1074
- Warshaw, C.M., R.L. Smith: Pyroxenes and fayalites in the Bandelier Tuff, New Mexico: Temperatures and comparison with other rhyolites, 1025
- Waychunas, G.A., see Ross, C.R., II, 657
- Whalen, J.B., B.W. Chappell: Opaque mineralogy and mafic mineral chemistry of I- and S-type granites of the Lachlan fold belt, southeast Australia, 281
- Wheatley, M., N.M.S. Rock: SPIDER: A Macintosh program to generate normalized multi-element "spidergrams," 919
- White, T.J., see Myhra, S., 161
- White, W.B., see Merzbacher, C.I., 1089
- Whitney, G.: Review of Proceedings of the International Clay Conference, Denver, 1985, edited by L.G. Schultz, H. van Olphen, and F.A. Mumpton, 1500
- Whitney, G., H.R. Northrop: Experimental investigation of the smectite to illite reaction: Dual reaction mechanisms and oxygen-isotope systematics, 77
- Wicks, F.J., see Dunn, P.J., 870
- Williams, L.B., R.E. Ferrell, P.K. Carpenter: CHEMOD: An automated chemical and modal analysis technique, 1457
- Williams, T.B., A. Pring: Structure of lengenbachite: A high-resolution transmission electron microscope study, 1426
- Yang, S.V., see Meyer, C., 1420
- Zanazzi, P.F., see Aurisicchio, C., 826
- Zang, Q., see Enami, M., 48
- Zolensky, M.E., P.J. Sylvester, J.B. Paces: Origin and significance of blue coloration in quartz from Llano rhyolite (llanite), north-central Llano County, Texas, 313
- Ab-An- $H_2O$ , 982
- Ab-Or-An-Qz- $H_2O$ , 956
- Ab-Or-Qz- $H_2O$ , 956
- Ag-Cu-Fe-S minerals, 439
- Ag-Fe sulfides, 1492
- Ag-Pb-Bi sulfosalts, 439
- Al sulfate, 927
- Al- $Fe^{3+}$  and Ca- $Fe^{2+}$  ordering in grossular, 568
- Al-Si ordering in micas, 105
- Al-Si-O-F system (hypothetical), 936
- $AlF_3$  and  $AlF_3 \cdot 3H_2O$ , 855  
See also Beta- $AlF_3 \cdot 3H_2O$ , 855
- $Al_2O_3$ - $SiO_2$ - $H_2O$ , 559
- Au-Pb mineral, 189
- Actinolite, 993
- Actinolitic hornblende, 993
- Acuminite, 1492
- Aenigmatite, 1038
- Aerinite, 1492
- Afghanistan  
beryl, 826  
kornerupine, 345
- Alacranite, 189
- Albite, 91
- Alkali halides, 701
- Alkalic carbonatite, 1465
- Allanite, Mg-rich, 48
- Almandine, 20
- Alpha-track imaging of meteorites, 894
- Althupite, 189
- Aluminous pyroxenes, 910, 916
- Aluminum fluoride hydrates, 855
- Ammonioalunite, 145
- Amphibole, 281, 500  
Al-rich, 48  
oxidation effects on crystal structure, 500
- Amphibole-chlorite intergrowths, 1292
- Amphibolite, 324
- Amstallite, 1492
- Analcime, 1007
- Analysis, chemical (mineral)  
actinolite, 993  
actinolitic hornblende, 993  
aenigmatite, 1038  
allanite, Mg-rich, 48  
almandine, 20  
ammonioalunite, 145  
amphibole, 281  
amphibole, Al-rich, 48  
analcime, 1007  
andalusite, 559, 1366  
anhydrite, 775  
anorthoclase, 1038  
apatite, 1038  
asisite, 643  
augite, 261, 1025  
baileychlore, 135  
beryl, 826  
biotite, 20, 281, 324, 692, 754, 1007  
calciohilairite, 1191  
calcite, 619  
chlorite, 20, 48, 62, 651  
chondrodite, 547  
clinohumite, 547  
clinopyroxene, 48, 524, 1046, 1235, 1440  
clintonite, 365  
corundum, 48, 651  
defernite, 888  
diopside, 1007, 1235  
dollaseite-(Ce), 838  
dolomite, 619  
donbassite, 559  
dorrite, 1440  
epidote, 651  
epistilbite, 1434  
Fe-Ti oxides, 57  
fayalite, 1025  
"ferritchromit," 383  
filipstadite, 413  
forsterite, 345  
gahnite, 651  
garnet, 48  
grossular, 568, 1302  
grunerite, 487  
hedenbergite, 1025, 1038  
hercynite, 651  
högbomite, 651  
holdawayite, 632  
holmquistite, 324  
hornblende, 324, 993  
howardevansite, 181  
hypersthene, 1025

- ilmenite, 20, 57, 281, 651, 1420  
 ingersonite, 405  
 inverted pigeonite, 261  
 kornerupine, 345  
 kyanite, 48  
 leucite, 1007  
 leucophoenicite, 1182  
 magnesiochloritoid, 358  
 magnesiohornblende, 487  
 magnesite, 345  
 magnetite, 57, 281, 547, 1046  
 margarite, 48, 651  
 mcgovernite-like mineral, 1182  
 melanite, 1440  
 microcline, 313  
 monazite, 692  
 monticellite, 524  
 montmorillonite, 77, 140, 1346  
 muscovite, 20, 754  
 nontronite, 1346  
 olivine, 524, 547, 1007, 1046  
 orthopyroxene, 261, 345, 1046, 1060  
 osumilite, 585  
 panunzite, 420  
 pargasite, 993  
 paulkellerite, 870  
 perovskite, 524  
 phlogopite, 48, 345, 651, 692, 775, 1007  
 piemontite, strontian, 1370  
 pigeonite, inverted, 261  
 preiswerkite, 651  
 pyroxenes, 677, 692  
 quartz, 313, 1038  
 riebeckite, 487  
 salite, 1007  
 saponite, 1346  
 sapphirine, 345, 692  
 scorodite, 850  
 serpentine, 547  
 silicate glasses, 1478, 1479  
 smectite/chlorite, 62  
 spinel, 345, 651, 692, 741  
 staurolite, 20  
 staurolite, Mg-rich, 48  
 stottite, 657  
 strontian piemontite, 1370  
 sugilite, 595  
 thorite, 1405  
 thortveitite, 601  
 titanomaghemite, 153  
 todorokite, 861  
 tourmaline, 424, 822  
 tschermakitic hornblende, 487  
 vesuvianite, 1302  
 villyaellenite, 1172  
 yttrobetafite, 1420  
 zircon, 1405  
 zodacite, 1179  
 zoisite, 48, 651  
 See also Microcomputer processing, 446  
 See also "Spidergrams," plotting of, 919
- Analysis, chemical (rock)  
 amphibolite, 324  
 argillite, 1095  
 basalt (MORB), 741  
 calcareous argillite, 1095  
 chromitite, 383  
 diorite, 993  
 eclogite, 48  
 Fe<sup>2+</sup>-Fe<sup>3+</sup> in igneous rocks, 1478, 1479  
 ferromanganese crusts, 1395  
 gabbro, 993  
 garnet-corundum rock, 48  
 granodiorite, 993  
 kimberlite, 524  
 kornerupine-bearing rock, 345  
 llanite, 313  
 marble, 1095  
 metadunite, 547  
 meteorites, 894  
 ongonite, 507  
 pantellerite, 1038  
 rhyolite, 313  
 sapphirine granulite, 692  
 schist, Mg-Fe-Al - rich, 651  
 spinel pyroxenite, 692  
 topazite, 507  
 volcanogenic salt, 855  
 See also "Spidergrams," 919  
 Anandite, 105  
 Andalusite, 1366  
 Andalusite-donbassite reaction, 559  
 Andremeyerite, 608  
 Anhydrite, 775  
 Anorthite breakdown reaction, 216, 1205, 1501 [erratum]  
 Anorthite-grossular-kyanite-quartz, 216, 1501 [erratum]  
 Anorthite (high pressure), 1114  
 Anorthoclase, 1038  
 Anorthosite, 261, 677  
 Antarctica  
 aluminum fluoride hydrates, 855  
 beryllian sapphirine, 1134  
 donbassite, 559  
 granulites, 432, 434  
 Apatite, 1038  
 Apollo 14  
 granophyre, 1420  
 ilmenite, 1420  
 yttrobetafite, 1420  
 Argentotennantite, 439  
 Argillite, 1095  
 Arizona  
 beryl, 826  
 chalcophanite, 1401  
 olivine, 1074  
 ongonite, 507  
 topaz, 507  
 Armalcolite, 1377  
 Arseniopleite, 666  
 Arsenoflorensite-(Ce), 1492  
 Asisite, 643  
 Atlasovite, 927  
 Atomistic computer simulation, 224
- Augite, 261, 1025  
 Australia  
 amphibole, 281  
 baileychlore, 135  
 biotite, 281  
 danielsite, 187  
 granites, I- and S-type, 281  
 ilmenite, 281  
 magnetite, 281  
 Austria  
 anorthite, 1114  
 beryl, 826  
 Awards  
 MSA Award, acceptance of, 674  
 MSA Award, presentation of, 673  
 Roebbling Medal, acceptance of, 670  
 Roebbling Medal, presentation of, 668
- B in meteorites, 894  
 Baileychlore, 135  
 Bandelier Tuff rhyolite, 1025  
 Bárceñite (= romeite + metacinnabar), 1492  
 Basaltic liquids, 1267  
 Basalt (MORB), 741  
 Basic Mg carbonate, 1492  
 Bastnaesite, 1111  
 Beegerite(?), 439  
 Benleonardite, 439  
 Beryl, 826, 1384  
 Beryllian sapphirine, 1134  
 Beta-AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
 Biotite, 20, 105, 281, 324, 692, 754, 1007, 1275  
 Birnessite-like phases, synthetic, 1162  
 Blue quartz, 313  
 Bobfergusonite, 189  
 Bonchevite, 666  
 Book reviews  
 Frost, B.R.: The Interpretation of Geological Phase Diagrams by Ernest G. Ehlers, 939  
 Meagher, E.P.: Crystal Structures and Cation Sites of the Rock-Forming Minerals by Joseph R. Smyth and David L. Bish, 1501  
 Munoz, J.L.: Hydrothermal Experimental Techniques edited by G. C. Ulmer and H. L. Barnes, 939  
 Sinkankas, J.: Gemstones by Michael O'Donoghue, 1500  
 Walther, J.V.: Chemical Transport in Metasomatic Processes edited by Harold C. Helgeson, 1204  
 Whitney, G.: Proceedings of the International Clay Conference, Denver, 1985 edited by L. G. Schultz, H. van Olphen, and F. A. Mumpton, 1500



- Botswana  
 hōgbomite, 651  
 preiswerkite, 651
- Brazil  
 beryl, 826  
 clinopyroxene, 1235  
 tourmaline, 172
- Buerger, Martin Julian,  
 Memorial of, 1483
- Burundi, bastnaesite, 1111
- Buserite-like phases, synthetic, 1162
- $\text{Ca}_3\text{Al}_2[(\text{Ge},\text{Si})\text{O}_4]_3$  garnet, 927
- $\text{CaAl}_2\text{Si}_2\text{O}_8\text{-CaMgSi}_2\text{O}_6\text{-Mg}_2\text{SiO}_4$   
 glasses, 534
- $\text{Ca}_3\text{Ga}_2(\text{GeO}_4)_3$  garnet, 927
- $\text{CaMgSi}_2\text{O}_6$  glass, 306
- $\text{CaMgSi}_2\text{O}_6\text{-F}_2\text{O}_{-1}$  glass, 306
- $\text{CaMgSi}_2\text{O}_6\text{-SiO}_2$  glass, 306
- $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ , 216, 1501  
 [erratum]
- $\text{CaO-CaF}_2\text{-SiO}_2$  system, glasses  
 in, 297
- CO in natural olivine, 1074
- CO<sub>2</sub> in natural olivine, 1074
- Cr<sub>2</sub>C mineral, 439
- CrS mineral, 439
- Cu-Au, 910
- Cu-O, 470
- Cu-stannoidite, 439
- $\text{Cu}_{11}\text{Fe}_4\text{GeAsS}_{16}$ , 439
- $\text{Cu}_7\text{Fe}_3\text{S}_5$  mineral, 927
- CuO, 470
- $\text{Cu}_2\text{O}$ , 470
- $\text{Cu}_2\text{S-Sb}_2\text{S}_3$ , 707
- $\text{CuSbS}_2$ , 707
- $\text{Cu}_3\text{SbS}_3$ , 707
- Calcareous argillite, 1095
- Calcareous rocks, 1302
- Calciocelsian (= armenite), 927
- Calciohlaireite, 1191
- Calcite-dolomite exsolution,  
 619
- Calculated phase relations of  
 low-Ca granites, 966
- Calculation of mineral optics  
 data, 1481
- California  
 ammonioalunite, 145  
 beryl, 826  
 chlorite/smectite, 62  
 tourmaline, 822
- Calomel, 189
- Canaphite, 168
- Carbonate-vishnevite, 927
- Carbonatite, 1465, 1468
- Caryinite, 666
- Cassedanneite, 1492
- Cebaite-(Nd), 1492
- Central Pacific  
 ferrihydrite, 1395  
 ferromanganese crusts, 1395
- Cetineite, 398
- Chaidamuite, 1492
- Chalcophanite, 1401
- Chalcophile tendencies, 1384
- Chalcostibite, 707
- Charnockite, 261
- Charoite, 189
- Chemical analysis of mineral  
 surfaces, 1449
- Chemical analysis, automated,  
 1457
- China (People's Republic of),  
 Mg-rich staurolite, 48
- Chlorite, 20, 48, 62, 77, 651
- Chlorite-amphibole inter-  
 growths, 1292
- Chlorite/smectite, 62
- Chondrite-normalized plots, 919
- Chondrodite, 547
- Chromferide, 189
- Chromitite, 383
- Clastic sediments, 1457
- Clay minerals, volatiles  
 derived from, 376
- Clinoamphibole,  $\text{Fe}^{3+}/\text{Fe}^{2+}$  in,  
 487
- Clinohumite, 547
- Clinopyroxene, 48, 232, 242,  
 524, 1046, 1235, 1264, 1440  
 exsolution, 253  
 solution models, 253
- Clintonite, 365
- Coherent exsolution in  
 minerals, 253
- Colombia, beryl, 826
- Colorado  
 illite, 1335  
 sericite, 1335
- Compressibility measurements  
 illite/smectite, 766  
 ilmenite-type  $\text{MgSiO}_3$ , 224  
 meionite, 1120  
 scapolite, 1120  
 smectite. See  
 Illite/smectite, 766  
 sodalite, 1120
- Computer modeling, Monte Carlo,  
 766
- Computer program  
 calculation of mineral optics  
 data, 1481  
 "spidergrams," plotting of,  
 919  
 storage and calculation of  
 mineral analyses, 446  
 ternary-feldspar geother-  
 mometry, 201
- Contamination of meteorites,  
 894
- Convolution effect applied to  
 microprobe step scans, 901
- Cordierite, Fe-Mg mixing in,  
 338
- Cordierite-garnet geother-  
 mometry, 338
- Corundum, 48, 651
- Crevasse-splay sediments, 1457
- Crookesite, 927
- Crystal chemistry, tetrahedite,  
 389
- Crystal growth  
 clinopyroxene, 253  
 epistilbite, 1434
- ferrihydrite, 1395
- grossular, 568
- illite/smectite, 1335
- mesolite, 613
- natrolite, 613
- Ostwald ripening, 1325, 1335,  
 1475
- plagioclase, 982
- pyroxene, 232
- scolecite, 613
- smectite. See  
 Illite/smectite, 1335
- Crystal structure  
 ammonioalunite, 145  
 amphiboles, 500  
 anandite, 105  
 andremeyerite, 608  
 anorthite (high pressure),  
 1114
- asisite, 643
- baileychlore, 135
- beryl, 826
- biotite, 105
- birnessite-like phases,  
 synthetic, 1162
- buserite-like phases, syn-  
 thetic, 1162
- canaphite, 168
- cetineite, 398
- chalcophanite, 1401
- clintonite, 365
- defernite, 888
- dollaseite-(Ce), 838
- dorrite, 1440
- franklinfurnaceite, 876
- grannockite, 595
- grossular, 568
- holdawayite, 637
- howardevansite, 181
- howlite, 1138
- illite/smectite, 77, 1335
- ilmenite-type  $\text{MgSiO}_3$ , 224
- interparticle diffraction,  
 1335
- lengenbachite, 1426
- magnesioclhoritoid, 358
- moscovite, 105
- $\text{Na}_{3.6}(\text{Sb}_2\text{O}_3)_3(\text{SbS}_3)(\text{OH})_{0.6} \cdot$   
 $2.4\text{H}_2\text{O}$ , 398
- osumilite, 585
- paulkellerite, 873
- piemontite, strontian, 1370
- publications on, and their  
 costs, 449, 1501 [erratum]
- pyrophyllite, 105
- pyroxmangite, 798, 809
- rhodonite, 798
- romanechite, 1155
- scapolite, 119
- smectite. See  
 Illite/smectite, 77
- stottite, 657
- strontian piemontite, 1370
- sugilite, 595
- synthetic buserite-like and  
 birnessite-like phases,  
 1162
- talc, 105

- tetrahedrite, 389  
thortveitite, 601  
titanomaghemite, 153  
todorokite, 861  
villyaellenite, 1172  
zimbabweite, 1186
- Crystal synthesis  
ammonioalunite, 145  
biotite, Ti-bearing, 1275  
chalcostibite, 707  
Ni-Mg-Fe olivine, 274  
Ni-Mg-Fe orthopyroxene, 274  
orthoestatite, 1255  
scorodite, 850  
skinnerite, 707
- Cuba, todorokite, 861  
Cubic NiSe<sub>2</sub>, 439  
Cuprocassiterite (= mushistonite), 189  
Czechoslovakia, natrolite, 613
- Danielsite, 187  
Defernite, 888  
Delindeite, 1492  
Differentiation of granite, 966  
Diomignite, 927  
Diopside, 232, 1007, 1235  
Diorite, 993  
Discredited minerals  
bárcenite (= romeite + metacinnabar), 1492  
calciocelsian (= armenite), 927  
cuprocassiterite (= mushistonite), 189  
kennedyite (= armalcolite solid solution), 1377  
kusuite (= plomboan wakefieldite-(Ce)), 189  
tagilite (= pseudomalachite), 927
- Dollaseite-(Ce), 838  
Dolomite microcrystals in marble, 619  
Donbassite, 559  
Dorrite, 1440  
DTA, TGA  
ammonioalunite, 145  
baileychlore, 135  
thorite, 1405
- Dunite. See Metadunite, 547
- Earth-science funding, 1221  
East Germany, paulkellerite, 870, 873  
Eastern Pacific, basalts, 741  
Eclogite, 48  
Editor, 1987 Report of the, 1214  
El Salvador, howardevansite, 181
- Electrical properties  
clinopyroxene, 1235  
diopside, 1235  
hollandite, 161  
perovskite-type oxides and fluorides, second-harmonic generation in, 701
- Electron diffraction  
amphibole-chlorite intergrowths, 1292  
andalusite, 559  
chlorite-amphibole intergrowths, 1292  
donbassite, 559  
"ferritchromit," 383  
grossular, 568  
ilmenite in blue quartz, 313  
lengenbachite, 1426  
pyroxenes, 677  
scapolite, 119  
thorite, 1405
- Electron microscopy  
AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
ammonioalunite, 145  
amphibole-chlorite intergrowths, 1292  
andalusite, 559  
beryllian sapphirine, 1134  
biotite, 754  
biotite, Ti-bearing, 1275  
chlorite-amphibole intergrowths, 1292  
clastic sediments, 1457  
dolomite microcrystals in marble, 619  
donbassite, 559  
"ferritchromit," 383  
fundamental particles, 1335  
grossular, 568  
HRTEM, scapolite, 119  
illite, 1335  
illite/smectite, morphology of, 1325  
ilmenite in blue quartz, 313  
lengenbachite, 1426  
marble, dolomite microcrystals in, 619  
muscovite, 754  
orthoestatite, 1255  
pyrobitumen, 1170  
pyroxenes, 677  
pyroxmangite, 1285  
rhodochrosite, 1285  
rhodonite, 1285  
scapolite (HRTEM), 119  
smectite. See Illite/smectite, 1325  
spinel, Cr-rich, 741  
thorite, 1405
- Ellenbergerite, 189  
Enstatite, 232  
Enthalpy and entropy of vaporization in MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1  
Epidote, 651  
Epistilbite, Al-Si ordering in, 1434  
Epistolite intergrowths, 927  
EPR spectroscopy, sanidine, 97  
Errata, 200, 667, 1501  
Eugster, Hans P., Memorial of, 1489
- EXAFS spectroscopy  
birnessite-like phase, 1162  
buserite-like phase, 1162  
Exchange operators, 1384  
Expansivity measurements  
magnesioclhoritoid, 358  
orthoestatite, 1255  
Experimental petrology  
anorthite-grossular-kyanite-quartz, 216, 1501 [erratum]  
basaltic liquids, 1267  
biotite, Ti-bearing, 1275  
chlorite, 77  
experimental techniques for high pressure, 1195  
Fe<sup>3+</sup>/Fe<sup>2+</sup> in clinoamphibole, 487  
forsterite-saturated Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 232  
granites, H<sub>2</sub>O-saturated and H<sub>2</sub>O-undersaturated, 956  
granites, low-Ca, 966  
H<sub>2</sub>O-saturated and H<sub>2</sub>O-undersaturated granites, 956  
H<sub>2</sub>O-saturated melts, plagioclase growth in, 982  
high pressure, experimental techniques for, 1195  
illite/smectite, 77  
kimberlite, melting at high pressure, 524  
MgO-SiO<sub>2</sub>-H<sub>2</sub>, vaporous and liquidus phase relations in, 1  
NaAlSi<sub>3</sub>O<sub>8</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>-SiO<sub>2</sub>-F<sub>2</sub>O<sub>1</sub>, 306  
Ni-Mg exchange in olivine-orthopyroxene, 274  
olivine, heat treatment of, 1074  
orthoestatite, 1255  
oxidation state, 1267  
oxygen buffers in systems Fe-O and Cu-O, 470  
phase boundaries, uncertainty in location of, 1205  
phase relations in MgO-SiO<sub>2</sub>-H<sub>2</sub>, vaporous and liquidus, 1  
plagioclase growth in H<sub>2</sub>O-saturated melts, 982  
pyroxmangite, 1285  
rhodochrosite, 1285  
rhodonite, 1285  
silica-glass containers, 1198  
smectite. See Illite/smectite, 77  
spherical reaction monitors, manufacture of, 662  
sulfur speciation, 845  
vaporous and liquidus phase relations in MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1  
Experimental techniques for high pressure, 1195

- F in granitic melts, 507  
 F influence on melt viscosity and crystallization, 507  
 Fe mineral. See Gamma-Fe mineral, 439  
 Fe saponite, 439  
 Fe-Ge-Ga equivalent of saphirine, 927  
 Fe-Mg exchange between cordierite and garnet, 338  
 Fe-Mg ordering in orthopyroxene, 1060  
 Fe-Mg oxide, 439  
 Fe-O, 470  
 Fe-Ti oxide - silicate equilibria, 727  
 Fe-Ti oxides, 57  
 "FeO," 470  
 Fe<sub>2</sub>O<sub>3</sub> and Fe<sub>3</sub>O<sub>4</sub>, 470  
 FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-TiO<sub>2</sub>, 434  
 FeTiSi<sub>2</sub> mineral, 189  
 Falkmanite, 666  
 Fayalite, 1025  
 Feldspar, 201, 956  
 Felsic melts, 956  
 Ferchromide, 189  
 Ferric-ferrous ratios  
   in clinoamphibole, 487  
   in igneous rocks, 1478, 1479  
 Ferrihydrite, 1395  
 "Ferritchromit," 383  
 Ferrithorite, 189  
 Ferromanganese crusts, 1395  
 Ferropyrosmalite, 927  
 Filipstadite, 413  
 Financial Advisory Committee, 1987 Report of the, 1213  
 Fisher, D. Jerome, Memorial of, 925  
 Fluorides (perovskite-type), second-harmonic generation in, 701  
 Fluid inclusions  
   anhydrite, 775  
   microthermometry, 1074  
   phlogopite, 775  
 Fluid-rock interaction, 1302  
 Former MSA officers and meeting places, list of, 1216  
 Forsterite, 345  
 Forsterite-saturated Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 232  
 Franklinfurnaceite, 876  
 Freedite, 666  
 Fundamental particles, 1335  
 Funding of science, 1221  
 Furongite, 189  
 Gabbro, 993  
 Gahnite, 651, 1384  
 Gamma-Fe mineral, 439  
 Gananite, 1492  
 Garnet, 48  
 Garnet-biotite, 692  
 Garnet-corundum rock, 48  
 Garnet-plagioclase-Al<sub>2</sub>SiO<sub>5</sub> barometer, 1205  
 Garnet-sillimanite-plagioclase-quartz, 692  
 Gasparite-(Ce), 1492  
 Genthelvite, 1384  
 Geobarometry  
   Bandelier Tuff rhyolite, 1025  
   clinopyroxene, 1264  
   fluid-inclusion microthermometry, 1074  
   garnet-plagioclase-Al<sub>2</sub>SiO<sub>5</sub>, 1205  
   garnet-sillimanite-plagioclase-quartz, 692  
   Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 1264  
   orthopyroxene, 1264  
   pelitic schist (Maine), 20  
   plagioclase-garnet-Al<sub>2</sub>SiO<sub>5</sub>-quartz (or GASP), 216, 1501 [erratum]  
   pyroxene exsolution, 261  
   ternary-feldspar mixing relations, erratum on, 667  
 Geochemistry  
   actinolite, 993  
   ammonioalunite, 145  
   anorthosite, 677  
   argillite, 1095  
   beryl, 826  
   blue quartz, 313  
   CO<sub>2</sub> fluids in olivine, 1074  
   calcareous argillite, 1095  
   chromitite, 383  
   clay minerals, volatiles derived from, 376  
   diiorite, 993  
   F in granitic melts, 507  
   "ferritchromit," 383  
   ferromanganese crusts, 1395  
   granites, 754  
   granitic pegmatite, 1405  
   hornblende, 993  
   illite, K-Ar dating of, 1335  
   illite/smectite, 77, 1472, 1475  
   marble, 1095  
   metadunite, 547  
   microlite, 1405  
   olivine, CO<sub>2</sub> fluids in, 1074  
   Ostwald ripening, 1335  
   pantellerite, 1038  
   publications on, and their costs, 449, 1501 [erratum]  
   quartz, 313  
   REEs in tourmaline, 424  
   smectite. See Illite/smectite, 77, 1472, 1475  
   "spidergrams," plotting of, 919  
   sulfur, 845  
   thorite, 1405  
   tourmaline, REEs in, 424  
   volatiles derived from clay minerals, 376  
   Zn-Be-S-O-F system, 1384  
   zircon, 1405  
 Geospeedometry, 1060  
 Geothermometry  
   Bandelier Tuff rhyolite, 1025  
   clinopyroxene, 232, 1264  
   cordierite-garnet, 338  
   Fe-Ti oxides, 57  
   feldspars, 201  
   fluid inclusions in anhydrite and phlogopite, 775  
   fluid-inclusion microthermometry, 1074  
   garnet-biotite, 692  
   granite, 727  
   granulites, 432, 434  
   ilmenite, 57  
   Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 1264  
   magnetite + ilmenite, 714  
   magnetite, 57  
   monzonite, 727  
   olivine-orthopyroxene, 274  
   orthopyroxene, 232, 1264  
   orthopyroxene-clinopyroxene, 1046  
   orthopyroxene-garnet, 692  
   orthopyroxene-ilmenite, 1046  
   pantellerite, 727  
   pelitic schist (Maine), 20  
   pitchstone, 727  
   pyroxene exsolution, 261  
   rhyolite, 727  
   syenite, 727  
   ternary feldspars, 201  
   titanomagnetite-ilmenite, 1046  
   trachyte, 727  
   two-feldspar, 692  
 Germany (East)  
   paulkellerite, 870, 873  
   romanechite, 1155  
 Ginzburgite, 439  
 Glass structure, CaAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>-Mg<sub>2</sub>SiO<sub>4</sub>, 534  
 Glasses, 941  
 Glushinskite, 189  
 Granite, 727, 754, 956, 966, 1384  
   H<sub>2</sub>O-saturated and H<sub>2</sub>O-undersaturated, 956  
   I- and S-type, 281  
   low-Ca, 966  
   lunar, 1420  
 Granitic pegmatite, 1405  
 Grannockite, 595  
 Granodiorite, mafic facies in, 993  
 Granophyre, 1420  
 Granulite, 432, 434, 692  
 Graphite in natural olivine, 1074  
 Greenland  
   dunite. See Metadunite, 547  
   titanium humites, 547  
 Greisen, 1384  
 Grossular, 1302  
   anisotropic, 568  
 Growth using fluxes, 232  
 Grumantite, 439  
 Grunerite, 487

- H<sub>2</sub>O-saturated and H<sub>2</sub>O-under-saturated granites, 956
- H<sub>2</sub>O-saturated and H<sub>2</sub>O-under-saturated low-Ca granites, 966
- H<sub>2</sub>O-saturated melts, plagioclase growth in, 982
- H<sub>6</sub>Si<sub>2</sub>O<sub>7</sub> clusters, 941
- Hannebachite, 927
- Hedenbergite, 1025, 1038
- Hematite, 714
- Heneuete, 439
- Hercynite, 651
- High pressure, experimental techniques for, 1195
- High-pressure phases glasses, 941  
ilmenite-type MgSiO<sub>3</sub>, 224  
melts, 941  
MgGeO<sub>3</sub> (clinopyroxene- and ilmenite-type structures), 1355  
SiO<sub>2</sub> glasses and melts, 941
- High-temperature crystal structure, strontian piemontite, 1370
- High-temperature reaction calorimetry, 707
- Högbomite-bearing rocks, 651
- Holdawayite, 632, 637
- Hollandite, 161
- Holmquistite-bearing amphibolite, 324
- Hornblende, 324, 993
- Hot-springs deposits, 145
- Howardevansite, 181
- Howlite, 1138
- HRTEM, scapolite, 119
- Humite minerals in system MgO-SiO<sub>2</sub>-TiO<sub>2</sub>-H<sub>2</sub>O, 547
- Hydrogen bonding, 1138
- Hydroxyl-bastnaesite-(Nd), 439
- Hydroxyl vishnevite, 927
- Hyper - Rayleigh scattering, 701
- Hypersthene, 1025
- Ir-Os-Ru with Fe, solid solutions of, 189
- I- and S-type granites, 281
- Iceland  
epistilbite, 1434  
scolecite, 613
- Igneous melts, plagioclase growth in, 982
- Igneous petrology  
Al-Si-O-F system (hypothetical), 936  
anorthosite, 677  
basaltic liquids, 1267  
basalts (MORB), 741  
carbonatite, 1465, 1468  
differentiation of plagioclase-free and plagioclase-bearing granites, 966  
Fe-Ti oxide - silicate equilibria, 727  
granite, 754, 956, 966, 1384  
granite, I- and S-type, 281  
granite, lunar, 1420  
granodiorite, mafic facies in, 993  
greisen, 1384  
H<sub>2</sub>O-saturated and H<sub>2</sub>O-under-saturated granites, 956  
I- and S-type granites, 281  
kimberlite, SiO<sub>2</sub>-poor, 524  
llanite, 313  
mafic facies in granodiorite, 993  
minette, 1007  
ongonite dikes, 507  
oxidation state, 1267  
pantellerite, 1038  
pegmatite, 1384  
pegmatite-wallrock interaction, 324  
phonolite, mafic, 1007  
publications on, and their costs, 449, 1501 [erratum]  
pyrometamorphic rocks, 1440  
rhyolite, 313  
S- and I-type granites, 281  
shonkinite, 1007  
sulfur speciation, 845  
symplectites, 1046  
ternary feldspars, 201  
topazite dikes, 507
- Illite, 1335, 1472, 1475  
growth mechanism of, 1325  
K-Ar dating of, 1335
- Illite/smectite, 77, 766, 1325, 1335, 1472, 1475  
expandability of, 1335  
morphology of, 1325  
swelling of, 1335
- Ilmenite, 20, 57, 281, 651, 714, 1420  
in blue quartz, 313
- Ilmenite-type MgSiO<sub>3</sub>, 224
- Image-processing techniques, 1457
- Imogolite, 189
- India  
granulite, 692  
monazite, 692  
sapphirine, 692  
scolecite, 613  
spinel, 692
- Ingersonite, 405
- Instrumental neutron activation analysis, tourmaline, 424
- Interparticle diffraction, 1335
- Inverted pigeonite, 261
- Ionic-structure modeling, 105
- IR spectroscopy  
ammonioalunite, 145  
grossular, 568  
illite/smectite, expandability of, 1335  
ilmenite-type MgSiO<sub>3</sub>, 224  
MgGeO<sub>3</sub> (orthopyroxene-, clinopyroxene-, and ilmenite-type structures), 1355  
microcline, 818  
Na aluminosilicate glasses, 1089  
thorite, 1405  
Irian Jaya (New Guinea), clin-tonite, 365
- Italy  
anhydrite, 775  
beryl, 826  
leucophoenicite, 1182  
magnesioclhoritoid, 358  
pantellerite, 1038  
panunzite, 420  
phlogopite, 775  
scapolite, 1120  
strontian piemontite, 1370
- Japan  
clintonite, 365  
epistilbite, 1434  
illite/smectite, 1325  
mesolite, 613  
natrolite, 613  
Joemithite, Pb in, 843  
Johninnesite, 927
- K-dominant laumontite, 1492
- K-V-Ba titanate, 927
- Kamiokite, 189
- Kamotoite-(Y), 189
- Keiviite-(Y), 189
- Kennedyite (= armalcolite solid solution), 1377
- Kerchenite, 666
- Khademite, 1492
- Kimberlite, melting at high pressure, 524
- Kimberlite, SiO<sub>2</sub>-poor, 524
- Kinetics  
clinopyroxene, 1235  
clinopyroxene exsolution, 253  
diopside, 1235  
epistilbite, 1434  
Fe-Mg ordering in orthopyroxene, 1060  
igneous melts, plagioclase growth in, 982  
illite, growth mechanism of, 1325  
illite/smectite, 77  
LSW theory, 1335  
mesolite, 613  
natrolite, 613  
orthopyroxene, Fe-Mg ordering in, 1060  
Ostwald ripening, 1335  
plagioclase growth in igneous melts, 982  
recrystallization, 1335  
SiO<sub>2</sub> melts, 941  
scolecite, 613  
smectite. See Illite/smectite, 77  
spherical reaction monitors, manufacture of, 662  
symplectites, 1046  
Kombatite, 927  
Kornerupine-tourmaline, 345

- Kuliokite-(Y), 189  
 Kusuite (= plomboan wakefieldite-(Ce)), 189  
 Kuzminite, 189  
 Kyanite, 48
- La-Ba dating, 1111  
 Li in meteorites, 894  
 Layer silicate, 189  
 Lengenbachite, 1426  
 Leucite, 1007  
 Leuconorite, 1046  
 Leucophoenicite, 1182  
 Liquidus and vaporous phase relations in  $MgO-SiO_2-H_2O$ , 1  
 Lithiophorite, 666  
 Llanite, 313  
 Lone-pair cations, 843  
 Louisiana, crevasse-splay sediments, 1457  
 Lourenswalsite, 1492  
 LSW theory, 1335  
 Luanheite, 189  
 Ludjibaita, 1492  
 Lunar samples  
   granophyre, 1420  
   ilmenite, 1420  
   yttrobetafite, 1420
- Mg phosphates, 439  
 Mg/Mn partitioning in Fe-Ti oxides, 57  
 $MgGeO_3$  (orthopyroxene-, clinopyroxene-, and ilmenite-type structures), 1355  
 $MgO-SiO_2-H_2O$ , vaporous and liquidus phase relations in, 1  
 $MgO-SiO_2-TiO_2-H_2O$ , 547  
 $Mg_2Si_2O_6-CaMgSi_2O_6$ , 232, 242  
 $Mg_2Si_2O_6-CaMgSi_2O_6$  join, 1264  
 Mn-Cr silicate, 439  
 Mn-dominant deerite, 1492  
 $MnO-CO_2-H_2O$ , 632  
 $MnSiO_3$  polymorphs, 1285  
 MacEwan crystallites, 1335  
 Madagascar, beryl, 826  
 Mafic facies in granodiorite, 993  
 Maghemite, 153  
 Magnesiochloritoid, 358  
 Magnesiohornblende, 487  
 Magnesiohulsite, 927  
 Magnesite, 345  
 Magnetic properties, ferromanganese crusts, 1395  
 Magnetite, 57, 281, 547, 714, 1046  
 Magnetite + ilmenite, 714  
 Magnetite + ilmenite + fayalite + quartz, 727  
 Maine  
   chlorite-amphibole intergrowths, 1292  
   pelitic schist, 20  
 Malagasy Republic, thortveitite, 601
- Manganese oxides, 1395  
 Manganostibite, 666  
 Mannardite, 189  
 Marble, 1095  
   dolomite microcrystals in, 619  
 Margarite, 48, 651  
 Marine minerals, 1395  
 Mass spectra of clay-derived volatiles, 376  
 Mattheddleite, 927  
 Mcbirneyite, 1492  
 MCGovernite-like mineral, 1182  
 Mechanical properties  
   illite/smectite, swelling of, 1335  
   panunzite, 420  
 Medals. See Awards, 668, 670, 673, 674  
 Meionite, 1120  
 Melanite, 1440  
 Melt structure  
    $CaMgSi_2O_6-F_2O_{-1}$  glasses, 306  
    $CaO-CaF_2-SiO_2$  system, glasses in, 297  
   F influence on melt viscosity, 507  
   Na aluminosilicate glasses, 1089  
    $SiO_2$ , 941  
   sulfur speciation, 845  
 Melts, 941  
 Memorials  
   Buerger, Martin Julian, 1483  
   Eugster, Hans P., 1489  
   Fisher, D. Jerome, 925  
   Meyer, Charles, 1486  
   Stevenson, John Sinclair, 922  
 Mendozavilite, 189  
 Mesolite, 613  
 Metadunite, 3800 Ma, 547  
 Metamorphic petrology  
   Al-Si-O-F system (hypothetical), 936  
   amphibole-chlorite reactions, prograde vs. retrograde, 1292  
   argillite, 1095  
   calcareous argillite, 1095  
   calcareous rocks, 1302  
   calcite-dolomite exsolution, 619  
   chlorite-amphibole reactions, prograde vs. retrograde, 1292  
   cordierite-garnet geothermometry, 338  
   fluid-rock interaction, 1302  
   garnet-plagioclase- $Al_2SiO_5$  barometer, 1205  
   geospeedometry, 1060  
   granulites, 432, 434  
   holmquistite-bearing amphibolite, 324  
   marble, 1095  
   metadunite, 3800 Ma, 547  
    $NH_4^+$  in metamorphic fluids, 818
- orthopyroxene geospeedometry, 1060  
 pelitic schist (Maine), 20  
 plagioclase-garnet- $Al_2SiO_5$ -quartz (or GASP), 216, 1501 [erratum]  
 publications on, and their costs, 449, 1501 [erratum]  
 pyroxene-bearing quartz syenite gneiss, 261  
 sapphirine granulite, 692  
 staurolite, Mg-rich (China), 48  
 symplectites, 1046  
 ternary feldspars, 201  
 topaz in metamorphosed rhyolite tuff, 507  
 Vumba schist belt, Botswana, 651  
 Metavivianite, 666  
 Meteorites, alpha-track imaging of, 894  
 Mexico, villyaellenite, 1172  
 Meyer, Charles, Memorial of, 1486  
 Microcline, 313, 818  
 Microcomputer processing, 446  
 Microlite, 1405  
 Microprobe step scans, convolution effects applied to, 901  
 Mineral nomenclature, errata, 200  
 Mineral specimens, protocols for archiving, 1480  
 Mineral-surface analysis, 1449  
 Mineralogical Society of America Award, acceptance of, 674  
 Mineralogical Society of America Award, presentation of, 673  
 Mineralogy, publications on, and their costs, 449, 1501 [erratum]  
 Minette, 1007  
 Modal analysis, automated, 1457  
 Modeling, Monte Carlo, 766  
 Monazite, 692  
 Monazite-(Nd), 1492  
 Mongshanite, 439  
 Montana  
   minette, 1007  
   phonolite, mafic, 1007  
   shonkinite, 1007  
 Monte Carlo computer modeling, 766  
 Monticellite, 524  
 Montmorillonite, 77, 1346  
    $Mn^{3+}$ -bearing, 140  
 Monzonite, 727  
 Moon  
   granophyre, 1420  
   ilmenite, 1420  
   yttrobetafite, 1420  
 Mössbauer spectroscopy  
   clintonite, 365  
    $Fe^{3+}/Fe^{2+}$  ratios in igneous rocks, 1478, 1479

- ferromanganese crusts, 1395  
maghemite, 153  
montmorillonite, 1346  
nontronite, 1346  
orthopyroxene, 1060  
saponite, 1346  
silicate glasses, 1478, 1479  
titanomaghemite, 153  
Moydite, 189  
Murmanite, 927  
Muscovite, 20, 105, 754
- Na-Al-Si glasses, 1089  
Na-Ti silicate, 439  
 $\text{NaAlSi}_4\text{-CaMgSi}_2\text{O}_6\text{-SiO}_2\text{-F}_2\text{O}_{-1}$ ,  
306  
 $\text{Na}_2\text{O-Al}_2\text{O}_3\text{-SiO}_2$ , 1089  
 $\text{Na}_3.6(\text{Sb}_2\text{O}_3)_3(\text{SbS}_3)(\text{OH})_0.6 \cdot$   
 $2.4\text{H}_2\text{O}$ , 398  
Nd-Nb-Ti silicate, 1492  
 $\text{NH}_4^+$  in metamorphic fluids and  
microcline, 818  
Ni-Mg-Fe olivine, 274  
Ni-Mg-Fe orthopyroxene, 274  
Ni/Mg partitioning in olivine-  
orthopyroxene, 274  
Nabokoite, 927  
Namibia  
asisite, 643  
defernite, 888  
holdawayite, 632, 637  
leucophoenicite, 1182  
mcgovernite-like mineral,  
1182  
Natrocarbonatite, 1468  
Natrolite, 613  
Nevada, ammonioalunite, 145  
New Jersey  
canaphite, 168  
chalcophanite, 1401  
franklinfurnaceite, 876  
New Mexico  
fayalite, 1025  
pyroxene, 1025  
rhyolite, 1025  
thorite, 1405  
zircon, 1405  
New mineral data (abstracts)  
aerinite, 1492  
arseniopleite, 666  
bonchevite, 666  
calomel, 189  
caryinite, 666  
charoite, 189  
crookesite, 927  
falkmanite, 666  
ferrithorite, 189  
ferropyrrosomite, 927  
freedite, 666  
furongite, 189  
glushinskite, 189  
imogolite, 189  
kerchenite, 666  
khademite, 1492  
lithiophorite, 666  
manganostibite, 666  
metavivianite, 666  
murmanite, 927  
polarite, 1492  
redledgeite, 189  
rozenite, 189  
sakuraiite, 927  
scapolite, 189  
schmiederite, 189  
shakhovite, 189, 1492  
sjögrenite, 189  
stibiomicrocline, 1492  
tugarinovite, 189  
volkonskoite, 927  
wakefieldite-(Ce), 927  
waylandite, 189  
New minerals (abstracts)  
acuminite, 1492  
alacranite, 189  
althupite, 189  
amstallite, 1492  
argentotennantite, 439  
arsenoflorencite-(Ce), 1492  
atlasovite, 927  
benleonardite, 439  
bobfergusonite, 189  
carbonate-vishnevite, 927  
cassedanneite, 1492  
cebaite-(Nd), 1492  
chaidamuite, 1492  
chromferide, 189  
delindeite, 1492  
diomignite, 927  
ellenbergerite, 189  
ferchromide, 189  
gananite, 1492  
gasparite-(Ce), 1492  
ginzburgite, 439  
grumantite, 439  
hannebachite, 927  
heneuite, 439  
hydroxyl-bastnaesite-(Nd),  
439  
hydroxyl vishnevite, 927  
johnnesite, 927  
kamiokite, 189  
kamotoite-(Y), 189  
keiviite-(Y), 189  
kombatite, 927  
kuliokite-(Y), 189  
kuzminite, 189  
lourenswalsite, 1492  
luanheite, 189  
ludjibaite, 1492  
magnesiophulsite, 927  
mannardite, 189  
mattheddleite, 927  
mcbirneyite, 1492  
mendozavilite, 189  
monazite-(Nd), 1492  
mongshanite, 439  
moydite, 189  
nabokoite, 927  
nickelaustinite, 927  
okhotskite, 1492  
olenite, 439  
pahasapaite, 1492  
palenzonaite, 927  
parabariomicrocline, 189  
parabrandite, 1492  
paramendozavilite, 189  
paraotwayite, 1492  
parisite-(Nd), 1492  
poudretteite, 1492  
qandilite, 927  
qitianlingite, 1492  
rhodizite, 189  
simonkolleite, 189  
stronalsite, 189  
strontiochlorite, 927  
sturmanite, 189  
tengchongite, 189  
thometzekite, 927  
thornasite, 927  
tokkoite, 189  
trabzonite, 1492  
vantasselite, 927  
volfsomite, 439  
weishanite, 189  
wülfingite, 189  
xinganite, 439  
yttroceberyite, 439  
zincchromite, 927  
zincroselite, 927  
New minerals (descriptions)  
ammonioalunite, 145  
asisite, 643  
baileychlore, 135  
calciohilairite, 1191  
dorrite, 1440  
filipstadite, 413  
holdawayite, 632  
howardvansite, 181  
ingersonite, 405  
magnesiochloritoid, 358  
panunzite, 420  
paulkellerite, 870  
zodacite, 1179  
New minerals and mineral names  
See Errata, 200  
See also Unnamed minerals  
New York  
anorthosite, 261  
charnockite, 261  
clintonite, 365  
diopside, 1235  
platinum, 1170  
pyroxene-bearing quartz  
syenite gneiss, 261  
Nickelaustinite, 927  
NMR spectroscopy  
 $\text{CaAl}_2\text{Si}_2\text{O}_8\text{-CaMgSi}_2\text{O}_6\text{-Mg}_2\text{SiO}_4$   
glasses, 534  
illite/smectite, expan-  
dability of, 1335  
Nomenclature  
of oxides, 1377  
of pyroxenes, 1123  
of REE minerals, 422  
See Errata, 200  
Nontronite, 1346  
North Carolina, grannockite,  
595  
Norway  
dollaseite-(Ce), 838  
leuconorite, 1046  
orthopyroxene-magnetite  
symplectites, 1046  
thortveitite, 601

- Nova Scotia  
 actinolite, 993  
 diorite, 993  
 hornblende, 993  
 howlite, 1138  
 Nyiragongo volcano (Zaire),  
 andremeyerite, 608
- Officers  
 1988 Officers and Committees,  
 1219  
 Former Officers and Meeting  
 Places, 1216
- Okhotskite, 1492
- Oldoinyo Lengai volcano  
 alkalic carbonatite, 1465  
 natrocarbonatite, 1468
- Olenite, 439
- Olivine, 524, 547, 1007, 1046,  
 1074  
 CO<sub>2</sub> fluids in, 1074  
 heat treatment of, 1074
- Olivine-orthopyroxene, 274
- Omphacite, 910, 916
- Ongonite dikes, 507
- Optical mineralogy, 1481
- Optical properties  
 ammonioalunite, 145  
 andalusite, 1366  
 augite, 1025  
 baileychlore, 135  
 calciohilairite, 1191  
 chlorite, 62  
 defernite, 888  
 epistilbite, 1434  
 fayalite, 1025  
 filipstadite, 413  
 grossular, anisotropic, 568  
 hedenbergite, 1025  
 holdawayite, 632  
 howardevsite, 181  
 ingersonite, 405  
 mesolite, 613  
 natrolite, 613  
 orthoenstatite, 1255  
 orthopyroxene, 1025  
 osumilite, 585  
 panunzite, 420  
 paulkellerite, 870  
 pervoskites, second-harmonic  
 generation in, 701  
 pyroxene exsolution, 261  
 scolecite, 613  
 smectite/chlorite, 62  
 villyaellenite, 1172  
 zodacite, 1179
- Optical spectroscopy  
 andalusite, 1366  
 montmorillonite, 1346  
 montmorillonite  
 (Mn<sup>3+</sup>-bearing), 140  
 nontronite, 1346  
 saponite, 1346  
 scheelite-powellite, 1145  
 tourmaline, 172, 822
- Order-disorder  
 Al-Fe<sup>3+</sup> and Ca-Fe<sup>2+</sup> in gros-  
 sular, 568
- albite, 91  
 alkali halides, 701  
 aluminous pyroxenes, 910  
 beryllian sapphirine, 1134  
 epistilbite, Al-Si ordering  
 in, 1434  
 fluorides, 701  
 joesmithite, Pb in, 843  
 mesolite, 613  
 natrolite, 613  
 omphacite, 910, 916  
 orthopyroxene, Fe-Mg in,  
 1060  
 oxides, 701  
 Pb in joesmithite, 843  
 pyroxenes, aluminous, 910  
 pyroxmangite, 798, 809  
 rhodonite, 798  
 scapolite, 119  
 scolecite, 613  
 scorodite, 850
- Orthoenstatite, 232, 1255
- Orthopyroxene, 232, 242, 261,  
 345, 1025, 1264  
 Fe-Mg ordering in, 1060  
 geospeedometry, 1060  
 megacrysts, 677
- Orthopyroxene-clinopyroxene,  
 1046
- Orthopyroxene-garnet, 692
- Orthopyroxene-ilmenite, 1046
- Orthopyroxene-magnetite  
 symplectites, 1046
- Ostwald ripening, 1325, 1335,  
 1475
- Osumilite, 585
- Oxidation state, 1267
- Oxides  
 second-harmonic generation  
 in, 701  
 topotaxial intergrowths in,  
 383
- Oxygen buffers in systems Fe-O  
 and Cu-O, 470
- Oxygen fugacity using Fe-Ti  
 oxides, 714
- Oxygen geobarometry, 727
- Pb in joesmithite, 843
- Pb-Au-Bi sulfotelluride, 927  
 (Pb,Bi,Ag)<sub>9</sub>Sb<sub>11</sub>As<sub>11</sub>S<sub>42</sub> mineral,  
 927
- Pb<sub>5</sub>Cu<sub>2</sub>(Sb,Bi)<sub>15</sub>S<sub>28</sub>, 439
- Pt in pyrobitumen, 1170
- Pt-group minerals, 439
- Pahasapaite, 1492
- Pakistan, beryl, 826
- Palenzonaite, 927
- Pantellerite, 727  
 minerals and glass in, 1038
- Panunzite, 420
- Parabariomicrolite, 189
- Parabrandtite, 1492
- Paramendozavilite, 189
- Paraotwayite, 1492
- Pargasite, 993
- Parisite-(Nd), 1492
- Paulkellerite, 870, 873
- Pegmatite, 1384
- Pegmatite-wallrock interaction,  
 324
- Pelitic schist (Maine), 20
- Perovskite, 524
- Perovskite-type oxides and  
 fluorides, second-harmonic  
 generation in, 701
- Phase boundaries, uncertainty  
 in location of, 1205
- Phase equilibria  
 Al-Si-O-F system  
 (hypothetical), 936  
 aluminous pyroxenes, 910, 916  
 andalusite-donbassite reac-  
 tion, 559  
 basaltic liquids, 1267  
 beryl, 1384  
 F influence on melt crystal-  
 lization, 507  
 Fe<sup>3+</sup>/Fe<sup>2+</sup> in clinoamphibole,  
 487  
 forsterite-saturated join  
 Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>, 232  
 gahnite, 1384  
 genthelvite, 1384  
 granite, 956  
 H<sub>2</sub>O-saturated and H<sub>2</sub>O-under-  
 saturated low-Ca granites,  
 966  
 holdawayite, 632  
 humite minerals in system  
 MgO-SiO<sub>2</sub>-TiO<sub>2</sub>-H<sub>2</sub>O, 547  
 kimberlite, SiO<sub>2</sub>-poor, 524  
 kornerupine-tourmaline, 345  
 Mg/Mn partitioning in Fe-Ti  
 oxides, 57  
 MgGeO<sub>3</sub> polymorphs, 1355  
 MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1  
 Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>, 242  
 magnetite + ilmenite, 714  
 magnetite + ilmenite +  
 fayalite + quartz, 727  
 NaAlSi<sub>3</sub>O<sub>8</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>-SiO<sub>2</sub>-F<sub>2</sub>O<sub>-1</sub>,  
 306  
 omphacite, 910  
 oxidation state, 1267  
 phenakite, 1384  
 pyroxenes, aluminous, 910,  
 916  
 spherical single crystals,  
 preparation of, 662  
 topaz, 1384  
 willemite, 1384
- Phase relations in MgO-SiO<sub>2</sub>-H<sub>2</sub>O,  
 vaporous and liquidus, 1
- Phenakite, 1384
- Phlogopite, 48, 345, 651, 692,  
 775, 1007
- Phonolite, mafic, 1007
- Piemontite, strontian, 1370
- Pigeonite, 232  
 inverted, 261
- Piston-cylinder apparatus, 1195
- Pitchstone, 727
- Plagioclase, 982
- Plagioclase growth in igneous  
 and H<sub>2</sub>O-saturated melts, 982

- Plagioclase-garnet- $\text{Al}_2\text{SiO}_5$ -quartz (or GASP), 216, 1501 [erratum]
- Platinum, 1170
- Point defects, 1235
- Polarite, 1492
- Polished thin section preparation for ion-microprobe analysis, 894
- Polytypism, 105
- Portugal
- biotite, 754
  - muscovite, 754
  - zodacite, 1179
- Poudretteite, 1492
- Preiswerkite, 651
- Presidential Address for 1987, 449, 1221, 1501 [erratum]
- Proceedings for 1987, 1209
- Protocols for mineral archiving, 1480
- Protoenstatite, 232
- Protoproxene, 242
- Pseudobrookite, 1377
- Publications on mineralogy, etc., and their costs, 449, 1501 [erratum]
- Pyrobitumen, 1170
- Pyrochlore group, 405
- Pyrometamorphic rocks, 1440
- Pyrophyllite, 105
- Proxene, 232, 677, 692, 1025
- aluminous, 910, 916
  - exsolution, 261, 432, 434
  - growth using fluxes, 232
  - nomenclature of, 1123
- Proxene-bearing quartz syenite gneiss, 261
- Pyroxmangite, 798, 809, 1285
- Qandilite, 927
- Qitianlingite, 1492
- Quantum mechanical calculations
- $\text{H}_6\text{Si}_2\text{O}_7$  clusters, 941
  - pyroxene, aluminous, 910, 916
- Quartz, 313, 1038
- Quartz syenite gneiss, 261
- Quebec
- dolomite microcrystals, 619
  - grossular, 568
  - marble, 619
  - sodalite, 1120
- Radiation effects, thorite, 1405
- Raman spectroscopy
- $\text{CaMgSi}_2\text{O}_6$ ,  $\text{CaMgSi}_2\text{O}_6\text{-F}_2\text{O-1}$ , and  $\text{CaMgSi}_2\text{O}_6\text{-SiO}_2$  glasses, 306
  - $\text{CaO-CaF}_2\text{-SiO}_2$  system, glasses in, 297
  - CO and  $\text{CO}_2$  in natural olivine, 1074
  - graphite in natural olivine, 1074
  - ilmenite-type  $\text{MgSiO}_3$ , 224
  - $\text{MgGeO}_3$  polymorphs, 1355
  - serpentine, 547
- Rayleigh. See Hyper - Rayleigh scattering, 701
- Recrystallization, 1335
- Redefinition of armalcolite, 1377
- Redefinition of pseudobrookite, 1377
- Redledgeite, 189
- Redox equilibrium, 1267
- Rare-earth elements
- argillite, 1095
  - blue quartz, 313
  - calcareous argillite, 1095
  - chondrite-normalized plots, 919
  - llanite, 313
  - marble, 1095
  - metadunite, 547
  - microcline, 313
  - nomenclature of REE minerals, 422
  - pantellerite, minerals and glass in, 1038
  - quartz, 313
  - rhyolite, 313
  - sapphirine granulite, 692
  - thorite, 1405
  - thortveitite, 601
  - tourmaline, 424
  - ytrotetafite, 1420
- Remote sensing using scheelite-powellite, 1145
- Reports for 1987
- Editor, 1214
  - Financial Advisory Committee, 1213
  - Proceedings, 1209
  - Secretary, 1209
  - Treasurer, 1210
- Research, evaluation of funding of, 1221
- Reviewers for American Mineralogist in 1987, 1215
- Rhodizite, 189
- Rhodochrosite, 1285
- Rhodonite, 798, 1285
- Rhyolite, 313, 727, 1025
- Riebeckite, 487
- Rietveld refinement, todorokite, 861
- Roebing Medal, acceptance of, 670
- Roebing Medal, presentation of, 668
- Romanechite, 1155
- Rozenite, 189
- $\text{SiO}_2$  glasses and melts, 941
- S- and I-type granites, 281
- Sakuraiite, 927
- Salite, 1007
- Salt (volcanogenic), Mount Erebus, Antarctica, 855
- Sanidine, 97
- Saponite, 1346
- Sapphirine, 345
- Sapphirine granulite, 692
- Scapolite, 189, 1120
- Scapolite (HRTEM), 119
- Scheelite-powellite, 1145
- Schist, Mg-Fe-Al - rich, 651
- Schmiederite, 189
- Scolecite, 613
- Scorodite, 850
- Second-harmonic scattering in minerals, 701
- Secretary, 1987 Report of the, 1209
- Sericite, 1335, 1472
- Serpentine, 547
- Shakhovite, 189, 1492
- Shonkinite, 1007
- Silica-glass containers, 1198
- Silicate glasses, ferric/ferrous ratios in, 1478, 1479
- Simonkolleite, 189
- Sjögrenite, 189
- Skinnerite, 707
- Smectite. See Chlorite/smectite, 62
- Smectite. See Illite/smectite, 77, 766, 1325, 1335, 1472, 1475
- Sodalite, 1120
- Software
- calculation of mineral optics data, 1481
  - "spidergrams," plotting of, 919
  - storage and calculation of mineral analyses, 446
  - ternary-feldspar geothermometry, 201
- Solubility studies, scorodite, 850
- Solution calorimetry, 1355
- South Africa
- kimberlite, 524
  - sugilite, 595
  - titanomaghemite, 153
  - todorokite, 861
- South Dakota
- holmquistite, 324
  - microcline, 818
- South West Africa. See Namibia
- Spectroscopy, X-ray photoelectron (hollandite), 161
- Spherical reaction monitors, manufacture of, 662
- Spherical single crystals, preparation of, 662
- "Spidergrams," plotting of, 919
- Spinel, 345, 651
- Cr-rich, 741
  - Mn- $\text{Fe}^{3+}$ -Sb derivative of, 413
- Spinel pyroxenite, 692
- Stable isotopes
- illite/smectite, 77
  - sapphirine granulite, 692
- Stannite-like minerals, 439
- Statistical thermodynamics, 91
- Staurolite, Mg-rich (China), 48
- Staurolite problem, 20
- Stereoactivity, 843



- Stevenson, John Sinclair,  
Memorial of, 922
- Stibiomicrocline, 1492
- Storage and calculation of  
mineral analyses, 446
- Stottite, 657
- Stronalsite, 189
- Strontian piemontite, 1370
- Strontiopyrochlore, 927
- Structure-energy calculations  
aluminous pyroxenes, 910  
chalcophanite, 1401  
pyroxenes, aluminous, 910  
todorokite, 861
- Sturmanite, 189
- Sugilite, 595
- Sulfur speciation, 845
- Sweden  
filipstadite, 413  
ingersonite, 405
- Switzerland  
illite, 1335  
lengenbachite, 1426
- Syenite, 727
- Symplectites, 1046
- Synthetic busserite-like and  
birnessite-like phases, 1162
- Systems (chemical)  
Ab-An-H<sub>2</sub>O, 982  
Ab-Or-An-Qz-H<sub>2</sub>O, 956  
Ab-Or-Qz-H<sub>2</sub>O, 956  
Al-Si-O-F (hypothetical), 936  
Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O, 559  
basaltic liquids, 1267  
CaO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 216, 1501  
[erratum]  
CaO-CaF<sub>2</sub>-SiO<sub>2</sub>, 297  
Cu-Au, 910  
Cu-O, 470  
Cu<sub>2</sub>S-Sb<sub>2</sub>S<sub>3</sub>, 707  
Fe-O, 470  
FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-TiO<sub>2</sub>, 434  
feldspar, 956  
MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1  
MgO-SiO<sub>2</sub>-TiO<sub>2</sub>-H<sub>2</sub>O, 547  
Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>, 232, 242  
MnO-CO<sub>2</sub>-H<sub>2</sub>O, 632  
Na<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 1089  
ZnO-BeO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-SO<sub>1</sub>-  
F<sub>2</sub>O<sub>1</sub>, 1384
- Ti valence in hollandite, 161
- TiP mineral, 189
- Tagilite (= pseudomalachite),  
927
- Taiwan  
chromitite, 383  
"ferritchromit," 383
- Talc, 105
- Tanzania  
alkalic carbonatite, 1465  
natrocarbonatite, 1468
- Tengchongite, 189
- Ternary-feldspar geother-  
mometry, 201
- Ternary-feldspar solid solu-  
tions, 956
- Tetragonal U<sub>3</sub>O<sub>7</sub>, 439
- Tetrahedrite, 389
- Texas, andalusite, 1366
- TGA. See DTA
- Thalenite, analogue of, 189
- Thermodynamic data  
albite, 91  
anorthite breakdown reaction,  
216, 1205, 1501 [erratum]  
basaltic liquids, 1267  
CuO, 470  
Cu<sub>2</sub>O, 470  
CuSbS<sub>2</sub>, 707  
Cu<sub>3</sub>SbS<sub>3</sub>, 707  
clinopyroxene, 242, 1264  
clinopyroxene solution  
models, 253  
cordierite, Fe-Mg mixing in,  
338  
enthalpy and entropy of  
vaporization in  
MgO-SiO<sub>2</sub>-H<sub>2</sub>, 1  
Fe-Mg exchange between cor-  
dierite and garnet, 338  
Fe-Mg mixing in cordierite,  
338  
"FeO," Fe<sub>2</sub>O<sub>3</sub>, and Fe<sub>3</sub>O<sub>4</sub>, 470  
feldspars, 201  
felsic melts, 956  
hematite, 714  
ilmenite, 714  
ilmenite-type MgSiO<sub>3</sub>, 224  
MgGeO<sub>3</sub> polymorphic transi-  
tions, 1355  
Mg<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub> join, 1264  
MnSiO<sub>3</sub> polymorphs, 1285  
magnetite, 714  
Ni/Mg partitioning in  
olivine-orthopyroxene, 274  
orthopyroxene, 242, 1264  
protoproxene, 242  
redox equilibrium, 1267  
scorodite, 850  
statistical thermodynamics,  
91  
ternary feldspars, 201  
ternary-feldspar solid solu-  
tions, 956  
ulvöspinel, 714  
Thomtzekite, 927  
Thorite, 1405  
Thornasite, 927  
Thortveitite-group minerals,  
601  
Titanium humites, 547  
Titanomaghemite, 153  
Titanomagnetite-ilmenite, 1046  
Todorokite, 861  
Tokkoite, 189  
Topaz, 1384  
in metamorphosed rhyolite  
tuff, 507  
Topazite dikes, 507  
Topotaxial intergrowths in  
oxides, 383  
Tourmaline, 172, 822  
REEs in, 424  
Sr, Sc, Th, U, and Zn in, 424  
Tourmaline-kornerupine, 345
- Trabzonite, 1492
- Trace elements  
amphibolite, 324  
andalusite, 1366  
anhydrite, 775  
argillite, 1095  
B in meteorites, 894  
basalts in mid-ocean ridges,  
741  
biotite, 324, 754  
blue quartz, 313  
calcareous argillite, 1095  
clinopyroxene, 1235  
diopside, 1235  
högbomite-bearing rocks, 651  
hornblende, 324  
Li in meteorites, 894  
Ilanite, 313  
marble, 1095  
metadunite, 547  
microcline, 313  
muscovite, 754  
NH<sub>4</sub><sup>+</sup> in microcline, 818  
pantellerite, minerals and  
glass in, 1038  
quartz, 313  
rhyolite, 313  
sanidine, 97  
tourmaline, Sr, Sc, Th, U,  
and Zn in, 424  
yttrobetafite, W in, 1420
- Trachyte, 727
- Treasurer, 1987 Report of the,  
1210
- Tschermakitic hornblende, 487
- Tugarinovite, 189
- Tunnel structures, 1155
- Twinning, andremeyerite, 608
- Two-feldspar geothermometer,  
692
- U-Fe silicates, 927
- USSR, beryl, 826
- Ulvöspinel, 714
- Unit-cell data  
AlF<sub>3</sub>·3H<sub>2</sub>O, 855  
ammonioalunite, 145  
andremeyerite, 608  
anorthite, 216, 1501 [er-  
ratum]  
asisite, 643  
baileychlore, 135  
beryl, 826  
beryllian sapphirine, 1134  
biotite, Ti-bearing, 1275  
calciohilairite, 1191  
chalcophanite, 1401  
clinoamphibole, Fe<sup>3+</sup>/Fe<sup>2+</sup> in,  
487  
clintonite, 365  
danielsite, 187  
defernite, 888  
dollaseite-(Ce), 838  
dorrite, 1440  
epistilbite, 1434  
Fe<sup>3+</sup>/Fe<sup>2+</sup> in clinoamphibole,  
487  
filipstadite, 413

- grannockite, 595  
 grossular, 568  
 holdawayite, 632  
 holmquistite, 324  
 howardevansite, 181  
 howlite, 1138  
 ilmenite-type  $MgSiO_3$ , 224  
 ingersonite, 405  
 magnesiochloritoid, 358  
 mcgovernite-like mineral, 1182  
 meionite, 1120  
 orthoenstatite, 1255  
 osumilite, 585  
 panunzite, 420  
 paulkellerite, 870  
 piemontite, strontian, 1370  
 pyroxmangite, 798, 809, 1285  
 rhodonite, 798, 1285  
 romanachite, 1155  
 scapolite, 1120  
 sodalite, 1120  
 staurolite, Mg-rich, 48  
 stottite, 657  
 strontian piemontite, 1370  
 sugilite, 595  
 thorite, 1405  
 thortveitite-group minerals, 601  
 titanomghemite, 153  
 todorokite, 861  
 villyaellenite, 1172  
 zodacite, 1179  
 Unnamed minerals  
 Ag-Cu-Fe-S minerals, 439  
 Ag-Fe sulfides, 1492  
 Al sulfate, 927  
 $AlF_3$  and  $AlF_3 \cdot 3H_2O$ , 855  
 Au-Pb mineral, 189  
 basic Mg carbonate, 1492  
 beta- $AlF_3 \cdot 3H_2O$ , 855  
 $Ca_3Al_2[(Ge, Si)O_4]_3$  garnet, 927  
 $Ca_3Ga_2(GeO_4)_3$  garnet, 927  
 $Cr_2C$  mineral, 439  
 CrS mineral, 439  
 Cu-stannoidite, 439  
 $Cu_2Fe_3S_5$  mineral, 927  
 cubic  $NiSe_2$ , 439  
 epistolite intergrowths, 927  
 Fe-Ge-Ga equivalent of sapphire, 927  
 $FeTiSi_2$  mineral, 189  
 gamma-Fe mineral, 439  
 Ir-Os-Ru with Fe, solid solutions of, 189  
 K-dominant laumontite, 1492  
 K-V-Ba titanate, 927  
 layer silicate, 189  
 mcgovernite-like mineral, 1182  
 Mn-dominant deerite, 1492  
 Na-Ti silicate, 439  
 Nd-Nb-Ti silicate, 1492  
 Pb-Au-Bi sulfotelluride, 927  
 $(Pb, Bi, Ag)_9Sb_{11}As_{11}S_{42}$  mineral, 927  
 Pt-group minerals, 439  
 stannite-like minerals, 439  
 TiP mineral, 189  
 thalenite, analogue of, 189  
 U-Fe silicates, 927  
 uranyl sulfate, 1492  
 Uranyl sulfate, 1492  
 Utah  
 argillite, 1095  
 beryl, 826  
 calcareous argillite, 1095  
 calcareous rocks, 1302  
 marble, 1095  
 Vantasselite, 927  
 Vaporous and liquidus phase relations in  $MgO-SiO_2-H_2$ , 1  
 Vermont, grossular, 568  
 Vesuvianite, 1302  
 Villyaellenite, 1172  
 Volatiles derived from clay minerals, 376  
 Volcanogenic salt, Mount Erebus, Antarctica, 855  
 Volfsonite, 439  
 Volkonskoite, 927  
 Vumba schist belt, Botswana, 651  
 Wakefieldite-(Ce), 927  
 Warren-Averbach method, 1335, 1475  
 Washington  
 calciohilairite, 1191  
 nontronite, 1346  
 saponite, 1346  
 Waylandite, 189  
 Weishanite, 189  
 West Germany, sanidine, 97  
 Western Australia, danielsite, 187  
 Willemite, 1384  
 Wulfingite, 189  
 Wyoming  
 clinopyroxene, 1440  
 dorrite, 1440  
 melanite, 1440  
 ternary feldspars, 201  
 X-ray photoelectron spectroscopy, 1449  
 X-ray photoelectron spectroscopy, hollandite, 161  
 Xinganite, 439  
 XRD data  
 ammonioalunite, 145  
 amphibolite, 324  
 asisite, 643  
 baileychlorite, 135  
 calciohilairite, 1191  
 chlorite, 62, 77  
 clintonite, 365  
 danielsite, 187  
 defernite, 888  
 dollaseite-(Ce), 838  
 dorrite, 1440  
 ferromanganese crusts, 1395  
 filipstadite, 413  
 grossular, 568  
 högbomite, 651  
 holdawayite, 632  
 howardevansite, 181  
 illite/smectite, 77, 766, 1335  
 ingersonite, 405  
 interparticle diffraction, 1335  
 mcgovernite-like mineral, 1182  
 montmorillonite, 77, 1346  
 nontronite, 1346  
 orthoenstatite, 1255  
 panunzite, 420  
 paulkellerite, 870  
 salts from Mount Erebus, Antarctica, 855  
 saponite, 1346  
 scorodite, 850  
 serpentine, 547  
 smectite. See Illite/smectite, 77, 766, 1335  
 smectite/chlorite, 62  
 spherical single crystals, preparation of, 662  
 villyaellenite, 1172  
 Warren-Averbach method, 1335, 1475  
 zodacite, 1179  
 XRF data  
 anhydrite, 775  
 calcareous argillite, 1095  
 marble, 1095  
 montmorillonite, 77  
 Yttrobetafite, W in, 1420  
 Yttroceberysite, 439  
 Zn-Be-S-O-F system, 1384  
 $ZnO-BeO-Al_2O_3-SiO_2-SO_{-1}-F_2O_{-1}$ , 1384  
 Zaire, andremerite, 608  
 Zambesia, beryl, 826  
 Zimbabwe, beryl, 826  
 Zimbabweite, 1186  
 Zincochromite, 927  
 Zincroselite, 927  
 Zircon, 1405  
 Zodacite, 1179  
 Zoisite, 48, 651