

INDEX, VOLUME 74, 1989

- Abbott, R.N., Jr., C.W. Burnham, J.E. Post: Hydrogen in humite-group minerals: Structure-energy calculations, 1300
- Abbott, R.N., Jr., J.E. Post, C.W. Burnham: Treatment of the hydroxyl in structure-energy determinations, 141
- Agel, A., see Petrov, I., 1130
- Ahn, J.H., P.R. Buseck: Microstructures and tetrahedral strip-width order and disorder in Fe-rich minnesotaite, 384
- Akizuki, M.: Growth structure and crystal symmetry of grossular garnets from the Jeffrey mine, Asbestos, Quebec, Canada, 859
- Akizuki, M., H. Nishido, M. Fujimoto: Herschelite: Morphology and growth sectors, 1337
- Alexander, V.D.: Iron distribution in staurolite at room and low temperatures, 610
- Angel, R.J., L.W. Finger, R.M. Hazen, M. Kan-zaki, D.J. Weidner, R.C. Liebermann, D.R. Veblen: Structure and twinning of single-crystal MgSiO₃ garnet synthesized at 17 GPa and 1800 °C, 509
- Angel, R.J., T. Gasparik, L.W. Finger: Crystal structure of a Cr²⁺-bearing pyroxene, 599
- Angel, R.J., see McCormick, T.C., 1287
- Antonini, R., see Isotani, S., 432
- Armbruster, T., see Lager, G.A., 840
- Ashley, P.M., see Eggleton, R.A., 1360
- Bailey, S.W., see Guggenheim, S., 637
- Banerjee, H., see Dasgupta, S., 200
- Banfield, J.F., P. Karabinos, D.R. Veblen: Transmission electron microscopy of chloritoid: Intergrowth with sheet silicates and reactions in metapelites, 549
- Bartelmehs, K.L., G.V. Gibbs, M.B. Boisen, Jr.: Bond-length and bonded-radii variations in sulfide molecules and crystals containing main-group elements: A comparison with oxides, 620
- Bartholomew, P.R.: Interpretation of the solution properties of Fe-Mg olivines and aqueous Fe-Mg chlorides from ion-exchange experiments, 37
- Bayliss, P.: Crystal chemistry and crystallography of some minerals within the pyrite group, 1168
- Bell, P.M., see Hofmeister, A.M., 281
- Beneke, K., G. Lagaly: A hydrated potassium layer silicate and its crystalline silicic acid, 224
- Benkerrou, C., M. Fontelles: Vanadian garnets in calcareous metapelites and skarns at Coat-an-Noz, Belle-Isle-en-Terre (Cotes du Nord), France, 852
- Beran, A., G.R. Rossman, E.S. Grew: The hydrous component of sillimanite, 812
- Berman, R.G., see Brown, T.H., 485
- Bernstein, L.R., D.G. Reichel, S. Merlino: Renierite crystal structure refined from Rietveld analysis of powder neutron-diffraction data, 1177, 1412 [erratum]
- Bershov, L.V., see Petrov, I., 604
- Bhattacharya, P.K., see Dasgupta, S., 200
- Bianchi, R., see Graeser, S., 676
- Bideaux, R.A., see Dunn, P.J., 934
- Birch, W.D., see Pring, A., 1377
- Bish, D.L., J.E. Post: Thermal behavior of complex, tunnel-structure manganese oxides, 177
- Bish, D.L., see Post, J.E., 913
- Boettcher, S.L., Q. Guo, A. Montana: A simple device for loading gases in high-pressure experiments, 1383
- Boggs, R.C., see Ghose, S., 1084
- Boisen, M.B., Jr., see Bartelmehs, K.L., 620
- Bol, L.C., A. Bos, P.C.C. Sauter, J.B.H. Jansen: Barium-titanium - rich phlogopites in marbles from Rogaland, southwest Norway, 439
- Bons, A.-J., D. Schryvers: High-resolution electron microscopy of stacking irregularities in chlorites from the central Pyrenees, 1113
- Bos, A., see Bol, L.C., 439
- Brearley, M., see Montana, A., 1
- Brearley, M., see White, B.S., 513
- Brown, G.E., Jr., see Hochella, M.F., Jr., 1233
- Brown, N.E., A. Navrotsky: Structural, thermodynamic, and kinetic aspects of disordering in the pseudobrookite-type compound karronite, MgTi₂O₅, 902
- Brown, P.E.: FLINCOR: A microcomputer program for the reduction and investigation of fluid-inclusion data, 1390
- Brown, T.H., R.G. Berman, E.H. Perkins: PTA-SYSTEM: A GeO-Calc software package for the calculation and display of activity-temperature-pressure phase diagrams, 485
- Browne, P.R.L., S.F. Courtney, C.P. Wood: Formation rates of calc-silicate minerals deposited inside drillhole casing, Ngatamariki geothermal field, New Zealand, 759
- Bryndzia, L.T., A.M. Davis: Liquidus phase relations on the quasi-binary join Cu₂S-Sb₂S₃: Implications for the formation of tetrahedrite and skinnerite, 236
- Bryndzia, L.T., O.J. Kleppa: Standard molar enthalpies of formation of sulfosalts in the Ag-As-S system and thermochemistry of the sulfosalts of Ag with As, Sb, and Bi, 243
- Buchwald, V.F., R.S. Clarke, Jr.: Corrosion of Fe-Ni alloys by Cl-containing akaganeite (beta-FeOOH): The Antarctic meteorite case, 656
- Burke, E.A.J., see Jambor, J.L., 1399
- Burnham, C.W., see Abbott, R.N., Jr., 141
- Burnham, C.W., see Abbott, R.N., Jr., 1300
- Burt, D.M.: Vector representation of tourmaline compositions, 826

- Buseck, P.R., see Ahn, J.H., 384
 Buseck, P.R., see de Villiers, J.P., 1325
 Buseck, P.R., see Hassan, I., 394
- Cameron, M.: Report of the Secretary for 1988, 1413
 Cameron, M., see Hughes, J.M., 870
 Capobianco, C., M. Carpenter: Thermally induced changes in kalsilite (KAlSiO₄), 797
 Carlson, W.D.: Subsolidus phase equilibria near the enstatite-diopside join in CaO-MgO-Al₂O₃-SiO₂ at atmospheric pressure, 325
 Carmichael, I.S.: Presentation of the Mineralogical Society of America Award for 1988 to Raymond Jeanloz, 719
 Carpenter, M.A.: Review of Feldspar Minerals, by J.V. Smith and W.L. Brown, 507
 Carpenter, M., see Capobianco, C., 797
 Carroll, G.W., see Rock, N.M.S., 277
 Chakraborti, S., see Dasgupta, S., 200
 Champness, P.E., see Rosenberg, P.E., 461
 Channon, A., see Dubrawski, J.V., 187
 Chermak, J.A., J.D. Rimstidt: Estimating the thermodynamic properties (ΔG_f° and ΔH_f°) of silicate minerals at 298 K from the sum of polyhedral contributions, 1023
 Chesner, C.A., A.D. Ettliger: Composition of volcanic allanite from the Toba Tuffs, Sumatra, Indonesia, 750
 Clague, D.A., see Zamarreno, I., 1054
 Clarke, R.S., Jr., see Buchwald, V.F., 656
 Clinkensbeard, J.P., M.J. Walawender: Mineralogy of the La Posta pluton: Implications for the origin of zoned plutons in the eastern Peninsular Ranges batholith, southern and Baja California, 1258
 Clowe, C.A., see Phillips, M.W., 764
 Coates, D.A., see Cosca, M.A., 85
 Coleman, R.G., J.G. Liou, A. El-Shazly, C. Oh, X. Wang, M. Enami: Review of Eclogites and Eclogite-Facies Rocks, edited by D.C. Smith, 1409
 Colson, R.O., D. Gust: Effects of pressure on partitioning of trace elements between low-Ca pyroxene and melt, 31
 Colville, A.A., see Novak, G.A., 488
 Cosca, M.A., E.J. Essene, J.W. Geissman, W.B. Simmons, D.A. Coates: Pyrometamorphic rocks associated with naturally burned coal beds, Powder River Basin, Wyoming, 85
 Courtney, S.F., see Browne, P.R.L., 759
 Criddle, A.J., see Haggerty, S.E., 668
 Crowley, K.D., see Hughes, J.M., 870
 Cumbest, R.J., H.L.M. Van Roermund, M.R. Drury, C. Simpson: Burgers vector determination in clin amphibole by computer simulation, 586
- da Costa, L.M., see Keller, W.D., 1142
 D'Arco, P., B. Piriou: Fluorescence spectra of Eu³⁺ in synthetic polycrystalline anorthite: Distribution of Eu³⁺ in the structure, 191
 Damman, A.H.: Hydrothermal orthoamphibole-bearing assemblages from the Gasborn area, West Bergslagen, central Sweden, 573
 Dasgupta, S., S. Chakraborti, P. Sengupta, P.K. Bhattacharya, H. Banerjee, M. Fukuoka: Compositional characteristics of kinoshitalite from the Sausar Group, India, 200
 Davidson, P.M., D.H. Lindsley: Thermodynamic analysis of pyroxene-olivine-quartz equilibria in the system CaO-MgO-FeO-SiO₂, 18
 Davis, A.M., see Bryndzia, L.T., 236
 de Villiers, J.P., P.R. Buseck: Stacking variations and nonstoichiometry in the bixbyite-braunite polysomatic mineral group, 1325
 Dec, S.F., see Fitzgerald, J.J., 1405
 Della Giusta, A., see Ottonello, G., 411, 1412 [erratum]
 Della Ventura, G., see Parodi, G.C., 1278
 Dias, O.L., see Isotani, S., 432
 Dingwell, D.B.: Effect of fluorine on the viscosity of diopside liquid, 333
 Dingwell, D.B.: Shear viscosities of ferrosilicate liquids, 1038
 Dollase, W.A., see Reeder, R.J., 1159
 Dove, M.T.: On the computer modeling of diopside: Toward a transferable potential for silicate minerals, 774
 Downs, J.W.: Possible sites for protonation in beta-Mg₂SiO₄ from an experimentally derived electrostatic potential, 1124
 Downs, J.W., see Kingma, K.J., 1307
 Dowse, M.E.: Memorial of Alice Mary Dowse Weeks, 694
 Draheim, J.E., see Phillips, M.W., 764
 Drury, M.R., see Cumbest, R.J., 586
 Dubrawski, J.V., A. Channon, S.S.J. Warne: Examination of the siderite-magnesite mineral series by Fourier transform infrared spectroscopy, 187
 Dunn, P.J., J.D. Grice, R.A. Bideaux: Pinalite, a new lead tungsten chloride mineral from the Mammoth mine, Pinal County, Arizona, 934
 Dunn, P.J., C.A. Francis, R.A. Ramik, J.A. Nelen, J. Innes: Wiserite, an occurrence at the Kombat mine in Namibia, and new data, 1374
 Dunn, P.J., see Grice, J.D., 1355
 Dunn, P.J., see Kampf, A.R., 927
 Dunn, P.J., see Pertlik, F., 1351
 Dyar, M.D.: Applications of Mossbauer goodness-of-fit parameters to experimental spectra: Further discussion, 688
 Dyar, M.D., A.V. McGuire, R.D. Ziegler: Redox equilibria and crystal chemistry of coexisting minerals from spinel lherzolite mantle xenoliths, 969
- Edgar, A.D.: Barium- and Sr-enriched apatites from lamproites from West Kimberley, Western Australia, 889
 Eggleston, C.M., see Hochella, M.F., Jr., 1233
 Eggleston, R.A., P.M. Ashley: Norrishite, a new manganese mica, K(Mn²⁺+Li)Si₄O₁₂, from the Hoskins mine, New South Wales, Australia, 1360
 El-Shazly, A., see Coleman, R.G., 1409
 Elings, V.B., see Hochella, M.F., Jr., 1233
 Enami, M., see Coleman, R.G., 1409
 Engel, P.: Memorial of Werner Nowacki, 1394
 Ericksen, G.E., H.T. Evans, Jr., M.E. Mrose, J.J. McGee, J.W. Marinenko, J.A. Konnert: Mineralogical studies of the nitrate deposits

- of Chile: VI. Hectorfloresite, $\text{Na}_9(\text{IO}_3)(\text{SO}_4)_4$, a new saline mineral, 1207
- Erlank, A.J., see Haggerty, S.E., 668
- Essene, E.J., see Cosca, M.A., 85
- Ettlinger, A.D., see Chesner, C.A., 750
- Evans, H.T., Jr., see Ericksen, G.E., 1207
- Ferrow, E., see Skogby, H., 360
- Finger, L.W., R.M. Hazen, R.J. Hemley:
BaCuSi₂O₆: A new cyclosilicate with four-membered tetrahedral rings, 952
- Finger, L.W., see Angel, R.J., 509
- Finger, L.W., see Angel, R.J., 599
- Finger, L.W., see Hazen, R.M., 352
- Fitzgerald, J.J., S.F. Dec, A.I. Hamza: Observation of five-coordinated Al in pyrophyllite dehydroxylate by solid-state ²⁷Al NMR spectroscopy at 14 T, 1405
- Fitzpatrick, J.J., see Hansley, P.L., 263
- Fleet, M.E., see Stone, W.E., 981
- Flohr, M.J.K., M. Ross: Alkaline igneous rocks of Magnet Cove, Arkansas: Metasomatized ijolite xenoliths from Diamond Jo quarry, 113
- Flotow, H.E., see Johnson, G.K., 697 [erratum]
- Foit, F.F., Jr.: Crystal chemistry of alkali-deficient schorl and tourmaline structural relationships, 422
- Foit, F.F., Jr., Y. Fuchs, P.E. Myers: Chemistry of alkali-deficient schorls from two tourmaline-dumortierite deposits, 1317
- Fontan, F., J.P. Fortune: Memorial of Francois Permingeat, 692
- Fonteilles, M., see Benkerrou, C., 852
- Foord, E.E., see Kampf, A.R., 927
- Fortune, J.P., see Fontan, F., 692
- Francis, C.A., see Dunn, P.J., 1374
- Fuchs, Y., see Foit, F.F., Jr., 1317
- Fujimoto, M., see Akizuki, M., 1337
- Fukuoka, M., see Dasgupta, S., 200
- Furtado, W.W., see Isotani, S., 432
- Fyfe, W.S., see Zhou, Z., 1045
- Gasparik, T., see Angel, R.J., 599
- Geissman, J.W., see Cosca, M.A., 85
- Ghose, S., Y. Hexiong: Mn-Mg distribution in a C_{2/m} manganooan cummingtonite: Crystal-chemical considerations, 1091
- Ghose, S., P.K. Sen Gupta, R.C. Boggs, E.O. Schlemper: Crystal chemistry of a non-stoichiometric carpholite, K_x(Mn_{2-x}Li_x)Al₄Si₄O₁₂(OH)₄F₄: A chain silicate related to pyroxenes, 1084
- Ghose, S., see Hatch, D.M., 1221
- Gibbs, G.V., see Bartelmehs, K.L., 620
- Gittins, J., see Jago, B.C., 936
- Goldsmith, J.R.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1988, 717
- Graeser, S., H. Schwander, R. Bianchi, T. Pilati, C.M. Gramaccioli: Geigerite, the Mn analogue of chudobaite: Its description and crystal structure, 676
- Gramaccioli, C.M., see Graeser, S., 676
- Grayevsky, A., see Heller-Kallai, L., 818
- Green, N.L., S.I. Usdansky: Toward a practical plagioclase-muscovite thermometer, 505 [erratum]
- Grew, E.S., see Beran, A., 812
- Grey, I.E., see Haggerty, S.E., 668
- Grice, J.D., P.J. Dunn: Sclarite, a new mineral from Franklin, New Jersey, with essential octahedrally and tetrahedrally coordinated zinc: Description and structure refinement, 1355
- Grice, J.D., see Dunn, P.J., 934
- Griffen, D.T., see Hatch, D.M., 151
- Guggenheim, S., S.W. Bailey: An occurrence of a modulated serpentine related to the greenalite-caryopilite series, 637
- Guggenheim, S., see Koster van Groos, A.F., 627
- Guo, Q., see Boettcher, S.L., 1383
- Gust, D., see Colson, R.O., 31
- Hackler, R.T., B.J. Wood: Experimental determination of Fe and Mg exchange between garnet and olivine and estimation of Fe-Mg mixing properties in garnet, 994
- Hafner, S.S., see Petrov, I., 604
- Hafner, S.S., see Petrov, I., 1130
- Haggerty, S.E., I.E. Grey, I.C. Madsen, A.J. Criddle, C.J. Stanley, A.J. Erlank: Hawthorneite, Ba[Ti₃Cr₄Fe₄Mg]O₁₉: A new metasomatic magnetoplumbite-type mineral from the upper mantle, 668
- Hamza, A.I., see Fitzgerald, J.J., 1405
- Hansley, P.L., J.J. Fitzpatrick: Compositional and crystallographic data on REE-bearing coffinite from the Grants uranium region, northwestern New Mexico, 263
- Harris, C.: Oxygen-isotope zonation of agates from Karoo volcanics of the Skeleton Coast, Namibia, 476
- Harris, D.C.: Review of Monteregian Treasures: The Minerals of Mont Saint-Hilaire, Quebec, by J.A. Mandarino, V. Anderson, 1409
- Hassan, I., P.R. Buseck: Incommensurate-modulated structure of nosean, a sodalite-group mineral, 394
- Hatch, D.M., D.T. Griffen: Phase transitions in the grandite garnets, 151
- Hatch, D.M., S. Ghose: Symmetry analysis of the phase transition and twinning in MgSiO₃ garnet: Implications to mantle mineralogy, 1221
- Hattori, K.: Barite-celestine intergrowths in Archean plutons: The product of oxidizing hydrothermal activity related to alkaline intrusions, 1270
- Hays, J.F., see Hemingway, B.S., 1417
- Hazen, R.M., L.W. Finger: High-pressure crystal chemistry of andradite and pyrope: Revised procedures for high-pressure diffraction experiments, 352
- Hazen, R.M., see Angel, R.J., 509
- Hazen, R.M., see Finger, L.W., 952
- Hazen, R.M., see McCormick, T.C., 1287
- Heathcote, R.C., G.R. McCormick: Major-cation substitution in phlogopite and evolution of carbonatite in the Potash Sulphur Springs complex, Garland County, Arkansas, 132
- Helfrich, G., B. Wood: Subregular model for multicomponent solutions, 1016

- Heller-Kallai, L., I. Miloslavski, A. Grayevsky: Evolution of hydrogen on dehydroxylation of clay minerals, 818
- Hemingway, B.S., J.F. Hays, G.L. Nord, Jr., J.H. Stout, J.A. Whitney: Report of the Financial Advisory Committee for 1988, 1417
- Hemley, R.J., see Finger, L.W., 952
- Henry, C.D., see Rubin, J.N., 865
- Hexiong, Y., see Ghose, S., 1091
- Hochella, M.F., Jr., C.M. Eggleston, V.B. Elings, G.A. Parks, G.E. Brown, Jr., C.M. Wu, K. Kjoller: Mineralogy in two dimensions: Scanning tunneling microscopy of semiconducting minerals with implications for geochemical reactivity, 1233
- Hoering, T.C., see Hofmeister, A.M., 281
- Hofmeister, A.M., J. Xu, H. Mao, P.M. Bell, T.C. Hoering: Thermodynamics of Fe-Mg olivines at mantle pressures: Mid- and far-infrared spectroscopy at high pressure, 281
- Hoisch, T.D.: A muscovite-biotite geothermometer, 565
- Holland, T.J.B.: Dependence of entropy on volume for silicate and oxide minerals: A review and a predictive model, 5
- Hughes, J.M., M. Cameron, K.D. Crowley: Structural variations in natural F, OH, and Cl apatites, 870
- Innes, J., see Dunn, P.J., 1374
- Isotani, S., W.W. Furtado, R. Antonini, O.L. Dias: Line-shape and thermal kinetics analysis of the Fe²⁺ band in Brazilian green beryl, 432
- Jackson, S.L.: Extension of Wohl's ternary asymmetric solution model to four and n components, 14
- Jago, B.C., J. Gittins: Silver fluoride (AgF) as a source of fluorine in experimental petrology, 936
- Jain, H., see Xu, M.Y., 821
- Jambor, J.L., J. Puziewicz: New mineral names, 500
- Jambor, J.L., D.A. Vanko: New mineral names, 946
- Jambor, J.L.: New mineral names, 1215
- Jambor, J.L., E.A.J. Burke: New mineral names, 1399
- Jansen, J.B.H., see Bol, L.C., 439
- Jeanloz, R.: Acceptance of the Mineralogical Society of America Award for 1988, 720
- Johnson, G.K., H.E. Flotow, P.A.G. O'Hare, W.S. Wise: Thermodynamic studies of zeolites: Heulandite, 697 [erratum]
- Kampf, A.R., P.J. Dunn, E.E. Foord: Grandreefite, pseudograndreefite, laurelite, and aravaipaitite: Four new minerals from the Grand Reef mine, Graham County, Arizona, 927
- Kanzaki, M., see Angel, R.J., 509
- Karabinos, P., see Banfield, J.F., 549
- Keller, W.D., L.M. da Costa: Comparative chemical compositions of aqueous extracts from representative clays, 1142
- Kingma, K.J., J.W. Downs: Crystal-structure analysis of a birefringent andradite, 1307
- Kirkpatrick, R.J., see Papenguth, H.W., 1152
- Kjoller, K., see Hochella, M.F., Jr., 1233
- Kleppa, O.J., see Bryndzia, L.T., 243
- Kohn, M.J., F.S. Spear: Empirical calibration of geobarometers for the assemblage garnet + hornblende + plagioclase + quartz, 77
- Kolker, A., D.H. Lindsley: Geochemical evolution of the Maloin Ranch pluton, Laramie Anorthosite Complex, Wyoming: Petrology and mixing relations, 307
- Konnert, J.A., see Ericksen, G.E., 1207
- Koster van Groos, A.F., S. Guggenheim: Dehydroxylation of Ca- and Mg-exchanged montmorillonite, 627
- Kroll, H., see Petrov, I., 604
- Kyser, T.K., see Luhr, J.F., 216
- Lagaly, G., see Beneke, K., 224
- Lager, G.A., T. Armbruster, F.J. Rotella, G.R. Rossman: OH substitution in garnets: X-ray and neutron diffraction, infrared, and geometric-modeling studies, 840
- Lawson, C.A., see Nord, G.L., Jr., 160
- Le Page, Y., see Moore, P.B., 1186
- Lehmann, G., see Vassilikou-Dova, A.B., 1182
- Liebermann, R.C., see Angel, R.J., 509
- Lindsley, D.H., see Davidson, P.M., 18
- Lindsley, D.H., see Kolker, A., 307
- Lintz, J., Jr.: Memorial of Vernon Edward Scheid, 494
- Liou, J.G., see Coleman, R.G., 1409
- Liu, T., D.C. Presnall: Diopside-tridymite liquidus boundary line in the system Mg₂SiO₄-CaMgSi₂O₆-SiO₂ at atmospheric pressure, 1032
- Livi, K.J.T., D.R. Veblen: Transmission electron microscopy of interfaces and defects in intergrown pyroxenes, 1070
- Lomelino, T.F., G. Mozurkewich: Semiconducting band gaps of three lead-antimony sulfosalts, 1285
- Longhi, J.: Review of Origins of Igneous Layering, edited by I. Parsons, 506
- Lorand, J.-P., see Parodi, G.C., 1278
- Luhr, J.F., T.K. Kyser: Primary igneous analcime: The Colima minettes, 216
- Luth, R.W.: Natural versus experimental control of oxidation state: Effects on the composition and speciation of C-O-H fluids, 50
- Mackenzie, F.T.: Memorial of Robert Minard Garrels, 497
- MacRae, N.D., see Stone, W.E., 981
- Madsen, I.C., see Haggerty, S.E., 668
- Makino, K., K. Tomita: Cation distribution in the octahedral sites of hornblendes, 1097
- Manceau, A.: Synthetic 10-A and 7-A phyllosilicates: Their structures as determined by EXAFS--Discussion, 1386
- Mao, H.-K., see Hofmeister, A.M., 281
- Maresch, W., see Redfern, S., 1293
- Marinenko, J.W., see Ericksen, G.E., 1207
- Martin, R.F.: Memorial of Gabrielle Donnay, 491
- Mascarenhas, Y.P., see Vencato, I., 456
- Mason, B.: Review of Mineral Deposits within the European Community, edited by J. Boissonnas and P. Omenetto, 696
- Mason, T.O., see Nell, J., 339

- Mattievich, E., see Vencato, I., 456
- McBriar, E.M., see Pring, A., 1377
- McCormick, G.R., see Heathcote, R.C., 132
- McCormick, T.C.: Review of Asbestos and Other Fibrous Materials, by H. Catherine W. Skinner, Malcolm Ross, and Clifford Frondel, 1409
- McCormick, T.C., R.M. Hazen, R.J. Angel: Compressibility of omphacite to 60 kbar: Role of vacancies, 1287
- McGee, E.S., see Ross, M., 367
- McGee, J.J., see Ericksen, G.E., 1207
- McGuire, A.V., see Dyar, M.D., 969
- McMillan, P., see Stebbins, J., 965
- Medenbach, O., see Velde, D., 1368
- Meike, A.: In situ deformation of micas: A high-voltage electron-microscope study, 780
- Menard, T., see Spear, F.S., 942
- Merlino, S., see Bernstein, L.R., 1177, 1412 [erratum]
- Merlino, S., see Rouse, R.C., 1195
- Metz, G.W., see Rouse, R.C., 1343
- Meunier, A., B. Velde: Solid solutions in I/S mixed-layer minerals and illite, 1106
- Mills, J.W.: Memorial of Charles D. Campbell, 944
- Miloslavski, I., see Heller-Kallai, L., 818
- Molin, G.M.: Crystal-chemical study of cation disordering in Al-rich and Al-poor orthopyroxenes from spinel lherzolite xenoliths, 593
- Molin, G.M., see Ottonello, G., 411, 1412 [erratum]
- Montana, A., M. Brearley: An appraisal of the stability of phlogopite in the crust and in the mantle, 1
- Montana, A., see Boettcher, S.L., 1383
- Montana, A., see White, B.S., 513
- Montez, B., see Papenguth, H.W., 1152
- Moore, P.B., P.K. Sen Gupta, E.O. Schlemper: Akrochordite, $(\text{Mn,Mg})_5(\text{OH})_4(\text{H}_2\text{O})_4(\text{AsO}_4)_2$: A sheet structure with amphibole walls, 256
- Moore, P.B., P.K. Sen Gupta, E.O. Schlemper: Kornerupine: Chemical crystallography, comparative crystallography, and its cation relation to olivine and to Ni_2In intermetallic, 642
- Moore, P.B.: Perception of structural complexity: Fillowite revisited and alpha-iron related, 918
- Moore, P.B., P.K. Sen Gupta, Y. Le Page: Magnetoplumbite, $\text{Pb}^{2+}\text{Fe}_3^{2+}\text{O}_{19}$: Refinement and lone-pair splitting, 1186
- Mora, C.I., J.W. Valley: Halogen-rich scapolite and biotite: Implications for metamorphic fluid - rock interaction, 721
- Mozurkewich, G., see Lomelino, T.F., 1285
- Mrose, M.E., see Ericksen, G.E., 1207
- Munoz, J.L.: Report of the Editor for 1988, 1417
- Muraishi, H.: Crystallization of silica gel in alkaline solutions at 100 to 180 °C: Characterization of SiO_2 -Y by comparison with magadiite, 1147
- Myers, P.E., see Foit, F.F., Jr., 1317
- Mysen, B.O., D. Virgo: Redox equilibria, structure, and properties of Fe-bearing aluminosilicate melts: Relationships among temperature, composition, and oxygen fugacity in the system $\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{FeO}$, 58
- Nahon, D., see Parc, S., 466
- Navrotsky, A., see Brown, N.E., 902
- Nelen, J.A., see Dunn, P.J., 1374
- Nell, J., B.J. Wood: Thermodynamic properties in a multicomponent solid solution involving cation disorder: Fe_3O_4 - MgFe_2O_4 - FeAl_2O_4 - MgAl_2O_4 spinels, 1000
- Nell, J., B.J. Wood, T.O. Mason: High-temperature cation distributions in Fe_3O_4 - MgAl_2O_4 - MgFe_2O_4 - FeAl_2O_4 spinels from thermopower and conductivity measurements, 339
- Newton, R.C.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1988 to Julian R. Goldsmith, 715
- Nichols, M.C., see Nickel, E.H., 940
- Nickel, E.H., M.C. Nichols: MINERAL: A computerized mineralogical reference manual for personal computers, 940
- Nishido, H., see Akizuki, M., 1337
- Nord, G.L., Jr., C.A. Lawson: Order-disorder transition - induced twin domains and magnetic properties in ilmenite-hematite, 160
- Nord, G.L., Jr., see Hemingway, B.S., 1417
- Norton, J.J.: Memorial of Willard Lincoln Roberts, 1397
- Notis, M.R., see Xu, M.Y., 821
- Novak, G.A., A.A. Colville: A practical interactive least-squares cell-parameter program using an electronic spreadsheet and a personal computer, 488
- O'Hare, P.A.G., see Johnson, G.K., 697 [erratum]
- Oh, C., see Coleman, R.G., 1409
- Ottonello, G., A. Della Giusta, G.M. Molin: Cation ordering in Ni-Mg olivines, 411, 1412 [erratum]
- Papenguth, H.W., R.J. Kirkpatrick, B. Montez, P.A. Sandberg: ^{13}C MAS NMR spectroscopy of inorganic and biogenic carbonates, 1152
- Parc, S., D. Nahon, Y. Tardy, P. Vieillard: Estimated solubility products and fields of stability for cryptomelane, nsutite, birnesite, and lithiophorite based on natural lateritic weathering sequences, 466
- Parks, G.A., see Hochella, M.F., Jr., 1233
- Parodi, G.C., G. Della Ventura, J. Lorand: Mineralogy and petrology of an unusual osumilite + vanadium-rich pseudobrookite assemblage in an ejectum from the Vico Volcanic Complex (Latium, Italy), 1278
- Peacor, D.R., see Rouse, R.C., 1195
- Peacor, D.R., see Rouse, R.C., 1343
- Peacor, D.R., see Sarp, H., 1203
- Perkins, E.H., see Brown, T.H., 485
- Pertlik, F., P.J. Dunn: Crystal structure of wiserite, 1351
- Petrov, I., F. Yude, L.V. Bershov, S.S. Hafner, H. Kroll: Order-disorder of Fe^{3+} ions over the tetrahedral positions in albite, 604
- Petrov, I., A. Agel, S.S. Hafner: Distinct

- defect centers at oxygen positions in albite, 1130
- Phillips, M.W., J.E. Draheim, R.K. Popp, C.A. Clowe, A.A. Pinkerton: Effects of oxidation-dehydrogenation in tschermakitic hornblende, 764
- Pilati, T., see Graeser, S., 676
- Pinkerton, A.A., see Phillips, M.W., 764
- Piriou, B., see D'Arco, P., 191
- Plana, F., see Zamarreno, I., 1054
- Plesko, E.P., see Scheetz, B.E., 271
- Popp, R.K., see Phillips, M.W., 764
- Post, J.E., D.L. Bish: Rietveld refinement of the coronadite structure, 913
- Post, J.E., see Abbott, R.N., Jr., 141
- Post, J.E., see Abbott, R.N., Jr., 1300
- Post, J.E., see Bish, D.L., 177
- Presnall, D.C., see Liu, T., 1032
- Price, J.G., see Rubin, J.N., 865
- Pring, A.: Structural disorder in aikinite and krupkaite, 250
- Pring, A., E.M. McBriar, W.D. Birch: Mawbyite, a new arsenate of lead and iron related to tsumcorite and carminite, from Broken Hill, New South Wales, 1377
- Puziewicz, J., see Jambor, J.L., 500
- Rajabali, G.: Ordering behavior in albite using the modified sequential construction method: Reply, 484
- Ramik, R.A., see Dunn, P.J., 1374
- Redfern, S., E. Salje, W. Maresch, W. Schreyer: X-ray powder-diffraction and infrared study of the hexagonal to orthorhombic phase transition in K-bearing cordierite, 1293
- Reeder, R.J., W.A. Dollase: Structural variation in the dolomite-ankerite solid-solution series: An X-ray, Mossbauer, and TEM study, 1159
- Reichel, D.G., see Bernstein, L.R., 1177, 1412 [erratum]
- Ribbe, P.H.: Assessment of prestige and price of professional publications: Corrections and additions, 689
- Rimstidt, J.D., see Chermak, J.A., 1023
- Rock, N.M.S., G.W. Carroll: TRIPLOTT and ACF: General-purpose and metamorphic ACF-AKF-AFM triangular plotting programs for mainframes and microcomputers, 277
- Ronsbo, J.G.: Coupled substitutions involving REEs and Na and Si in apatites in alkaline rocks from the Ilimaussaq intrusion, South Greenland, and the petrological implications, 896
- Rosenberg, P.E., P.E. Champness: Zincian dolomites and associated carbonates from the Warynski mine, Poland: An AEM investigation, 461
- Ross, C.R., II: Ordering behavior in albite using the modified sequential construction method: Discussion, 482
- Ross, D.R., see Ross, M., 367
- Ross, M., E.S. McGee, D.R. Ross: Chemical and mineralogical effects of acid deposition on Shelburne Marble and Salem Limestone test samples placed at four NAPAP weather-monitoring sites, 367
- Ross, M., see Flohr, M.J.K., 113
- Rossmann, G.R., see Beran, A., 812
- Rossmann, G.R., see Lager, G.A., 840
- Rossmann, G.R., see Skogby, H., 1059
- Rotella, F.J., see Lager, G.A., 840
- Rouse, R.C., D.R. Peacor, S. Merlino: Crystal structure of pahasapaite, a berylllophosphate mineral with a distorted zeolite rho framework, 1195
- Rouse, R.C., D.R. Peacor, G.W. Metz: Sverigeite, a structure containing planar NaO₄ groups and chains of 3- and 4-membered beryllsilicate rings, 1343
- Rubin, J.N., C.D. Henry, J.G. Price: Hydrothermal zircons and zircon overgrowths, Sierra Blanca Peaks, Texas, 865
- Runnells, D.D.: Review of Eh-pH Diagrams for Geochemistry, by D.G. Brookins, 507
- Russ-Nabelek, C.: Isochemical contact metamorphism of mafic schist, Laramie Anorthosite Complex, Wyoming: Amphibole compositions and reactions, 530
- Russell, J.K., see Stanley, C.R., 273
- Salisbury, J.W., L.S. Walter, N. Vergo: Availability of a library of infrared (2.1 - 25.0 micrometers) mineral spectra, 938
- Salje, E., see Redfern, S., 1293
- Sandberg, P.A., see Papenguth, H.W., 1152
- Sarp, H., D.R. Peacor: Jaffeite, a new hydrated calcium silicate from the Kombat mine, Namibia, 1203
- Sauter, P.C.C., see Bol, L.C., 439
- Scheetz, B.E., W.A. Yarbrough, E.P. Plesko: A particulate-sample preparation technique for the laser Raman microprobe, 271
- Schlemper, E.O., see Ghose, S., 1084
- Schlemper, E.O., see Moore, P.B., 256
- Schlemper, E.O., see Moore, P.B., 642
- Schreyer, W., see Redfern, S., 1293
- Schreyer, W., see Velde, D., 1368
- Schryvers, D., see Bons, A., 1113
- Schwander, H., see Graeser, S., 676
- Sen Gupta, P.K., see Ghose, S., 1084
- Sen Gupta, P.K., see Moore, P.B., 642
- Sen Gupta, P.K., see Moore, P.B., 256
- Sen Gupta, P.K., see Moore, P.B., 1186
- Sengupta, P., see Dasgupta, S., 200
- Simmons, W.B., see Cosca, M.A., 85
- Simpson, C., see Cumbest, R.J., 586
- Skogby, H., E. Ferrow: Iron distribution and structural order in synthetic calcic amphiboles studied by Mossbauer spectroscopy and HRTEM, 360
- Skogby, H., G.R. Rossmann: OH⁻ in pyroxene: An experimental study of incorporation mechanisms and stability, 1059
- Smelik, E.A., D.R. Veblen: A five-amphibole assemblage from blueschists in northern Vermont, 960
- Smyth, J.R.: Review of Occurrence, Properties and Utilization of Natural Zeolites, edited by D. Killo and H.S. Sherry, 696
- Smyth, J.R.: Review of International Tables for Crystallography, Vol. A: Space-Group Symmetry, edited by Theo Hahn, 696
- Spear, F.S., T. Menard: Program GIBBS: A

- generalized Gibbs method algorithm, 942
- Spear, F.S., see Kohn, M.J., 77
- Spearing, D.R., J.F. Stebbins: The ^{29}Si NMR shielding tensor in low quartz, 956
- Springer, R.K.: Mineralogy of a layered gabbro deformed during magmatic crystallization, western Sierra Nevada foothills, California, 101
- Stamatakis, M.G.: A boron-bearing potassium feldspar in volcanic ash and tuffaceous rocks from Miocene lake deposits, Samos Island, Greece, 230
- Stanley, C.J., see Haggerty, S.E., 668
- Stanley, C.R., J.K. Russell: PEARCE.PLOT: Interactive graphics-supported software for testing petrologic hypotheses with Pearce element-ratio diagrams, 273
- Stebbins, J.F., P. McMillan: Five- and six-coordinated Si in $\text{K}_2\text{Si}_4\text{O}_9$ liquid at 1.9 GPa and 1200 °C, 965
- Stebbins, J.F., see Spearing, D.R., 956
- Stewart, D.B.: Crustal processes in Maine, 698
- Stolper, E.: Temperature dependence of the speciation of water in rhyolitic melts and glasses, 1247
- Stone, W.E., M.E. Fleet, N.D. MacRae: Two-phase nickeliferous monosulfide solid solution (mss) in megacrysts from Mount Shasta, California: A natural laboratory for nickel-copper sulfides, 981
- Stormer, J.C., Jr., see Tacker, R.C., 877
- Stout, J.H., see Hemingway, B.S., 1417
- Su, S.: Review of Introduction to Optical Mineralogy, by William D. Nesse, 506
- Tacker, R.C., J.C. Stormer, Jr.: A thermodynamic model for apatite solid solutions, applicable to high-temperature geologic problems, 877
- Tardy, Y., see Parc, S., 466
- Tomita, K., see Makino, K., 1097
- Usdansky, S.I., see Green, N.L., 505 [erratum]
- Valley, J.W., see Mora, C.I., 721
- van der Plas, L., see van Doesburg, J.D.J., 1382
- van Doesburg, J.D.J., L. van der Plas: Protoastrakhanite discredited, 1382
- Van Roermund, H.L.M., see Cumbest, R.J., 586
- Vanko, D.A., see Jambor, J.L., 946
- Vassilikou-Dova, A.B., G. Lehmann: Four-valent vanadium in vanadinite, 1182
- Vazquez, A., see Zamarreno, I., 1054
- Veblen, D.R., see Angel, R.J., 509
- Veblen, D.R., see Banfield, J.F., 549
- Veblen, D.R., see Livi, K.J.T., 1070
- Veblen, D.R., see Smelik, E.A., 960
- Velde, B., see Meunier, A., 1106
- Velde, D., O. Medenbach, C. Wagner, W. Schreyer: Chayesite, $\text{K}(\text{Mg}, \text{Fe}^{2+})_4\text{Fe}^{3+}[\text{Si}_{12}\text{O}_{30}]$: A new rock-forming silicate mineral of the osumilite group from the Moon Canyon (Utah) lamproite, 1368
- Vencato, I., E. Mattievich, Y.P. Mascarenhas: Crystal structure of synthetic lipscombite: A redetermination, 456
- Vergo, N., see Salisbury, J.W., 938
- Vieillard, P., see Parc, S., 466
- Virgo, D., see Mysen, B.O., 58
- Wagner, C., see Velde, D., 1368
- Walawender, M.J., see Clinkenbeard, J.P., 1258
- Walker, J.R.: Polytypism of chlorite in very low grade metamorphic rocks, 738
- Walter, L.S., see Salisbury, J.W., 938
- Wang, X., see Coleman, R.G., 1409
- Warne, S.S.J., see Dubrawski, J.V., 187
- Waychunas, G.A.: Applications of Mossbauer goodness-of-fit parameters to experimental spectra: A discussion of random noise versus systematic effects, 685
- Weidner, D.J., see Angel, R.J., 509
- Weidner, J.R.: Welding silver and silver alloy containers for high-temperature and high-pressure experiments, 1385
- White, B.S., M. Brearley, A. Montana: Solubility of argon in silicate liquids at high pressures, 513
- Whitney, J.A.: Report of the Treasurer for 1988, 1414
- Whitney, J.A., see Hemingway, B.S., 1417
- Wise, W.S., see Johnson, G.K., 697 [erratum]
- Woessner, D.E.: Characterization of clay minerals by ^{27}Al nuclear magnetic resonance spectroscopy, 203
- Wones, D.R.: Significance of the assemblage titanite + magnetite + quartz in granitic rocks, 744
- Wood, B.J., see Hackler, R.T., 994
- Wood, B.J., see Helffrich, G., 1016
- Wood, B.J., see Nell, J., 339
- Wood, B.J., see Nell, J., 1000
- Wood, C.P., see Browne, P.R.L., 759
- Wu, C.M., see Hochella, M.F., Jr., 1233
- Xu, J., see Hofmeister, A.M., 281
- Xu, M.Y., H. Jain, M.R. Notis: Electrical properties of opal, 821
- Yarbrough, W.A., see Scheetz, B.E., 271
- Yude, F., see Petrov, I., 604
- Zakrzewski, M.A.: Chromian spinels from Kusa, Bergslagen, Sweden, 448
- Zamarreno, I., F. Plana, A. Vazquez, D.A. Clague: Motukoreaite: A common alteration product in submarine basalts, 1054
- Zhou, Z., W.S. Fyfe: Palagonitization of basaltic glass of DSDP Site 335, Leg 37: Textures, chemical composition, and mechanism of formation, 1045
- Ziegler, R.D., see Dyar, M.D., 969

- Ag containers, technique for welding, 1385
- AgBi₂Te₄ mineral, 946
- AgF as a source of F, 936
- Ag₂Pb₁₃₅Bi₉S₂₈ mineral, 946
- Ag₂S-As₂S₃, 243
- Ag₂S-Bi₂S₃, 243
- Ag₂S-Sb₂S₃, 243
- ²⁷Al in 2:1 clay minerals, 203
- (Al,Si) in albite, 1130
- (Al,Si) in herschelite, 1337
- (Al,Si) in muscovite, 141
- Ar in silicate liquid, 513
- Au-Bi sulfide, 946
- Au₃Hg, 500
- Abhurite, 500
- ACF, AKF, AFM (Eskola) plots, 277
- Acid dissolution of limestone and marble, 367
- Acid rain, 367
- Actinolite, 960
- Agate, oxygen isotopes in, 476
- Aikinite, 250
- Akaganeite, 656
- Akrochordite, 256
- Albite, 482, 484
- (Al,Si) in, 1130
- electron-hole centers in, 1130
- Fe³⁺ in, 604
- solidus of, 513
- Alkali carbonates, 1152
- Alkali feldspar, 1258
- Alkali-deficient schorl, 1317
- Alkaline rocks, apatite in, 896
- Allanite-bearing magmas, 750
- Alleghanyite, 1300
- Aluminosilicate melts, Fe-bearing, 58
- Amphibole, 307
- calcic, 360
- exsolution lamellae, 960
- See also individual amphiboles
- Analcime, 216
- Analysis, chemical (mineral)
- actinolite, 960
- aikinite, 250
- akaganeite, 656
- alkali feldspar, 1258
- alkali-deficient schorl, 1317
- allanite, 750
- amphibole, 307
- analcime, 216
- andradite, 840, 1307
- ankerite, 1159
- apatite, 113, 889, 896, 1270
- aravaipaite, 927
- authigenic K-feldspar, 230
- Ba-Ti - rich phlogopite, 439
- barite, 1270
- biotite, 101, 113, 307, 565, 573, 586, 721, 1258, 1270
- bixbyite, 1325
- braunite-II, 1325
- Cr²⁺-bearing enstatite, 599
- calcic amphibole, 101
- cancrinite, 113
- carbonate, zincian, 461
- celestine, 1270
- chalcocite, 236
- chalcopyrite, 981
- chalcostibite, 236
- chayesite, 1368
- chlorapatite, 870
- chlorite, 549
- chloritoid, 549
- chromian spinel, 448
- chromite, 448
- clay minerals, 1045
- clinoamphibole, 586
- clinopyroxene, 85, 132, 981
- coronadite, 177, 913
- cumingtonite, 960
- disordered braunite, 1325
- dolomite, zincian, 461
- dorrite, 85
- enstatite, Cr²⁺-bearing, 599
- Fe-Ti oxides, 101, 307
- feldspar, 307
- ferroan dolomite, 1159
- fluorapatite, 870
- friedrichite, 250
- garnet, 113, 565
- geigerite, 676
- glaucophane, 960
- goldmanite, 852
- grandreefite, 927
- hawthorneite, 668
- hectorfloresite, 1207
- hematite, 85, 1278
- hercynite, 1278
- herschelite, 1337
- hollandite, 177
- hornblende, 530, 960, 1097, 1258
- hydroxylapatite, 870
- illite/smectite mixed-layer minerals, 1106
- ilmeneite, 113, 530, 1258
- jaffeite, 1203
- K-feldspar, authigenic, 230
- kinoshitalite, 200
- laurelite, 927
- magadiite and its K analogue, 224
- magnetite, 113, 448, 530
- mawbyite, 1377
- melilite, 85
- minnesotaite, 384
- monosulfide solid solution, 981
- motukoreaite, 1054
- mullite, 85
- muscovite, 565, 1258
- Ni-Mg olivine, 411, 1412 [erratum]
- natrolite, 113
- nepheline, 85, 113
- norrishite, 1360
- olivine, 85, 101, 307, 530, 981
- olivine (synthetic), 37
- olivine, Ni-Mg, 411, 1412 [erratum]
- omphacite, 1287
- opal, 821
- orthoamphibole, 573
- orthopyroxene, 85, 593, 981
- osumilite, 1278
- palagonite, 1045
- pargasite, 1097
- pentlandite, 981
- perovskite, 113
- phlogopite, 132
- phlogopite, Ba-Ti - rich, 439
- pinalite, 934
- plagioclase, 101, 530, 565, 586, 1258
- potassium silicate, 224
- pseudobrookite, 85, 1278
- pseudograndreefite, 927
- pyroxene, 101, 113, 307, 530, 1059
- pyrrhotite, 981
- renierite, 1177, 1412 [erratum]
- romanechite, 177
- Sb-Cu alloy, 236
- scapolite, 721
- schorl, 422, 1317
- sclarite, 1355
- siderite-magnesite solid solutions, 187
- silicic acids (crystalline), 224
- sillimanite, 812
- skinnerite, 236
- sphene (= titanite), 113
- spinel, 85
- staurolite, 610
- titanian andradite, 840
- titanomagnetite, 1278
- todorokite, 177
- triangular plots (ACF, AKF, AFM), 277
- vanadian amphibole, 852
- vanadian diopside, 852
- vanadian grossular, 852
- winchite, 960
- wiserite, 1374
- zincian carbonate, 461
- zincian dolomite, 461
- zircon, 865
- See also New mineral data (abstracts), New minerals (abstracts), Unnamed minerals
- Analysis, chemical (rock)
- anorthosite, 307
- biotite gabbro, 307
- clinker, 85
- ferrodiorite, 307
- ferromonzonite, 307
- granite, 307
- ijolite, 113
- mafic hornfels, 530
- minette, 216
- monzonite, 1270
- monzosyenite, 307
- paralava, 85
- Salem Limestone, 367
- Shelburne Marble, 367

- syenite, 1270
 triangular plots, 277
 tuff and tuffite, 230
 vanadian-bearing calcareous metapelite, 852
 vanadian-bearing skarn, 852
 Andradite, 744, 840
 Andradite (anisotropic), 1307
 Andradite at high pressure, 352
 Anisotropic pyrite, 1168
 Ankerite, 1159
 Annite - quartz - K-feldspar - fayalite - H₂O, 307
 Anorthite
 REE distribution in, 191
 solidus of, 513
 Anorthosite, 1070
 Anorthosite-syenite-granite association, 307
 Antarctica
 meteorites, 656
 pargasite, 1097
 Apatite, 113, 889, 1270
 in alkaline rocks, 896
 REEs in, 896
 saturation, 307
 solid solutions, 877
 Aqueous extracts from clays, 1142
 Aragonite, 1152
 Aravaipaite, 927
 Arizona
 aravaipaite, 927
 grandreefite, 927
 laurelite, 927
 pinalite, 934
 pseudograndreefite, 927
 spinel lherzolite, 969
 Arkansas
 carbonatite, 132
 garnet, 113
 ijolite, 113
 mica, 132
 pyroxene, 113
 Arsenate, 1399
 Atmospheric chemistry, 367
 Augite, 1070
 Australia
 coronadite, 177
 norrishite, 1360
 orthopyroxene, 593
 schorl, 1317
 Authigenic K-feldspar, 230
 Authors, guidelines for, 1225
 Awards
 MSA Award, acceptance of, 720
 MSA Award, presentation of, 719
 Roebbling Medal, acceptance of, 717
 Roebbling Medal, presentation of, 715
 Ba-bearing authigenic K-feldspar, 230
 Ba-Ti - rich phlogopite, 439
 BaCuSi₂O₆ (synthetic), 952
 Bi selenides, 946
 Bi₂S₃-CuPbBiS₃, 250
 Bi₃(Se,S)₂ mineral, 946
 Barite, 1270
 Basalt, low-temperature alteration in submarine, 1054
 Basaltic glass, 1045
 Basalts, Kilauea, 273
 Baumite, 637
 Bazhenovite, 500
 Berthierine, 549
 Beryl, reduction of Fe³⁺ in, 432
 Beryllosilicate rings, 1343
 Beta-iridisite, 1215
 Beta-Mg₂SiO₄, 1124
 Biotite, 101, 113, 565, 586, 780, 1258, 1270
 and fluid interaction, 721
 F and Cl in, 573
 Biotite gabbro, 307
 Birnessite, 466
 Bixbyite, 1325
 Blatterite, 1399
 Blueschist, 960
 Book reviews
 Carpenter, M.A.: Feldspar Minerals, Volume 1 by J.V. Smith and W.L. Brown, 506
 Coleman, R.G., Liou, J.G., El-Shazly, A., Oh, C., Wang, X., Enami, M., Maruyama, S.: Eclogites and Eclogite-Facies Rocks edited by D.C. Smith, 1409
 Harris, D.C.: Monteregian Treasures: The Minerals of Mont Saint-Hilaire, Quebec by J.A. Mandarino and V. Anderson, 1409
 Longhi, J.: Origins of Igneous Layering edited by I. Parsons, 506
 Mason, B.: Mineral Deposits within the European Community edited by J. Boissonnas and P. Omenetto, 696
 McCormick, T.C.: Asbestos and Other Fibrous Materials by H.C.W. Skinner, M. Ross, and C. Frondel, 1409
 Runnells, D.D.: Eh-pH Diagrams for Geochemistry by D.G. Brookins, 506
 Smyth, J.R.: Occurrence, Properties and Utilization of Natural Zeolites edited by D. Kallo and H.S. Sherry, 696
 Smyth, J.R.: International Tables for Crystallography, Volume A. Space-Group Symmetry edited by T. Hahn, 696
 Su, S.-C.: Introduction to Optical Mineralogy by W.D. Nesse, 506
 Books received, 1412
 Boulangerite, 1285
 Bowieite, 1215
 Braunitz-II, 1325
 Bravoite, 1168
 Brazil
 beryl, 432
 manganese oxide, 466
 manganese oxyhydroxide, 466
 Brokenhillite, 1399
 Burgers vectors in clin amphibole, 586
 Bursaitite, 1399
 C-O-H fluids at high pressure and temperature, 50
 Ca-exchanged montmorillonite, 627
 CaCO₃-CaSO₄-Ca(NO₃)₂-H₂O, 367
 CaCO₃-CaSO₄-H₂O, 367
 CaCO₃-MgCO₃-FeCO₃, 1159
 CaMg(CO₃)₂-CaZn(CO₃)₂-Ca(Fe,Mn)(CO₃)₂, 461
 CaO-MgO-Al₂O₃-SiO₂, 325
 CaO-SiO₂-Al₂O₃-FeO-H₂O, 759
 Cl in orthoamphibole and biotite, 573
 Cl-F in metamorphic fluid, 721
 Cl-rich biotite, 721
 Cl-rich scapolite, 721
 Cr-bearing aluminohydroxcalcite, 946
 Cr²⁺-bearing enstatite, 599
 Cs₂CO₃, 1152
 (Cu,Ag)_{3-x}(Bi,Pb)_{7+x}(S,Sc)₁₂, 946
 CuAg₃Pb₁₃Sb₁₇S₄₀ mineral, 946
 Cu₂S-Sb₂S₃, liquidus relations in, 236
 Calc-silicates in hydrothermal fluid, 759
 Calcic amphibole, 101
 Calcic amphibole, Fe-Mg in, 360
 Calcite, 367, 1152
 Calculation of P-T paths, 942
 Calculation of phase diagrams, 485
 California
 biotite, 1258
 gabbro, 101
 granodiorite, 1258
 hornblende, 1258
 pelitic schist, 565
 spinel lherzolite, 969
 titanian andradite, 840
 two-phase monosulfide solid solution, 981
 Campbell, Charles D., Memorial of, 944
 Canada
 aikinite, 250
 lindstromite, 250
 Cancrinite, 113
 Cannizzarite, 1399
 Carbonate, zincian, 461
 Carbonatite, 132, 936
 Carminite, 1377
 Carpholite, nonstoichiometric, 1084

- Caryopillite, 637
 Cation ordering
 in MgTi₂O₅, 902
 in Ni-Mg olivine, 411, 1412
 [erratum]
 Celestine, 1270
 Central Maine synclinorium, 698
 Cerussite, 1152
 Cesplumtantite, 500
 Cetineite, 1399
 Chain Lakes massif, 698
 Chalcedony, oxygen isotopes in,
 476
 Chalcocite, 236
 Chalcopyrite, 981
 Chalcostibite, 236
 Chayesite, 1368
 Chekhovichite, 1399
 Chemistry chemistry
 pyrite-group minerals, 1168
 Chernikovite, 1399
 Chile
 nitrate deposits, 1207
 Chlorapatite, 870, 877
 Chlorite, 141, 549, 1113
 Chlorite polytypes in low-grade
 rocks, 738
 Chloritoid isograd, 549
 Chondrodite, 1300
 Chromian spinels, 448
 Chromite, 448
 Chudobaite, 676
 Chvilevaite, 946
 Clay minerals, 1045
 Clays, aqueous extracts from,
 1142
 Clays, dehydroxylation of, 818
 Clinker, 85
 Clin amphibole, 586
 Clinopyroxene, 85, 132, 969,
 981
 Clintonite, 141
 Cobaltaustinite, 500
 Coffinite, 263
 Committees of MSA for 1989,
 1423
 Composition-viscosity relation-
 ships, 1038
 Compressibility measurements
 andradite, 352
 omphacite, 1287
 pyrope, 352
 Computer programs
 calculation of phase
 diagrams, 485
 fluid-inclusion data reduc-
 tion, 1390
 generalized Gibbs method
 algorithm, 942
 interactive least-squares
 cell-parameter program,
 488
 mineral database, 940
 Pearce element-ratio diagram,
 273
 triangular diagrams, 277
 Conductivity measurements in
 spinel solid solutions, 339
 Configurational energy, 484
 Configurational entropy, 482
 Contact metamorphism, 530
 Coordination
 [5]Al, 1405
 [5]Si and [6]Si, 965
 Cordierite, synchrotron powder-
 diffraction study of, 1293
 Coronadite, 177, 913
 Coupled substitution in tour-
 maline, 826
 Crichtonite-group mineral, 1399
 Crookesite, 1399
 Crustal processes, 698
 Cryptomelane, 466
 Crystal growth
 calcite, 367
 epidote, 759
 grossular, 859
 gypsum, 367
 herschelinite, 1337
 phlogopite, 132
 prehnite, 759
 pyroxene, 1070
 wairakite, 759
 Crystal structure
 aikinite, 250
 akrochordite, 256
 alleganyite, 1300
 andradite, 1307
 andradite at high pressure,
 352
 anisotropic pyrite, 1168
 ankerite, 1159
 BaCuSi₂O₆ (synthetic), 952
 Cr²⁺-bearing enstatite, 599
 carpholite, nonstoichio-
 metric, 1084
 chlorapatite, 870
 chondrodite, 1300
 chudobaite, 676
 coronadite, 913
 diopside, 774
 enstatite, Cr²⁺-bearing, 599
 ferroan dolomite, 1159
 fillowite, 918
 fluorapatite, 870
 friedrichite, 250
 geigerite, 676
 hammarite, 250
 hawthorneite, 668
 hectorfloresite, 1207
 hibschite, 840
 hornblende, 764, 1097
 hydroxylapatite, 870
 kornrupine, 642
 lindstromite, 250
 lipscombite, 456
 magnetoplumbite, 1186
 manganian cummingtonite, 1091
 minnesotaite, 384
 monosulfide solid solution,
 981
 Ni-Mg olivine, 411, 1412
 [erratum]
 norbergite, 1300
 nosean, 394
 orthopyroxene, 593
 pahasapaite, 1195
 pargasite, 1097
 phyllo-manganate, 1386
 pyrite, anisotropic, 1168
 pyrope at high pressure, 352
 renierite, 1177, 1412 [er-
 ratum]
 schorl, 422
 sclarite, 1355
 staurolite, 610
 sverigeite, 1343
 titanian andradite, 840
 titanian clinohumite, 1300
 todorokite, 177
 tschermakitic hornblende, 764
 wiserite, 1351
 Crystal structure (surface)
 galena, 1233
 hematite, 1233
 Crystal synthesis
 BaCuSi₂O₆ (synthetic), 952
 boulangerite, 1285
 Cr²⁺-bearing enstatite, 599
 calcic amphibole, 360
 hectorfloresite, 1207
 hibschite, 840
 lipscombite, 456
 magnesian calcite, 1152
 Ni-Mg olivine, 411, 1412
 [erratum]
 potassium silicate, 224
 SiO₂-Y (magadiite), 1147
 vaterite, 1152
 Cuba
 todorokite, 177
 Cumingtonite, 960
 Mn-Mg in, 1091
 Czechoslovakia
 heteromorphite, 1285

 Data reduction by microcom-
 puter, 1390
 Deformation (in situ)
 biotite, 780
 muscovite, 780
 Dehydroxylation of clays, 818
 Dielectric behavior of opal,
 821
 Diopside, 1059
 elastic properties of, 774
 solidus of, 513
 Diopside melt, viscosity of,
 333
 Diopside-tridymite boundary
 line, 1032
 Dirichlet domains, 918
 Discredited mineral
 protoastrakhanite (= konyaitite), 1382
 Disordered braunite, 1325
 Dolomite, 1152, 1159
 zincian, 461
 Donnay, Gabrielle, Memorial of,
 491
 Dorrite, 85

- Drugmanite, 946
 DTA, TGA
 Ca- and Mg-exchanged
 montmorillonites, 627
 coronadite, 177
 marganite, 177
 pyrolusite, 177
 romanechite, 177
 SiO₂-Y (magadiite), 1147
 sillimanite, 812
 todorokite, 177
 wiserite, 1374
 Dumontite, 1399
- Eu³⁺ in anorthite, 191
 Ecdrewsite, 500
 Editor, 1988 Report of the,
 1417
 Ehrleite, 500
 Elastic properties of diopside,
 774
 Electrical properties
 boulangerite, 1285
 conductivity measurements in
 spinel solid solutions,
 339
 heteromorphite, 1285
 jamesonite, 1285
 opal, 821
 thermopower measurements in
 spinel solid solutions,
 339
 Electron-hole centers in al-
 bite, 1130
 Electron diffraction
 aikinite, 250
 ankerite, 1159
 berthierine, 549
 biotite, 780
 bixbyite, 1325
 braunite-II, 1325
 chlorite, 549, 1113
 chloritoid, 549
 disordered braunite, 1325
 ferroan dolomite, 1159
 friedrichite, 250
 hammarite, 250
 ilmenite-hematite, 160
 lindstromite, 250
 minnesotaitite, 384
 muscovite, 780
 neltnerite, 1325
 nosean, 394
 opal, 821
 paragonite, 549
 stilpnomelane, 549
 unnamed modulated layer
 silicate, 637
 zincian dolomite, 461
 Electron diffraction (low
 energy)
 galena, 1233
 hematite, 1233
 Electron microscopy
 aikinite, 250
 amphibole exsolution
 lamellae, 960
 ankerite, 1159
 augite, 1070
 authigenic K-feldspar, 230
 barite, 1270
 basaltic glass, 1045
 berthierine, 549
 biotite, 780
 bixbyite, 1325
 braunite-II, 1325
 calcic amphibole, 360
 celestine, 1270
 chlorite, 549, 1113
 chloritoid, 549
 clinoamphibole, 586
 coffinite, 263
 disordered braunite, 1325
 ferroan dolomite, 1159
 friedrichite, 250
 hammarite, 250
 hectorfloresite, 1207
 ilmenite-hematite, 160
 K-feldspar, authigenic, 230
 kalsilite, 797
 lindstromite, 250
 minnesotaitite, 384
 modulated layer silicate, 637
 motukoreaite, 1054
 muscovite, 780
 neltnerite, 1325
 nosean, 394
 opal, 821
 orthopyroxene, 1070
 palagonite, 1045
 paragonite, 549
 pigeonite, 1070
 potassium silicate, 224
 stilpnomelane, 549
 zincian dolomite, 461
 Electrostatic potential, 1124
 Enstatite, Cr²⁺-bearing, 599
 Enstatite-diopside join, 325
 Enthalpies of disordering of
 Fe²⁺-Fe³⁺, Mg-Fe³⁺, Fe²⁺-Al,
 and Mg-Al in spinels, 339
 Enthalpies of formation of
 trechmannite, smithite, and
 proustite, 243
 Enthalpy of solution of Ar in
 liquids, 513
 Entropy-volume relations,
 review of, 5
 Epidote, 759
 EPR spectroscopy
 albite, 604
 electron-hole centers in
 albite, 1130
 hectorfloresite, 1207
 vanadinite, 1182
 Errata
 cation ordering in Ni-Mg
 olivine, 1412
 plagioclase-muscovite ther-
 mometer, 505
 renierite crystal structure,
 1412
 thermodynamics of heulandite,
 697
 Eskebornite, 1399
 Estimation of delta G_f and
 delta H_f for silicates, 1023
 EXAFS, 1386
 Expansivity measurements
 karrooite (MgTi₂O₅), 902
 Experimental petrology
 Ag containers, technique for
 welding, 1385
 AgF as a source of F, 936
 aluminosilicate melts, Fe-
 bearing, 58
 Ca-exchanged montmorillonite,
 627
 Cu₂S-Sb₂S₃, liquidus rela-
 tions in, 236
 diopside-tridymite boundary
 line, 1032
 enstatite-diopside join, 325
 F, AgF as a source of, 936
 Fe-bearing aluminosilicate
 melts, 58
 Fe-Mg exchange between garnet
 and olivine, 994
 gas-loading device, 1383
 hydrothermal silica-gel
 synthesis, 1147
 liquidus relations in
 Cu₂S-Sb₂S₃, 236
 melting in the system
 NaAlSi₃O₈-C-O-H, 50
 Mg-exchanged montmorillonite,
 627
 olivine + supercritical
 aqueous chlorides, 37
 phlogopite, 1
 pyroxene, OH in, 1059
 rhyolitic melts and glasses,
 1247
 shear viscosities of silicate
 melt, 1038
 technique for welding Ag
 containers, 1385
 trace-element partitioning at
 high pressure, 31
 F, AgF as a source of, 936
 F, effect on melt viscosity,
 333
 F and Cl in orthoamphiboles and
 coexisting biotite, 573
 F in carbonatite, 936
 F-rich hydrothermal fluid, 865
 Fe³⁺ in albite, 604
 Fe in magnetoplumbite, 1186
 Fe-bearing aluminosilicate
 melt, 58
 Fe-Mg exchange between garnet
 and olivine, 994
 Fe-Mg in calcic amphibole, 360
 Fe-Ti oxides, 101, 307
 (Fe³⁺, Al) in andradite, 1307
 (Fe²⁺, Mg)(Fe³⁺, Al)₂O₄ spinels,
 1000
 Fe₃O₄-FeAl₂O₄, 339
 Fe₃O₄-FeCr₂O₄-Mg_{0.7}Fe_{0.3}Al₂O₄,
 448

- $\text{Fe}_3\text{O}_4\text{-MgAl}_2\text{O}_4$, 339
 $\text{Fe}_3\text{O}_4\text{-MgFe}_2\text{O}_4$, 339
 Fahleite, 500
 Fayalite, 281
 Feldspar, 307
 See also individual feldspars
 Fergusonite-(Ce), 946
 Fergusonite-(Nd), 946
 Ferrian diopside, 1059
 Ferristrunzite, 500
 "Ferritchromit," 448
 Ferroan dolomite, 1159
 Ferrodiorite, 307
 Ferromonzonite, 307
 Ferrosilicate melt, 1038
 Fillowite, 918
 Financial Advisory Committee,
 1988 Report of the, 1417
 Fine-grained tuff and tuffite,
 230
 Five-amphibole assemblage, 960
 Fluid inclusions
 data reduction by microcom-
 puter, 1390
 Fluid-rock interaction, 721
 Fluorapatite, 870
 Fluorellestadite, 500
 Fluoro-hydrograndite, 113
 Formation of Moho, 698
 Former MSA officers and meeting
 places, list of, 1420
 Forsterite, 281
 Forsterite-bearing marble, 439
 Four-membered silicate rings,
 952
 France
 goldmanite, 852
 Friedrichite, 250
 Fukuchilite, 1168
- Gabbro, 101
 Gabon
 manganese oxide, 466
 manganese oxyhydroxide, 466
 Galena, 1233
 Gamma- Na_2CO_3 , 1152
 Garnet, 113, 565, 994
 MgSiO_3 , 1221
 See also individual garnets
 Garnet amphibolite, 77
 Garnet + hornblende +
 plagioclase + quartz
 geobarometer, 77
 Garrels, Robert Minard,
 Memorial of, 497
 Gas-loading device, 1383
 Geigerite, 676
 Generalized Gibbs method algo-
 rithm, 942
 Geobarometry
 garnet amphibolite, 77
 hornblende, 307, 1258
 olivine, 307
 olivine + pyroxene + quartz,
 18
 pigeonite, 307
 pyroxene, 18
 subregular model for multi-
 component solutions, 1016
- Geochemistry
 Ar in silicate liquid, 513
 acid rain, 367
 alkali-deficient schorl, 1317
 allanite-bearing magmas, 750
 anorthite, REEs in, 191
 apatite, 889
 apatite, REEs in, 896
 aqueous extracts from clays,
 1142
 atmospheric chemistry, 367
 authigenic K-feldspar, 230
 basalt, low-temperature
 alteration in submarine,
 1054
 basalts, Kilauea, 273
 biotite, F and Cl in, 573
 C-O-H fluids at high pressure
 and temperature, 50
 Cl in orthoamphibole and
 biotite, 573
 Cl-rich biotite, 721
 Cl-rich scapolite, 721
 carbonate systems, F in, 936
 clays, aqueous extracts from,
 1142
 clinker, 85
 coffinite, 263
 coupled substitution in
 tourmaline, 826
 F and Cl in orthoamphiboles
 and coexisting biotite,
 573
 F in carbonate systems, 936
 F-rich hydrothermal fluids,
 865
 ferrosilicate melt, 1038
 granitic rocks, oxygen
 fugacity in, 744
 K-feldspar, authigenic, 230
 Kilauea basalts, 273
 low-temperature alteration in
 submarine basalt, 1054
 mantle xenoliths, redox
 equilibria in, 969
 mineral triangular plots, 277
 orthoamphibole, F and Cl in,
 573
 oxygen fugacity in granitic
 rocks, 744
 palagonitization, 1045
 paralava, 85
 redox equilibria in mantle
 xenoliths, 969
 REE distribution in anor-
 thite, 191
 REEs in apatite, 896
 $\text{SiO}_2\text{-Y}$ (magadiite), 1147
 schorl, 1317
 solubility of Ar in silicate
 liquid, 513
 tourmaline, coupled substitu-
 tion in, 826
 whole-rock triangular plots,
 277
- Geothermal systems, 759
 Geothermometry
 allanite-bearing magmas, 750
 apatite saturation, 307
 Fe-Ti oxides, 101
 feldspar, 307
 glass, water speciation in,
 1247
 hornblende, 307, 1258
 muscovite-biotite, 565
 paralava glasses, 85
 plagioclase-muscovite, 1258
 plagioclase-muscovite, 505
 [erratum]
 pyroxene, 18, 101, 307, 530
 subregular model for multi-
 component solutions, 1016
 water speciation in glass,
 1247
 zircon saturation, 307
 Germanite, 946
 Ghana
 manganooan cummingtonite, 1091
 Gibbs free energies for man-
 ganese oxyhydroxides and
 manganese oxides, 466
 Gibbs method, 942
 Glass, $\text{K}_2\text{Si}_4\text{O}_9$, 965
 Glass, water speciation in,
 1247
 Glaucophane in blueschist, 960
 Godlevskite, 1399
 Goldmanite, 852
 Goodness-of-fit parameters,
 685, 688
 Gordonite, Mn analogue of, 1399
 Grandite garnet, 151
 Grandreefite, 927
 Granite, 307
 Granitic rocks, oxygen fugacity
 in, 744
 Granodiorite, 1258
 Greece
 B-bearing K-feldspar, 230
 Greenalite, 637
 Greenland
 apatite, 896
 Grenvillian crust, 698
 Grossular, 859
 Group theory, 151
 Guidelines for manuscript
 preparation, 1225
 Gypsum, 367
- H in humite minerals, 1300
 H in pyroxene, 1059
 H in sillimanite, 812
 H position in phyllosilicates
 and tremolite, 141
 Hammarite, 250
 Harzburgite, 668
 Hawaii
 ferrian diopside, 1059
 Hawthorneite, 668
 Hectorfloresite, 1207
 Hedenbergite, 744
 Hematite, 85, 1233, 1278

- Hercynite, 1278
 Herschelite, 1337
 Heteromorphite, 1285
 Heulandite, 697 [erratum]
 Hibschie, 840
 High-pressure phases
 beta-Mg₂SiO₄, 1124
 glaucofan, 960
 K₂Si₄O₉ glass and liquid, 965
 MgSiO₃ garnet, 1221
 High-pressure spectroscopic measurements, 281
 High-pressure XRD method, 352
 High-temperature XRD data
 coronadite, 177
 romanechite, 177
 todorokite, 177
 Hollandite, 177
 Hornblende, 307, 530, 960, 1258
 Mg-Fe²⁺ and Al-Fe³⁺ in, 1097
 oxidation-dehydrogenation in, 764
 Hornfels, mafic, 530
 HRTEM image simulations
 pyroxene, 1070
 Humite minerals, H in, 1300
 Hydrocalumite, 1399
 Hydromagnesite, 1152
 Hydrothermal fluid,
 calc-silicates in, 759
 F-rich, 865
 Hydrothermal silica-gel synthesis, 1147
 Hydroxylapatite, 870
 (Ir,Cu)₂S₃ mineral, 1215
 Ir-rich sulfide, 1215
 Ir-Sb-S mineral, 1215
 Idaho
 biotite, 721
 carpholite, nonstoichiometric, 1084
 scapolite, 721
 Igneous petrology
 alkaline rocks, apatite in, 896
 anorthosite-syenite-granite association, 307
 apatite in alkaline rocks, 896
 basalts, Kilauea, 273
 carbonatite, 132
 F in carbonatites, 936
 gabbro, 101
 ijolite, metasomatized, 113
 Kilauea basalts, 273
 lamproite, 889
 mafic intrusion, 101
 magma mixing, 307
 mantle xenoliths, 969
 melt rheology, 333
 metasomatized ijolite, 113
 minette, 216
 osumilite + pseudobrookite assemblage, 1278
 Peninsular Ranges batholith, 1258
 rhyolite, 865
 rhyolitic melts and glasses, 1247
 titanite + magnetite + quartz assemblage, 744
 Toba Tuffs, 750
 triangular plots, 277
 Ijolite, metasomatized, 113
 Illite/smectite mixed-layer minerals, 1106
 Ilmenite, 113, 530, 1258
 Ilmenite-hematite, 160
 In situ deformation
 biotite, 780
 muscovite, 780
 India
 kinoshitalite, 200
 Indiana
 Salem Limestone, 367
 Indonesia
 allanite, 750
 Interactive least-squares cell-parameter program, 488
 IR spectroscopy
 cordierite, 1293
 fayalite, 281
 forsterite, 281
 geigerite, 676
 glass, water speciation in, 1247
 hectorfloresite, 1207
 hibschite, 840
 library of mineral spectra, 938
 lipscombite, 456
 norrishite, 1360
 pyroxene, 1059
 siderite-magnesite solid solutions, 187
 sillimanite, 812
 titanian andradite, 840
 tschermakitic hornblende, 764
 water speciation in glass, 1247
 Isocubanite, 500
 Italy
 andradite, 352
 herschelite, 1337
 osumilite, 1278
 pseudobrookite, 1278
 Jaffeite, 1203
 Jamesonite, 1285
 Japan
 herschelite, 1337
 hornblende, 1097
 K-feldspar, authigenic, 230
 K₂Si₄O₉ glass and liquid, 965
 Kadyrelite, 500
 Kalsilite, 797
 Karrooite (MgTi₂O₅), 902
 Kharaelakhite, 1215
 Kilauea basalts, 273
 Kinetics
 albite, electron centers in, 1130
 beryl, reduction of Fe³⁺ in, 432
 Ca-exchanged montmorillonite, 627
 cation ordering in MgTi₂O₅, 902
 glass, water speciation in, 1247
 ilmenite-hematite, 160
 Mg-exchanged montmorillonite, 627
 MgTi₂O₅, cation ordering in, 902
 phase transition in cordierite, 1293
 reduction of Fe³⁺ in beryl, 432
 viscous flow, 1038
 water speciation in glass, 1247
 Kinoshitalite, 200
 Kornerupine, 642
 Li₂CO₃, 1152
 Labrador
 minnesotaite, 384
 lamproite, 889, 1368
 Landau theory, 151
 Laurelite, 927
 Library of mineral spectra, 938
 Lindstromite, 250
 Lipscombite, 456
 Liquidus relations in
 Cu₂S-Sb₂S₃, 236
 Lithiophorite, 466
 Low-energy electron diffraction
 galena, 1233
 hematite, 1233
 Low-grade rocks, chlorite polytypes in, 738
 Low-temperature alteration in submarine basalt, 1054
 Mg-exchanged montmorillonite, 627
 (Mg,Fe²⁺) disorder in Al-rich and Al-poor orthopyroxene, 593
 (Mg,Ti) in MgTi₂O₅, 902
 MgO-FeO-Fe₂O₃-Al₂O₃, 339
 (Mg,Si) in MgSiO₃ garnet, 1221
 MgSiO₃ garnet, 1221
 Mg₂SiO₄-CaMgSi₂O₆-SiO₂, 1032
 MgTi₂O₅, cation ordering in, 902
 Mn phosphate, 500
 MnO-As₂O₅-H₂O, 256
 Mafic hornfels, 530
 Mafic intrusion, 101
 Magadiite, 1147
 and its potassium analogue, 224
 Magma mixing, 307
 Magnesian calcite, 1152
 Magnesite, 1152
 Magnetic properties
 ilmenite-hematite, 160

- Magnetite, 113, 448, 530
Magnetoplumbite, Fe and Pb in, 1186
Maine
 Central Maine synclinorium, 698
 Chain Lakes massif, 698
 chlorite, 738
 Grenvillian crust, 698
Manganese oxide, 466
Manganese oxyhydroxide, 466
Manganoan cummingtonite, 1091
Mantle
 MgSiO₃ garnet, 1221
 xenoliths, redox equilibria in, 969
Manuscript preparation, guidelines for, 1225
Marble, forsterite-bearing, 439
Margarite, 177
Margarite, 141
Maricopaite, 946
Maslovite, 1168
Mass spectroscopy, 818
Mawbyite, 1377
Mechanical properties
 biotite, 780
 geigerite, 676
 muscovite, 780
 viscosity of diopside melt, 333
Mediterranean Sea
 motukoreaite, 1054
Melilite, 85
Melt rheology, 333
Melt structure
 effect of pressure, 965
 Fe-bearing aluminosilicate melt, 58
 glass, water speciation in, 1247
 K₂Si₄O₉ glass, 965
 polymerization in silicate melt, 333
 related to viscosity and composition, 1038
 silicate melts, polymerization in, 333
 silicate melts at high pressure, 513
 water speciation in glass, 1247
Melting in NaAlSi₃O₈-C-O-H, 50
Memorials
 Campbell, Charles D., 944
 Donnay, Gabrielle, 491
 Garrels, Robert Minard, 497
 Nowacki, Werner, 1394
 Permingeat, Francois, 692
 Roberts, Willard Lincoln, 1397
 Scheid, Vernon Edward, 494
 Weeks, Alice Mary Dowse, 694
Mesozoic crustal extension, 698
Metamorphic petrology
 ACF, AKF, AFM (Eskola) plots, 277
 Cl-F in metamorphic fluid, 721
 calculation of P-T paths, 942
 chlorite polytypes in low-grade rocks, 738
 chloritoid isograd, 549
 contact metamorphism, 530
 five-amphibole assemblage, 960
 fluid-rock interaction, 721
 forsterite-bearing marble, 439
 garnet + hornblende + plagioclase + quartz geobarometer, 77
 low-grade rocks, chlorite polytypes in, 738
 orthoamphibole-bearing assemblages, 573
 paralava (pyrometamorphism), 85
 pelitic schist, 565
 reaction-progress variable, 530
 reaction space, 530
 Metapelite, 549
 Metasomatized harzburgite, 668
 Metasomatized ijolite, 113
 Meteorites, corrosion of Fe-Ni in, 656
 Mexico
 analcime, 216
 boulangerite, 1285
 jamesonite, 1285
 Miargyrite, Se analogue of, 946
 Mica, 132, 1106
 Tschermak's components in, 565
 See also individual micas
 Mid-Atlantic Ridge
 palagonite, 1045
 Mineral database, 940
 "Mineral MK," 946
 Mineral triangular plots, 277
 Mineralogical Society of America Award
 acceptance of, 720
 presentation of, 719
 Minette, 216
 Minnesotaite, 384
 Modulated structure, nosean, 394
 Molar volume of Ar in liquids, 513
 Molecular orbital calculations of sulfide molecules and sulfides, 620
 Monosulfide solid solution, 981
 Montana
 schorl, 422, 1317
 Montmorillonite, 627
 Monzonite, 1270
 Monzosyenite, 307
 Morocco
 coronadite, 913
 Mossbauer spectroscopy
 alkali-deficient schorl, 1317
 ankerite, 1159
 calcic amphibole, 360
 clinopyroxene, 969
 ferrian diopside, 1059
 ferroan dolomite, 1159
 lipscombite, 456
 olivine, 969
 orthopyroxene, 969
 quenched Fe-bearing aluminosilicate melts, 58
 schorl, 1317
 spectral fitting, 685, 688
 spinel, 969
 staurolite, 610
 Motukoreaite, 1054
 Mounting technique for particulate samples, 271
 Mullite, 85
 Multicomponent systems and phases, 1016
 Munirite, 1399
 Muscovite, 780, 1258
 (Al,Si) in, 141
 Muscovite-biotite, 565
 NaAlSi₃O₈-C-O-H, 50
 Na₂O-SiO₂-H₂O, 1147
 [Na₄·SO₄] and [Na₄·H₂O] clusters in nosean, 394
 Ni in olivine, 981
 Ni-Mg olivine, 411, 1412 [erratum]
 Namibia
 agate, 476
 jaffeite, 1203
 wiserite, 1351, 1374
 Natrolite, 113
 Neltnerite, 1325
 Nepheline, 85, 113
 Neutron diffraction
 hibschite, 840
 renierite, 1177, 1412 [erratum]
 Nevada
 pyrophyllite, 1405
 New Jersey
 baumite, 637
 sclerite, 1355
 New Mexico
 coffinite, 263
 spinel lherzolite, 969
 New mineral data (abstracts)
 bursaitite, 1399
 cannizzarite, 1399
 crookesite, 1399
 drugmanite, 946
 dumontite, 1399
 ehrleite, 500
 eskebornite, 1399
 germanite, 946
 godlevskite, 1399
 hydrocalumite, 1399
 munirite, 1399
 palarstanide, 1215
 prassoite, 1215
 ramsbeckite, 500
 robertsite, 1399

- roggianite, 500
 rostite, 946
 sabatierite, 1399
 sigloite, 1399
 tinticite, 1399
 uranophane, 500
 xingzhongite, 1215
 xitiesshanite, 1399
 See also Unnamed minerals
- New minerals (abstracts)
 abhurite, 500
 bazhenovite, 500
 beta-iridisite, 1215
 blatterite, 1399
 bowieite, 1215
 brokenhillite, 1399
 cesplumtantite, 500
 cetineite, 1399
 chekhovichite, 1399
 chernikovite, 1399
 chvilevaite, 946
 cobaltaustinite, 500
 ecandrewsite, 500
 fahleite, 500
 fergusonite-(Ce), 946
 fergusonite-(Nd), 946
 ferristrunzite, 500
 fluorellestadite, 500
 isocubanite, 500
 kadyrelite, 500
 kharaelakhite, 1215
 maricopaite, 946
 pottsite, 500
 roxbyte, 946
 sieleckiite, 1399
 skippenite, 946
 sulrhodite, 1215
 watkinsonite, 946
 zharchikhite, 500
 See also Unnamed Minerals
- New minerals (descriptions)
 aravaipaite, 927
 chayesite, 1368
 geigerite, 676
 grandreefite, 927
 hawthorneite, 668
 hectorfloresite, 1207
 jaffeite, 1203
 laurelite, 927
 mawbyite, 1377
 norrishite, 1360
 pinalite, 934
 pseudograndreefite, 927
 sclarite, 1355
- New South Wales
 coronadite, 913
 mawbyite, 1377
- New Zealand
 epidote, 759
 prehnite, 759
 pyrope, 352
 wairakite, 759
- Nitrate deposits, 1207
- NMR spectroscopy
²⁷Al in 2:1 clay minerals, 203
 alkali carbonates, 1152
 aragonite, 1152
 Cs₂CO₃, 1152
 calcite, 1152
 cerussite, 1152
 dolomite, 1152
 gamma-Na₂CO₃, 1152
 K₂Si₄O₉ glass, 965
 Li₂CO₃, 1152
 magnesian calcite, 1152
 magnesite, 1152
 pyrophyllite and pyrophyllite dehydroxylate, 1405
 quartz, 956
 vaterite, 1152
 Norbergite, 1300
 Norrishite, 1360
 North Carolina, staurolite, 610
 Norway
 Ba-Ti - rich phlogopite, 439
 clin amphibole, 586
 Nosean, [Na₄·SO₄] and [Na₄·H₂O] clusters in, 394
 Nowacki, Werner, Memorial of, 1394
 Nsutite, 466
- ¹⁸O in analcime, 216
 OH in pyroxene, 1059
 Officers of MSA
 Former officers and meeting places, list of, 1420
 Officers and committees for 1989, 1423
- Olivine, 85, 101, 307, 530, 969, 981, 994
 geobarometry, 18
 solid-solution model, 37
 synthetic, 37
 with Ni-Mg, 411, 1412 [erratum]
 See also individual olivines
 Olivine + pyroxene + quartz, 18
 Olivine + supercritical aqueous chlorides, 37
- Omphacite, 1287
- Ontario
 barite, 1270
 celestine, 1270
- Opal, 821
- Optical properties
 andradite (anisotropic), 1307
 aravaipaite, 927
 chayesite, 1368
 chromian spinel, 448
 geigerite, 676
 grandreefite, 927
 grossular, 859
 hawthorneite, 668
 hectorfloresite, 1207
 herschelite, 1337
 jaffeite, 1203
 kinoshitalite, 200
 laurelite, 927
 motukoreaite, 1054
 norrishite, 1360
 palagonite, 1045
 phlogopite, 132
 pinalite, 934
 pseudograndreefite, 927
 sclarite, 1355
 staurolite, 610
 vanadinite, 1182
 wiserite, 1374
- Optical spectroscopy
 beryl, 432
 Eu³⁺ in anorthite, 191
 ferrian diopside, 1059
 norrishite, 1360
- Order-disorder
 (Al,Si) in albite, 1130
 (Al,Si) in herschelite, 1337
 (Al,Si) in muscovite, 141
 aikinite, 250
 albite, 482, 484, 1130
 albite, Fe³⁺ in, 604
 alleghanyite, 1300
 ankerite, 1159
 chondrodite, 1300
 cummingtonite, Mn-Mg in, 1091
 Fe in magnetoplumbite, 1186
 Fe³⁺ in albite, 604
 (Fe³⁺,Al) in andradite, 1307
 (Fe,Mg) in calcic amphibole, 360
 (Fe²⁺,Mg)(Fe³⁺,Al)₂O₄ spinels, 1000
 Fe₃O₄-FeAl₂O₄, 339
 Fe₃O₄-MgAl₂O₄, 339
 Fe₃O₄-MgFe₂O₄, 339
 ferroan dolomite, 1159
 friedrichite, 250
 grandite garnet, 151
 grossular, 859
 hammarite, 250
 hibschite, 840
 hornblende, (Mg,Fe²⁺) and (Al,Fe³⁺) in, 1097
 ilmenite-hematite, 160
 kornerupine, 642
 lindstromite, 250
 (Mg,Fe²⁺) disorder in Al-rich and Al-poor orthopyroxene, 593
 (Mg,Si) in MgSiO₃ garnet, 1221
 (Mg,Ti) in MgTi₂O₅, 902
 magnetoplumbite, Fe and Pb in, 1186
 muscovite, (Al,Si) in, 141
 [Na₄·SO₄] and [Na₄·H₂O] clusters in nosean, 394
 Ni-Mg olivine, 411, 1412 [erratum]
 norbergite, 1300
 Pb in magnetoplumbite, 1186
 phase transition in cordierite, 1293
 sulfosalts of Ag with As, Sb, and Bi, 243
 titanian clinohumite, 1300
 Orthoamphibole, F and Cl in, 573
 Orthoamphibole-biotite pairs, 573

- Orthopyroxene, 85, 593, 969, 981, 1070
- Osumilite + pseudobrookite assemblage, 1278
- Oxidation-dehydrogenation in hornblende, 764
- Oxygen fugacity in granitic rocks, 744
- Oxygen isotopes in agate, quartz, and chalcedony, 476
- Pb in magnetoplumbite, 1186
- Pb-Bi-Hg-Cu sulfosalts, 1399
- PbTe₂ mineral, 946
- Pb₂Te₃ mineral, 946
- Pb₂TeS mineral, 946
- Pd minerals, 1215
- Pt-Cu-Fe minerals, 1215
- Pt-group minerals, 1215
- Pahasapaite, 1195
- Palagonite, 1045
- Palarstanide, 1215
- Paragonite, 549
- Paralava (pyrometamorphism), 85
- Parau Island
pargasite, 1097
- Pargasite, 1097
- Particulate-sample mounting technique, 271
- Partitioning between low-Ca pyroxene and melt, 31
- Pearce element-ratio diagram, 273
- Pelitic schist, 565
- Peninsular Ranges batholith, 1258
- Penroseite, 1168
- Pentlandite, 981
- Permingeat, Francois, Memorial of, 692
- Perovskite, 113
- Phase diagrams, computer calculation of, 485
- Phase equilibria
albite, solidus of, 513
annite - quartz - K-feldspar - fayalite - H₂O, 307
anorthite, solidus of, 513
biotite-fluid, 721
Ca-exchanged montmorillonite, 627
CaCO₃-CaSO₄-Ca(NO₃)₂-H₂O, 367
CaCO₃-CaSO₄-H₂O, 367
calc-silicates in hydrothermal fluids, 759
diopside, solidus of, 513
diopside-tridymite boundary line, 1032
enstatite-diopside join, 325
Fe-bearing aluminosilicate melts, 58
Fe-Mg exchange between garnet and olivine, 994
garnet + hornblende + plagioclase + quartz, 77
Gibbs method, 942
hydrothermal fluids, calc-silicates in, 759
illite, 1106
melting in NaAlSi₃O₈-C-O-H, 50
Mg-exchanged montmorillonite, 627
mica, 565, 1106
monosulfide solid solution, 981
montmorillonite, 627
olivine + supercritical aqueous solution, 37
orthoamphibole-biotite pairs, 573
paralava, 85
pentlandite, 981
phase diagrams, computer calculation of, 485
phlogopite, 1
pyrite, 981
pyroxene-olivine-quartz in CMFS system, 18
pyrrhotite, 981
quartz-ulvospinel-ilmenite-fayalite (QUIIF), 307
sanidine, solidus of, 513
scapolite-plagioclase-fluid, 721
skinnerite-tetrahedrite liquidus phase relations, 236
smectite, 1106
titanite-hedenbergite stability, 744
tourmaline, 826
Tschermak's components in mica, 565
violarite, 981
volatiles at high pressure, 1383
- Phase transition in cordierite, 1293
- Phlogopite, 1, 132
- Ba-Ti - rich, 439
- Photoconductivity
boulangerite, 1285
heteromorphite, 1285
jamesonite, 1285
- Phyllomanganate structures, 1386
- Pigeonite, 307, 1070
- Pinakiolite-group mineral, 1399
- Pinalite, 934
- Plagioclase, 101, 530, 565, 586
See also individual plagioclases
- Plagioclase-muscovite, 1258
- Plagioclase-muscovite thermometer [erratum], 505
- Poland
zincian dolomite, 461
- Polymerization in silicate melts, 333
- Potassium silicate, 224
- Pottsite, 500
- Prassoite, 1215
- Prehnite, 759
- Presidential Address for 1988, 698
- Proceedings for 1988, 1413
- Professional publications, 689
- Protoastrakanite (= konyaite), 1382
- Protonation in beta-Mg₂SiO₄, 1124
- Proustite, 243
- Pseudobrookite, 85, 1278
- Pseudograndreefite, 927
- Pyrite, 981
anisotropic, 1168
- Pyrite-group minerals, 1168
- Pyrolusite, 177
- Pyrometamorphism, 85
- Pyrope at high pressure, 352
- Pyrophyllite, 141, 1405
- Pyrophyllite dehydroxylate, 1405
- Pyroxene, 101, 113, 307, 530, 1070
OH in, 1059
See also individual pyroxenes
- Pyroxene geobarometry, 18
- Pyroxene geothermometry, 18
- Pyroxene-olivine-quartz in CMFS system, 18
- Pyrrhotite, 981
- Quantum mechanical calculations
sulfide molecules and sulfides, 620
- Quartz, 956
oxygen isotopes in, 476
- Quartz syenite, 307
- Quartz-ulvospinel-ilmenite-fayalite (QUIIF), 307
- Quebec - Maine - Gulf of Maine Transect, 698
- Quebec
grossular, 859
- Quenched Fe-bearing aluminosilicate melts, 58
- Rh-Ni-Sb mineral, 1215
- Rh-Sb-S mineral, 1215
- Raman spectroscopy
BaCuSi₂O₆ (synthetic), 952
mounting technique for particulate samples, 271
particulate-sample mounting technique, 271
- Ramsbeckite, 500
- Rare-earth elements
allanite, 750
apatite, 896
coffinite, 263
Eu³⁺ in anorthite, 191
ijolite, 113
- Reaction-progress variable, 530
- Reaction space, 530
- Redox equilibria in mantle xenoliths, 969
- Reduction of Fe³⁺ in beryl, 432
- REEs
in anorthite, 191

- in apatite, 896
 Renierite, 1177, 1412 [erratum]
 Reports for 1988
 Editor, 1417
 Financial Advisory Committee, 1417
 Secretary, 1413
 Treasurer, 1414
 Reviewers for American Mineralogist in 1988, 1419
 Rhyolite, 865
 Rhyolitic melts and glasses, 1247
 Roberts, Willard Lincoln, Memorial of, 1397
 Robertsite, 1399
 Roebing Medal
 acceptance of, 717
 presentation of, 715
 Roggianite, 500
 Romanechite, 177
 Rostite, 946
 Roxbyite, 946

 Sb-Cu alloy, 236
 Sc, 31
 SiO₂-Y (magadiite), 1147
 Sabatierite, 1399
 Salem Limestone, 367
 Sanidine, solidus of, 513
 Saudi Arabia
 spinel lherzolite, 969
 Scanning tunneling microscopy
 galena, 1233
 hematite, 1233
 Scapolite, 721
 Scapolite-plagioclase-fluid, 721
 Scheid, Vernon Edward, Memorial of, 494
 Schorl, 422, 1317
 Sclerite, 1355
 Secretary, 1988 Report of the, 1413
 Serpentine, 141
 Shear viscosities of silicate melt, 1038
 Shelburne Marble, 367
 Siderite-magnesite solid solutions, 187
 Sieleckiite, 1399
 Sigloite, 1399
 Silicate melt
 at high pressure, 513
 polymerization in, 333
 shear viscosities of, 1038
 Silicate rings, four-membered, 952
 Silicic acids (crystalline), 224
 Sillimanite, H in, 812
 Skinnerite-tetrahedrite liquidus phase relations, 236
 Skippenite, 946
 Smectite, 1106. See also Illite/smectite
 Smithite, 243

 Software notices
 calculation of phase diagrams, 485
 fluid-inclusion data reduction, 1390
 generalized Gibbs method algorithm, 942
 interactive least-squares cell-parameter program, 488
 mineral database, 940
 Pearce element-ratio diagram, 273
 triangular diagrams, 277
 Solid-solution modeling, 1016
 Solubility of Ar in silicate liquids, 513
 Solution model
 thermodynamic theory, 14
 Wohl's asymmetric, 14
 South Africa
 metasomatized harzburgite, 668
 todorokite, 177
 South Australia
 opal, 821
 South Dakota
 pahasapaite, 1195
 Spain
 chayesite, 1368
 chlorite, 1113
 Spectral fitting, 685, 688
 Spectroscopic measurements, high-pressure, 281
 Sphe (= titanite), 113
 and hedenbergite stability, 744
 Spinel, 85, 969
 solid solutions, conductivity and thermopower measurements in, 339
 Spinel lherzolite, 969
 Stable isotopes
 agate, oxygen isotopes in, 476
 barite, 1270
 celestine, 1270
 chalcedony, oxygen isotopes in, 476
 ¹⁸O in analcime, 216
 quartz, oxygen isotopes in, 476
 Stacking irregularities in chlorite, 1113
 Staurolite, 610
 Stilpnomelane, 549
 Structural complexity, 918
 Structure-energy calculations
 alleganyite, 1300
 chlorite, 141
 chondrodite, 1300
 clintonite, 141
 configurational energy, 484
 configurational entropy, 482
 diopside, 774
 H position in phyllosilicates and tremolite, 141
 margarite, 141
 muscovite, 141
 Ni-Mg olivine, 411, 1412 [erratum]
 norbergite, 1300
 pyrophyllite, 141
 serpentine, 141
 talc, 141
 titanian clinohumite, 1300
 tremolite, 141
 Subregular model for multicomponent solutions, 1016
 Sulfide molecules and sulfides, molecular orbital calculations of, 620
 Sulfosalts of Ag with As, Sb, and Bi, 243
 Sulrhodite, 1215
 Sverigeite, 1343
 Sweden
 akrochordite, 256
 chromian spinel, 448
 orthoamphibole-biotite rocks, 573
 sverigeite, 1343
 Switzerland
 geigerite, 676
 Syenite, 1270
 Systems (chemical)
 Ag₂S-As₂S₃, 243
 Ag₂S-Bi₂S₃, 243
 Ag₂S-Sb₂S₃, 243
 Bi₂S₃-CuPbBiS₃, 250
 CaCO₃-CaSO₄-Ca(NO₃)₂-H₂O, 367
 CaCO₃-CaSO₄-H₂O, 367
 CaCO₃-MgCO₃-FeCO₃, 1159
 CaMg(CO₃)₂-CaZn(CO₃)₂-Ca(Fe,Mn)(CO₃)₂, 461
 CaO-MgO-Al₂O₃-SiO₂, 325
 CaO-SiO₂-Al₂O₃-FeO-H₂O, 759
 Cu₂S-Sb₂S₃, 236
 Fe₃O₄-FeCr₂O₄-Mg_{0.7}Fe_{0.3}Al₂O₄, 448
 K₂O-SiO₄, 965
 MgO-FeO-Fe₂O₃-Al₂O₃, 339
 Mg₂SiO₄-CaMgSi₂O₆-SiO₂, 1032
 MnO-As₂O₅-H₂O, 256
 NaAlSi₃O₈-C-O-H, 50
 Na₂O-SiO₂-H₂O, 1147

 Ti-Al-Zr oxide, 946
 Tl sulfide, 1399
 Talc, 141
 Tanzania
 kornerupine, 642
 Technique for welding Ag containers, 1385
 Texas
 rhyolite, 865
 zircon, 865
 TGA. See DTA
 Thermodynamic data
 andradite, 744
 apatite solid solutions, 877
 birnessite, 466
 Ca-exchanged montmorillonite, 627

- Thermodynamic data--continued
 chlorapatite, 877
 cryptomelane, 466
 enthalpies of disordering of Fe^{2+} - Fe^{3+} , Mg - Fe^{3+} , Fe^{2+} -Al, and Mg -Al in spinels, 339
 enthalpies of formation of trechmannite, smithite, and proustite, 243
 enthalpy of solution of Ar in liquids, 513
 entropy-volume relations, review of, 5
 estimation of ΔG_f° and ΔH_f° for silicates, 1023
 Fe-Mg exchange between garnet and olivine, 994
 $(\text{Fe}^{2+}, \text{Mg})(\text{Fe}^{3+}, \text{Al})_2\text{O}_4$ spinels, 1000
 glass, water speciation in, 1247
 hedenbergite, 744
 heulandite, 697 [erratum]
 karrooite (MgTi_2O_5), 902
 lithiophorite, 466
 Mg-exchanged montmorillonite, 627
 molar volume of Ar in liquids, 513
 nsutite, 466
 olivine solid-solution model, 37
 plagioclase-muscovite thermometer, 505 [erratum]
 proustite, 243
 pyroxene-olivine-quartz in CMFS system, 18
 smithite, 243
 spinels, 339
 subregular model for multi-component solutions, 1016
 titanite, 744
 trechmannite, 243
 water speciation in glass, 1247
 zeolite, 697 [erratum]
- Thermodynamic theory, solution model, 14
- Thermopower measurements in spinel solid solutions, 339
- Tinticite, 1399
- Titanian andradite, 840
- Titanian clinohumite, 1300
- Titanite + magnetite + quartz assemblage, 744
- Titanomagnetite, 1278
- Toba Tuffs, 750
- Todorokite, 177
- Tolovkite, 1168
- Tourmaline
 coupled substitution in, 826
 structural relationships, 422
- Trace elements
 Eu^{3+} in anorthite, 191
 fine-grained tuff and tuffite, 230
 H in pyroxene, 1059
 H in sillimanite, 812
 Ni in olivine, 981
 partitioning at high pressure, 31
 partitioning between low-Ca pyroxene and melt, 31
 Sc, 31
 triangular plots, 277
 V in garnet, 852
 Yb, 31
 zircon, 865
- Treasurer, 1988 Report of the, 1414
- Trechmannite, 243
- Tremolite, 141
- Triangular diagrams, 277
- Triangular plots (ACF, AKF, AFM), 277
- Tschermak's components in mica, 565
- Tschermakititic hornblende, 764
- Tsumcorite, 1377
- Tuff and tuffite, 230
- Turkey
 vanadinite, 1182
- Tvalchrelidzeite, As analogue of, 946
- Two-phase monosulfide solid solution, 981
- Unit-cell data (surface)
 galena, 1233
 hematite, 1233
- Unit-cell data
 akrochordite, 256
 albite, 604
 amphibole, calcic, 360
 analcime, 216
 andradite, 1307
 ankerite, 1159
 aravaipaite, 927
 $\text{BaCuSi}_2\text{O}_6$ (synthetic), 952
 Cr^{2+} -bearing enstatite, 599
 calcic amphibole, 360
 calcite, 1152
 carminite, 1377
 carpholite, nonstoichiometric, 1084
 chayesite, 1368
 coffinite, 263
 coronadite, 913
 dolomite, 1152
 enstatite, Cr^{2+} -bearing, 599
 ferroan dolomite, 1159
 garnet, 994
 geigerite, 676
 goldmanite, 852
 grandreefite, 927
 hawthorneite, 668
 hectorfloresite, 1207
 hibschite, 840
 hornblende, 764, 1097
 jaffeite, 1203
 kalsilite, 797
 karrooite (MgTi_2O_5), 902
 kornerupine, 642
 laurelite, 927
 lipscombite, 456
 magnesite calcite, 1152
 magnetoplumbite, 1186
 manganoan cummingtonite, 1091
 mawbyite, 1377
 monosulfide solid solution, 981
 norrishite, 1360
 orthopyroxene, 593
 osumilite, 1278
 pahasapaite, 1195
 pargasite, 1097
 pinalite, 934
 pseudobrookite, 1278
 pseudograndreefite, 927
 schorl, 422
 sclearite, 1355
 staurolite, 610
 titanian andradite, 840
 todorokite, 177
 tschermakititic hornblende, 764
 tsumcorite, 1377
 wiserite, 1374
- Unnamed minerals
 AgBi_2Te_4 mineral, 946
 $\text{Ag}_2\text{Pb}_{13.5}\text{Bi}_9\text{S}_{28}$ mineral, 946
 Au-Bi sulfide, 946
 Au_3Hg , 500
 arsenate, 1399
 Ba-Ti - rich phlogopite, 439
 Bi selenides, 946
 $\text{Bi}_3(\text{Se}, \text{S})_2$ mineral, 946
 Cr-bearing aluminohydroxcalcite, 946
 $(\text{Cu}, \text{Ag})_{3-x}(\text{Bi}, \text{Pb})_{7+x}(\text{S}, \text{Sc})_{12}$, 946
 $\text{CuAg}_3\text{Pb}_{13}\text{Sb}_{17}\text{S}_{40}$ mineral, 946
 crichtonite-group mineral, 1399
 gordonite, Mn analogue of, 1399
 $(\text{Ir}, \text{Cu})_2\text{S}_3$ mineral, 1215
 Ir-rich sulfide, 1215
 Ir-Sb-S mineral, 1215
 Mn phosphate, 500
 miargyrite, Se analogue of, 946
 "mineral MK," 946
 modulated layer silicate in "baumite," 637
 Pb-Bi-Hg-Cu sulfosalts, 1399
 PbTe_2 mineral, 946
 Pb_2Te_3 mineral, 946
 Pb_2TeS mineral, 946
 Pd minerals, 1215
 Pt-Cu-Fe minerals, 1215
 Pt-group minerals, 1215
 pinakiolite-group mineral, 1399
 Rh-Ni-Sb mineral, 1215
 Rh-Sb-S mineral, 1215
 Ti-Al-Zr oxide, 946
 Tl sulfide, 1399
 tvalchrelidzeite, As analogue of, 946

- Unnamed minerals--continued
 WC mineral, 946
 Uranophane, 500
 USSR
 aikinite, 250
 Utah
 chayesite, 1368
 lamproite, 1368

 V-bearing calcareous
 metapelites, 852
 V-bearing skarns, 852
 V in garnet, 852
 Vaesite, 1168
 Vanadian amphibole, 852
 Vanadian diopside, 852
 Vanadian grossular, 852
 Vanadinite, 1182
 Vaterite, 1152
 Vector representation of com-
 positions, 826
 Vermont
 blueschist, 960
 metapelites, 549
 Shelburne Marble, 367
 Villamaninite, 1168
 Violarite, 981
 Virginia
 albite, 604, 1130
 Viscosity
 of diopside melt, 333
 related to composition, 1038
 Viscous flow, 1038
 Volatiles at high pressure,
 1383
 Voronoi polyhedra, 918

 WC mineral, 946
 Wairakite, 759
 Water speciation in glass, 1247
 Watkinsonite, 946
 Weeks, Alice Mary Dowse,
 Memorial of, 694
 Welding technique for Ag con-
 tainers, 1385

 Western Australia
 apatite, 889
 lamproite, 889
 Whole-rock triangular plots,
 277
 Winchite, 960
 Wiserite, 1351, 1374
 Wohl's asymmetric solution
 model, 14
 Wyoming
 anorthosite, 307, 1070
 biotite gabbro, 307
 clinker, 85
 ferrodiorite, 307
 ferromonzonite, 307
 granite, 307
 mafic hornfels, 530
 monzosyenite, 307
 paralava, 85
 pyroxene, 1070
 quartz syenite, 307

 Xingzhongite, 1215
 Xitieshanite, 1399
 XRD data
 akrochordite, 256
 andradite, 1307
 aravaipaite, 927
 B-bearing authigenic K-
 feldspar, 230
 calcite, 1152
 cordierite, synchrotron
 powder-diffraction study
 of, 1293
 coronadite, 177, 913
 dolomite, 1152
 geigerite, 676
 grandreefite, 927
 hawthorneite, 668
 hectorfloresite, 1207
 hydromagnesite, 1152
 interactive least-squares
 cell-parameter program,
 488
 jaffeite, 1203

 kalsilite, 797
 laurelite, 927
 lipscombite, 456
 magnesian calcite, 1152
 manganese cummingtonite,
 1091
 mawbyite, 1377
 modulated layer silicate in
 "baumite," 637
 motukoreaite, 1054
 Ni-Mg olivine, 411, 1412
 [erratum]
 norrishite, 1360
 orthopyroxene, 593
 pahasapaite, 1195
 palagonite, 1045
 pinalite, 934
 plagioclase, 101
 potassium silicate, 224
 pseudograndreefite, 927
 pyrophyllite and pyrophyllite
 dehydroxylate, 1405
 romanechite, 177
 SiO₂-Y (magadiite), 1147
 sclarite, 1355
 todorokite, 177

 XRF data
 anorthosites and associated
 rocks, 307
 clinker, 85
 paralava, 85

 Yb, 31

 Zaire
 renierite, 1177, 1412 [er-
 ratum]
 Zeolite
 heulandite, 697 [erratum]
 See also individual zeolites
 Zharchikhite, 500
 Zincian carbonate, 461
 Zincian dolomite, 461
 Zircon, 865
 Zircon saturation, 307