

## SUBJECT INDEX, VOLUME 75, 1990

- (Ag,Bi)<sub>2</sub>Se, 706  
Ag-Cu and Ag-Sn sulfides, 706  
Ag<sub>1.97</sub>Hg<sub>0.96</sub>S<sub>2.07</sub>, 431  
Ag<sub>4</sub>PbTe<sub>2</sub>S and Ag<sub>8</sub>Bi<sub>3</sub>Te<sub>7</sub>, 1209  
Al<sub>2</sub>O<sub>3</sub>-Fe-O, 1342  
Al-Si order on melting, effect of, 1362  
AlTi phases A and B, 1431  
Au, 956  
AuBi<sub>5</sub>S<sub>4</sub>, 431  
Actinolite, 230  
Aenigmatite, 694  
Agate, 1205, 1207  
Akhtenskite, 931  
Albite, 443, 723, 1268  
Alkali feldspar, 141, 544  
Alkaline lake system, 201  
Alkremite, 775  
Almandine, 328, 1375 [erratum]  
Alteration, 813  
Aluminum silicate, 1043  
Alunite, 209  
Alunite group, 1176  
Amblygonite, 992  
AMPHIBOL, 421  
Amphibole, 840, 1092, 1349  
Amphibole, calcic, 358  
Amphibolite, 1349  
Amphibolite facies, 589  
Analcime, 201, 1209  
Analysis, chemical (mineral)  
  Au, 956  
  aenigmatite, 694  
  alkali feldspar, 544  
  alunite group, 1176  
  amblygonite, 992  
  amphibole, 163, 1092, 1349  
  andalusite, 1043  
  andradite, 1327  
  ankerite, 495  
  annite, 183  
  armalcolite, 97  
  augite, 170  
  baumhauerite, 915  
  baumhauerite-2a, 915  
  berthierine, 909  
  Analysis, chemical (mineral),  
    *cont.*  
    biotite, 305, 656, 886, 983  
    birnessite, 477  
    boggsite, 1200  
    bytownite, 170  
    calcite, 807, 1106  
    celadonite, 983  
    chalcopyrite, 881  
    chlorapatite, 687  
    chlorite, 825  
    chloritoid, 1043  
    chromite, 97  
    clinoptilolite (Cs-exchanged),  
      522  
    clinopyroxene, 345, 1426  
    coesite, 775  
    cordierite, 71  
    corundum, 775  
    dahllite, 687  
    dolomite, 1106  
    dufenite, 1197  
    dumortierite, 1370  
    edgarbaileyite, 1192  
    electrum, 956  
    enstatite, 813, 1029  
    feldspar, 1059  
    franciscite, 1421  
    galena, 1438  
    garnet, 89, 381, 775, 859, 886  
    garnet (fluorian), 859  
    garnet (synthetic), 345  
    genthelvite, 909  
    grandidierite, 415  
    hedenbergite, 1327  
    hematite-ilmenite, 1043  
    hentschelite, 1197  
    hercynite, 589, 1342  
    högbomite, 589  
    hornblende, 89, 170  
    hydroxyapatite, 687  
    illite, 825, 1282  
    ilmenite, 97, 589, 1059  
    ilmenite-hematite, 886  
    jahnsite-(CaMnMn), 401  
    jarosite group, 1176  
  Analysis, chemical (mineral),  
    *cont.*  
    K<sub>2</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>10</sub>·KCl, 947  
    kegelite, 702  
    komerupine, 415  
    kyanite, 381, 775, 1043  
    lehnerite (synthetic), 221  
    lithiomarsturite, 409  
    liveingite (disordered), 289  
    lizardite, 813  
    low albite, 135  
    magnesian calcite, 1151  
    magnetite, 1059  
    merlinoite (synthetic), 188  
    mica, 529, 874  
    monazite, 687  
    montebrasite, 992  
    montesommaite, 1415  
    mullite (Cr-doped synthetic),  
      392  
    muscovite, 983  
    muscovite analysis, statistical  
      treatment of, 1406  
    muscovite, phengitic, 983  
    olivine, 97  
    omphacite, 381  
    orlymanite, 923  
    orthopyroxene, 1426  
    Pt-Fe alloy, 881  
    pentlandite, 881  
    periclase, 1106  
    phlogopite, 97, 983, 1029  
    plagioclase, 89  
    plagioclase feldspar, 544  
    pyrophyllite, 825  
    pyroxene, 1, 620, 764, 813,  
      1092, 1349, 1426  
    pyrrhotite, 881  
    quartz, 791, 1381  
    rectorite, 825  
    rutile, 97, 775  
    SiC, 1110  
    sanidine, 775  
    serpentine, 813  
    sillimanite, 1043  
    spessartine, 314

- Analysis, chemical (mineral),  
*cont.*  
 spinel, 775, 1428, 1342  
 staurolite, 589, 1043  
 sudoite, 825  
 titanite, 97  
 tosudite, 825  
 wawayandaite, 405, 1216  
 [erratum]  
 werdingite, 415  
 wilkinsonite, 694  
 wollastonite, 262  
 yoshiokaite, 676  
 zeolite, 522
- Analysis, chemical (rock)  
 anorthosite, 27, 572  
 Bishop Tuff Rhyolite, 1381  
 calc-silicate, 874  
 camptonite, 1092  
 carbonatite, 1106  
 diorite, 27, 620  
 ferrodiorite, 572  
 glimmerite, 27  
 leuconorite, 1  
 leucotroctolite, 1  
 limestone, 874  
 monzosyenite, 572  
 Nd and Sr isotopes, 13  
 norite, 27  
 pyroxenite, 27  
 quartz syenite, 1092  
 rhyolite, 1311  
 Sr and Nd isotopes, 13  
 syenite, 1092  
 trachyte, 694, 1092
- Andalusite, 1043  
 Andesite genesis, 345  
 Andradite, 1327  
 Andrews site (= hentschelite), 1197  
 Anhydrous mica, 529  
 Ankerite, 495  
 Annite, 183, 328, 1375 [erratum]  
 Annivite, 706  
 Anorthite, 1268  
 Anorthosite, 1, 13, 27, 37, 46,  
 150, 572  
 Anorthosite, ferroan, 46  
 Anorthosite, lunar, 46  
 Anorthosite; Penrose Conference  
 papers, i, 1, 13, 21, 27, 37,  
 46  
 Antarctica  
 högbomite, 589
- Anthracite, 825  
 Apatite (hexagonal; F, OH, Cl),  
 295, 1216 [erratum]  
 Apatite (monoclinic; F, OH, Cl),  
 295, 1216 [erratum]  
 Apatite fission tracks, 1120  
 Arizona  
 bokite, 508, 1216 [erratum]  
 navajoite, 508, 1216 [erratum]  
 stishovite, 951  
 Arkansas  
 laubmannite (= dufrenite), 1197  
 Armalcolite, 97  
 Arsenohauchecornite, 706  
 Arupite, 1209  
 Ashoverite, 431  
 Atomic force microscopy  
 albite, 723  
 Augite, 170, 813  
 Auroantimonate, 931  
 Australia  
 alunite group, 1176  
 jarosite group, 1176  
 Awards  
 MSA Award, acceptance of, 719  
 MSA Award, presentation of,  
 718  
 Roebling Medal, acceptance of,  
 715  
 Roebling Medal, presentation  
 of, 714
- B, 874  
 BaAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>·4H<sub>2</sub>O, 1431  
 Be, 631  
 Be(OH)<sub>2</sub>, 1209  
 BiPb<sub>2</sub>S<sub>2</sub>, 1209  
 Bi<sub>3</sub>S<sub>4</sub>, 1209  
 Bi<sub>3</sub>S<sub>5</sub>, 1209  
 Bi<sub>9</sub>Te<sub>4</sub>, 1209  
 β-SiC, 1110  
 Baiyuneboite-(Ce), 240  
 Bannisterite, Ba analogue of, 931  
 Baumhauerite, 915  
 Baumhauerite-2a, 915  
 Baumite (= zincian caryopilite or  
 zincian greenalite), 705  
 Beckelite, 431  
 Beidellite, 970  
 Benjaminite (Cu-free), 706  
 Bentonite, 267  
 Bernardite, 1209  
 Berndtite polytypes, 1431
- Berthierine, 909  
 Beuschliite, 1147  
 Biotite, 27, 305, 656, 886, 983  
 Biotite (in granitoids), 305  
 Birnessite, 477  
 Bishop Tuff Rhyolite, 1381  
 Boehmite, 209  
 Boggsite, 1200  
 Bokite, 508, 1216 [erratum]  
 Book reviews  
 Essene, E.J.: *Encyclopedia of  
 Minerals*, second edition, by  
 W.L. Roberts, T.J. Campbell,  
 and G.R. Rapp, Jr., 938  
 Holloway, J.R.: *Origins of  
 Igneous Rocks* by Paul C.  
 Hess, 721  
 Ross, M.: *Classical Marble:  
 Geochemistry, Technology,  
 Trade* edited by Norman Herz  
 and Marc Waelkens, 721  
 Stebbins, J.F.: *Fundamentals of  
 Optical, Spectroscopic, and X-  
 Ray Mineralogy* by S. Mitra,  
 938  
 Breccias, lunar regolith, 676  
 Bunsenite, 781  
 Bytownite, 170
- CaNiSi<sub>2</sub>O<sub>6</sub> (synthetic), 1274  
 CaNiSi<sub>2</sub>O<sub>6</sub>-CaMgSi<sub>2</sub>O<sub>6</sub>, 1274  
 CaO-Al<sub>2</sub>O<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O-HF,  
 859  
 CaO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 676  
 CaO-MeO-GeO<sub>2</sub>-SiO<sub>2</sub>-NaOH  
 (Me<sup>2+</sup> = Zn, Fe, Mg), 963  
 CaO-ZnO-GeO<sub>2</sub>-SiO<sub>2</sub>, 847  
 Ca<sub>2</sub>ZnGe<sub>1.25</sub>Si<sub>0.75</sub>O<sub>7</sub>, 847  
 Ca<sub>2</sub>ZnGe<sub>2</sub>O<sub>7</sub>, 847  
 Ca<sub>5</sub>[(Ge,Si)<sub>2</sub>O<sub>7</sub>][(Ge,Si)O<sub>4</sub>], 963  
 Cd-freibergite, 706  
 CH<sub>4</sub> fluid inclusion, 59  
 CO<sub>2</sub>, 1311  
 CO<sub>2</sub> fluid inclusion, 59  
 CO<sub>2</sub> in melt inclusions, 1381  
 Cu<sub>2</sub>AgS, 431  
 Cu<sub>4.43</sub>Ag<sub>1.05</sub>S<sub>5.00</sub>, 431  
 Cu<sub>5</sub>Fe<sub>9</sub>S<sub>14</sub>, 706  
 Cu<sub>7</sub>Fe<sub>8</sub>S<sub>16</sub>, 706  
 Calc-silicate, 874  
 Calc-silicate hornfels, 387  
 Calc-silicate reaction, 874  
 Calciovolborthite, 1209

- Calcite, 801, 807, 1106, 1151  
 Calcite-I, 801  
 Calcite-II, 801  
 Calibration curve  
   (microthermometric), 226  
 California  
   Bishop Tuff Rhyolite, 1381  
   dumortierite, 1370  
   greenschist, 230  
   merlinoite, 201  
   nissonite, 1170  
   phillipsite, 201  
   quartz, 1381  
   tuffaceous sediments, 201  
 Camptonite, 1092  
 Carbonatite, 1106  
 Carrollite, 247  
 Cathodoluminescence, 791  
 Celadonite, 983  
 Cervandonite-(Ce), 931  
 Cerveleite, 1431  
 Chaidamuite, 1431  
 Chalcopyrite, 881  
 Chalcopyrite (zincian), 706  
 Chernikovite, 221  
 Chestermanite, 431  
 Chile  
   garnet amphibolite, 89  
 China  
   coesite (pseudomorph), 381  
   diamond, 1110  
   eclogite, 381  
   kimberlite, 1110  
   SiC inclusion, 1110  
 Chlorapatite, 687  
 Chlorite, 230, 813, 825  
 Chlorite stability, 105  
 Chloritoid, 1043  
 Chromatography, 1447  
 Chromite, 97  
 Clathrasil, 748  
 Clay, 230  
 Cliachite, 431  
 Clinocllore, 14-Å, 105  
 Clinoenstatite, 1080  
 Clinoptilolite, 601  
 Clinoptilolite (Cs-exchanged), 522  
 Clinopyroxene, 345, 1426  
 Clintonite, 656  
 Coesite, 748, 775  
 Coesite (pseudomorph), 381  
 Color, 237  
 Colorado  
   bentonite, 267  
   spessartine, 314  
 Committees of MSA for 1990,  
   1227  
 Compressibility measurements  
   garnet, 731  
   olivine, 731  
   orthopyroxene, 731  
   stishovite, 739  
 Computer programs  
   AMPHIBOL, 421  
   graphical projections, 1428  
   mineral formula recalculation,  
     424  
   MINTAB, 424  
   PX, 1426  
   SPINEL, 1428  
   SPINELTAB, 1428  
 Cordierite, 71  
 Corundum, 209, 439, 775  
 Corvusite, 508, 1216 [erratum]  
 Criddleite, 706  
 Crustal evolution, 37  
 Crystal growth  
   amphibole, 1349  
    $\text{Ca}_2\text{ZnGe}_{1.25}\text{Si}_{0.75}\text{O}_7$ , 847  
    $\text{Ca}_2\text{ZnGe}_2\text{O}_7$ , 847  
   enstatite, 1029  
    $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\cdot\text{KCl}$ , 947  
   phlogopite, 1029  
   quartz, 791  
   sylvite, 226  
 Crystal structure, 501  
   albite, 723  
   alkali feldspar, 141  
   amblygonite, 992  
   anhydrous mica, 529  
   anorthosite, 150  
   apatite (hexagonal; F, OH, Cl),  
     295, 1216 [erratum]  
   apatite (monoclinic; F, OH, Cl),  
     295, 1216 [erratum]  
   biotite, 305  
   birnessite, 477  
    $\text{CaNiSi}_2\text{O}_6$  (synthetic), 1274  
    $\text{Ca}_2\text{ZnGe}_{1.25}\text{Si}_{0.75}\text{O}_7$ , 847  
    $\text{Ca}_2\text{ZnGe}_2\text{O}_7$ , 847  
    $\text{Ca}_5[(\text{Ge},\text{Si})_2\text{O}_7][(\text{Ge},\text{Si})\text{O}_4]$ ,  
     963  
   calcite, 1151  
   carrollite, 247  
   clathrasil, 748  
 Crystal structure, *cont.*  
   clinoptilolite (Cs-exchanged),  
     522  
   coesite, 748  
   diopside (synthetic), 1274  
   edgarbaileyite, 1192  
   framework silicates, 1253  
   franciscite, 1421  
    $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\cdot\text{KCl}$ , 947  
   leucite, 464  
   lithiomarsturite, 409  
   lithiophorite (Cu-bearing), 490  
   low albite, 135  
   magnesian calcite, 1151  
   mica, 529  
    $\text{Mn}_3\text{O}_4$ -II, 1249  
   montebrasite, 992  
   montesommaite, 1415  
   mullite (Cr-doped synthetic),  
     392  
    $\text{NaAlSi}_3\text{O}_8$  glass, 943  
    $\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$ , 963  
   nissonite, 1170  
   plagioclase, 150  
   polydymite, 247  
   polyhedral model, 1376  
   polytype, *1M*, 305  
   silica minerals, 1253  
   silica polymorph, 748  
   spessartine (F-bearing), 314  
   stishovite, 739  
   tectosilicates, 1159  
   violarite, 247  
   yoshiokaite, 1186  
   zeolite, 522  
 Crystal synthesis  
   alkali feldspar, 544  
   andradite, 1327  
   beutschliite, 1147  
   birnessite, 477  
    $\text{CaNiSi}_2\text{O}_6$  (synthetic), 1274  
    $\text{Ca}_5[(\text{Ge},\text{Si})_2\text{O}_7][(\text{Ge},\text{Si})\text{O}_4]$ ,  
     963  
   clinoptilolite (Cs-exchanged),  
     522  
   diopside (synthetic), 1274  
   eitelite, 1147  
   enstatite, 1029  
   fairchildite<sub>ss</sub>, 1147  
   hedenbergite, 1327  
    $\text{Mn}_3\text{O}_4$ -II, 1249  
   mullite (Cr-doped synthetic),  
     392

- Crystal synthesis, *cont.*  
 $\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$ , 963  
 phlogopite, 1029  
 plagioclase feldspar, 544  
 pyroxene, 1349  
 pyrrhotite, 755  
 quartz, 1029  
 sanidine, 1029  
 stishovite, 739
- Crystallinity  
 $^{133}\text{Cs}$  MAS-NMR  
 spectroscopy, 970  
 tremolite (synthetic), 358
- Cuprotungstite, 706
- DTA, TGA  
 graphite, 1447  
 jahnsite-(CaMnMn), 401  
 lehnerite (synthetic), 221  
 merlinoite (synthetic), 188  
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$ , 667  
 wawayandaite, 405, 1216  
 [erratum]
- Dahllite, 687
- Darken equation, 539
- Davyne, 1431
- Density, 46
- Diamond, 1110, 1290
- Diamond, N defects in, 1290
- Diaoyudaosite, 240
- Diopside, 840, 1080
- Diopside (synthetic), 1274
- Diorite, 27, 620
- Discreditation of mineral species,  
 928
- Discredited minerals  
 andrewsite (= hentschelite), 1197  
 baumite (= zincian caryopilite or  
 zincian greenalite), 705  
 discreditation of a mineral  
 species, 928  
 isostannite (= kesterite-  
 ferrokesterite series member),  
 1431  
 laubmannite (= dufrenite), 1197  
 piypite-caratiite, 1209
- Discredited minerals (abstract)  
 fernandinite, 1209  
 kirwanite (= ferri-ferro-  
 hornblende), 431
- Dolomite, 1106
- Donharrisite, 706
- Dufrenite, 1197
- Dumortierite, 1370
- Eu (in lunar anorthosite), 46
- Eclogite, 381, 775
- Edgarbaileyite, 1192, 1431
- Editor, 1989 Report of the, 1221
- Eitelite, 1147
- Electron diffraction  
 albite, 723  
 amphibole, 840  
 ankerite, 495  
 augite, 813  
 baumhauerite, 915  
 baumhauerite-2a, 915  
 birnessite, 477  
 calcite, 807  
 chlorite, 813  
 diopside, 840  
 enstatite, 813  
 illite, 1282  
 illite/smectite, 267  
 leucite, 464  
 liveingite (disordered), 289  
 lizardite, 813  
 magnetite, 840  
 pyroxene, 813  
 serpentine, 813
- Electron microscopy  
 amphibole, 840, 1349  
 ankerite, 495  
 augite, 813  
 baumhauerite, 915  
 baumhauerite-2a, 915  
 birnessite, 477  
 calcite, 807  
 chalcopyrite, 881  
 chlorite, 813  
 diopside, 840  
 enstatite, 813  
 hollandite, 490  
 illite, 1282, 1443  
 illite/smectite, 267, 1443  
 leucite, 464  
 lithiomarsturite, 409  
 lithiophorite (Cu-bearing), 490  
 liveingite (disordered), 289  
 lizardite, 813  
 magnetite, 840  
 orlymanite, 923  
 Pt-Fe alloy, 881  
 pentlandite, 881  
 pyroxene, 813  
 pyrrhotite, 881
- Electron microscopy, *cont.*  
 serpentine, 813  
 sheet silicates, 276  
 smectite, 1443  
 vermiculite, 1443
- Electrum, 956
- England  
 andrewsite (= hentschelite), 1197
- Enstatite, 813, 1029, 1080
- Epidote, 230
- EPR spectroscopy  
 color, 237  
 $\text{Mn}^{2+}$ , 237  
 mullite (Cr-doped synthetic),  
 392  
 $\text{O}^{1-}$  centers, 237  
 tourmaline, 237
- Errata  
 garnet mixing, 1375  
 ternary apatites, crystal  
 structures, 1216  
 V bronzes, crystal chemistry,  
 1216  
 wawayandaite, 1216
- Euchlorine, 1209
- EXAFS, 247, 490
- Experimental apparatus, 398
- Experimental petrology  
 alunite, 209  
 amphibole, calcic, 358  
 amphibolite, 1349  
 andradite, 1327  
 carbonatite, 1106  
 enstatite, 1029  
 experiments, inclusion  
 homogenization, 1381  
 feldspar, 544  
 feldspar, ternary, 560, 1071  
 glass inclusions, 1381  
 grossular-almandine, 319  
 grossular-spessartine, 319  
 hedenbergite, 1327  
 hercynite, 1342  
 kinetics, 1349  
 liquid, 1349  
 melt, 1349  
 microcline-sanidine- $\text{H}_2\text{O}$ , 1362  
 multianvil device, 1020  
 $\text{Na}_2\text{CO}_3\text{-H}_2\text{O}$  fluids, 667  
 natroalunite, 209  
 oxygen fugacity control, 398  
 phlogopite, 1029  
 pyroxene, 1349

- Experimental petrology, *cont.*  
   rhyolitic melt, CO<sub>2</sub> solubility  
     in, 1311  
   spinel, 1342  
   tonalite, 345  
   tremolite, 358  
 Experiments, inclusion  
   homogenization, 1381  
  
 Fe<sup>2+</sup>, 237  
 Fe<sup>3+</sup>, 237  
 Fe-Mn oxide, 256  
 Fe-Mn silicate, 256  
 Fe-shafanovskite, 431  
 Fe<sub>1-x</sub>S-Ni<sub>1-x</sub>S *Mss*, 431  
 Fe-Ti oxide, 1059  
 Fairchildite<sub>ss</sub>, 1147  
 Fairchildite<sub>ss</sub>-beuschliite-eitelite  
   eutectoid, 1147  
 Fedotovite, 240  
 Feldspar, 230, 544, 1059  
 Feldspar crystallization, 560  
 Feldspar, IĪ, 150  
 Feldspar-leucite relations, 1362  
 Feldspar, ternary, 560, 1071  
 Feldspar thermometry, 544  
 Fernandinite, 508, 1209, 1216  
   [erratum]  
 Ferrihydrite, 431  
 Ferrodiorite, 572  
 Ferrokesterite, 1431  
 Feruvite, 706  
 Financial Advisory Committee,  
   1989 Report of the, 1219  
 Florensovite, 1209  
 Fluid immiscibility, 59  
 Fluid inclusions, 59, 909  
   quartz calcite, 387  
   vesuvianite, 387  
 Fluids, metamorphic, 387  
 Foordite, 706  
 Former officers, medal recipients,  
   and meeting places, list of,  
   1223  
 Forsterite, 443, 109  
 Framework silicates, 1253  
 France  
   low albite, 135  
   pyroxene, 813  
   serpentine, 813  
 Francisite, 1421  
 Françoisite-(Nd), 240  
  
 Ga (in lunar anorthosite), 46  
 GeO<sub>2</sub> (rutile structure), 1238  
 Galena, 1438  
 Galena (Ag-Sb-bearing), 1438  
 Galliosilicate, 1231  
 Garnet, 89, 328, 381, 731, 775,  
   859, 886, 1375 [erratum]  
 Garnet amphibolite, 89  
 Garnet-biotite, 328, 1375  
   [erratum]  
 Garnet (fluorian), 859  
 Garnet (hydrous), 859  
 Garnet mixing, 1375  
 Garnet, Mn mixing in, 886  
 Garnet (synthetic), 345  
 Gartrellite, 931  
 Genthelvite, 909  
 Geobarometry  
   feldspar, 544  
   fluid inclusion, 59  
   garnet, 328, 1375 [erratum]  
   garnet amphibolite, 89  
   garnet-biotite, 328, 1375  
   [erratum]  
   pelitic schist, 1043  
   quartzite, 1043  
 Geochemistry  
   agate, 1205, 1207  
   alkaline lake system, 201  
   alunite, 209  
   anorthosite, 1, 13, 572  
   anorthosite, ferroan, 46  
   anorthosite, lunar, 46  
   anthracite, 825  
   B, 874  
   breccias, lunar regolith, 676  
   carbonatite, 1106  
   chlorapatite, 687  
   Darken equation, 539  
   feldspar, 1059  
   ferrodiorite, 572  
   garnet, F in, 859  
   greenschist, 230  
   hydrocarbon fluid inclusions  
     (synthetic), 226  
   hydroxyapatite, 687  
   ilmenite, 1059  
   magnetite, 1059  
   meteorite, lunar, 46  
   mica, 529  
   microdiorite, 620  
   mineral solid solutions, 539  
   monzosyenite, 13, 572  
  
 Geochemistry, *cont.*  
   natroalunite, 209  
   plagioclase, lunar, 46  
   pyroxene, 620  
   saline lake system, 201  
   thermodynamics, 539  
 Geothermometry  
   biotite, 886  
   calibration curve  
     (microthermometric), 226  
   diamond, 1290  
   Fe-Ti oxide, 1059  
   feldspar, 544, 1059  
   garnet, 886  
   garnet-biotite, 328, 1375  
   [erratum]  
   genthelvite, 909  
   muscovite, 1406  
   pelitic schist, 1043  
   plagioclase, 1406  
   pyroxene, 620  
   pyroxene thermometry, 1426  
   quartzite, 1043  
 Glass inclusions, 1381  
 Glimmerite, 27  
 Godovikovite, 240  
 Gold amalgam, 1209  
 Gottardi, Glauco, Memorial of,  
   940  
 Grandidierite, 415  
 Granite, 631, 1029  
 Granulite, 1349  
 Graphical projections, 1428  
 Greenland  
   garnet (F-bearing), 859  
 Greenschist, 230  
 Grimm, Ralph E., Memorial of,  
   721  
 Griphite, 1447  
 Grossular-almandine, 319  
 Grossular-spessartine, 319  
  
 H<sub>2</sub>O, 1311  
 H<sub>2</sub>O in melt inclusions, 1381  
 H<sub>2</sub>O-CaO-MgO-SiO<sub>2</sub>, 358  
 Hainite, 931  
 Hectorite, 970  
 Hedenbergite, 1327  
 Hematite, 781, 886  
 Hematite-ilmenite, 1043  
 Hemloite, 1431  
 Hentschelite, 1197  
 Hercynite, 589, 1342

- Heulandite, 601  
 Hewettite group, 508, 1216  
   [erratum]  
 High cubanite (zincian), 706  
 High-pressure phases  
   calcite, 801  
   calcite-I, 801  
   calcite-II, 801  
   coesite (pseudomorph), 381  
   corundum, 439  
   diamond, 1110  
   GeO<sub>2</sub> (rutile structure), 1238  
   MgSiO<sub>3</sub> perovskite, 443  
   Mn<sub>3</sub>O<sub>4</sub>-II, 1249  
   NaAlSi<sub>3</sub>O<sub>8</sub> glass, 943  
   ringwoodite, 443  
   SiC, 1110  
   stishovite, 739  
   wadsleyite, 443  
 High-silica melts, 1362  
 Hingganite-(Ce), 431  
 Högbomite, 589  
 Hollandite, 490  
 Holtedahlite, 931  
 Holtite, 931  
 Hornblende, 89, 170  
 Hydrocarbon fluid inclusions  
   (synthetic), 226  
 Hydrogen fugacity at high *P* and  
   *T*, 1399  
 Hydrotalcite (7.56-Å CO<sub>3</sub>-  
   manasseite, 2*H*), 240  
 Hydrotalcite (8.85-Å SO<sub>4</sub>-), 240  
 Hydrotalcite (11-Å SO<sub>4</sub>-, 1*H*), 240  
 Hydrotalcite (16.5-Å mixed-layer  
   CO<sub>3</sub>-SO<sub>4</sub>-), 240  
 Hydrotalcite (18.5-Å mixed-layer  
   CO<sub>3</sub>-SO<sub>4</sub>-, 3*R*), 240  
 Hydroxyapatite, 687  
 Hypothetical lunar, 46  
  
 Iceland  
   calcite, 801  
 Igneous petrology  
   amphibolite (melted), 1349  
   andesite genesis, 345  
   anorthosite, 1, 13, 37, 572  
   anorthosite, ferroan, 46  
   anorthosite, lunar, 46  
   CO<sub>2</sub> in melt inclusions, 1381  
   chlorapatite, 687  
   crustal evolution, 37  
   feldspar crystallization, 560  
   Igneous petrology, *cont.*  
     feldspar, ternary, 560  
     granite, 631, 1029  
     H<sub>2</sub>O in melt inclusions, 1381  
     high-silica melts, 1362  
     hydroxyapatite, 687  
     kimberlite, 97  
     mantle nodules (xenoliths), 97  
     metasomatism, 97  
     meteorite, lunar, 46  
     microdiorite, 620  
     monazite, 687  
     monzosyenite, 13  
     partial melt, 1349  
     pegmatite, 631  
     rutile nodules, 97  
     Stillwater Complex, 37  
     subduction zone magmatism,  
       105  
     syenite, 1029  
   Ilbaite, 1209  
   Illite, 825, 1282, 1443  
   Illite/smectite, 267, 970, 1182,  
     1443  
   Ilmenite, 97, 328, 589, 886,  
     1059, 1375 [erratum]  
   Ilmenite-hematite, 886  
   Indonesia  
     diamond, 1290  
   Ion exchange, 529  
   IR spectroscopy  
     amblygonite, 992  
     anhydrous cesium mica, 529  
     biotite, 983  
     CO<sub>2</sub>, 1311  
     CO<sub>2</sub> in melt inclusions, 1381  
     celadonite, 983  
     coesite, 775  
     cordierite, 71  
     corundum, 775  
     diamond, 1290  
     GeO<sub>2</sub> (rutile structure), 1238  
     garnet, 775  
     graphite, 1447  
     H<sub>2</sub>O, 1311  
     H<sub>2</sub>O in melt inclusions, 1381  
     kegelite, 702  
     kyanite, 775  
     lepidolite, 983  
     montebrasite, 992  
     muscovite, 983  
     muscovite (phengitic), 983  
     paragonite (dehydroxylated), 529  
   IR spectroscopy, *cont.*  
     phlogopite, 983  
     pyroxene, 764  
     rhyolitic glass, 1311  
     rutile, 775  
     sanidine, 775  
     spessartine (F-bearing), 314  
     spinel, 775  
     stishovite, 951  
     surface analysis (by micro-  
       FTIR), 226  
   Iron chlorides, 706  
   Isochalcopyrite, 431  
   Isostannite (= kesterite-  
     ferrokesterite series member),  
     1431  
   Italy  
     biotite (in granitoids), 305  
     montesommaite, 1415  
   Ivory Coast  
     lithiophorite, 490  
  
   Jahnsite-(CaMnMn), 401  
   Jarosite group, 1176  
  
   KAlSi<sub>3</sub>O<sub>8</sub>-H<sub>2</sub>O, 1362  
   KCl-H<sub>2</sub>O-hydrocarbon, 226  
   K<sub>2</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>10</sub>-KCl, 947  
   K<sub>2</sub>Ca(CO<sub>3</sub>)<sub>2</sub>-Na<sub>2</sub>Mg(CO<sub>3</sub>)<sub>2</sub>, 1147  
   K<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 120  
   K<sub>2</sub>O-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O-CO<sub>2</sub>,  
     1029  
   Kamchatkite, 1209  
   Kaolinite, 825, 970  
   Karoo volcanics, 1207  
   Kegelite, 702  
   KFMASH system, 367  
   Kimberlite, 97, 1110  
   Kinetics, 1349  
     amphibole, 1349  
     apatite fission tracks, 1120  
     CO<sub>2</sub> in melt inclusions, 1381  
     diamond, N defects in, 1290  
     H<sub>2</sub>O in melt inclusions, 1381  
     liquid, 1349  
     pyroxene, 1349  
     rhyolitic liquid, CO<sub>2</sub> diffusion  
       in, 1311  
   Kirwanite (= ferri-ferro-  
     hornblende), 431  
   Klyuchevskite, 1209  
   Kornerupine, 415  
   Krautite, 1140

- Kulanite, 240  
 Kullerud, Gunnar, Memorial of, 1451  
 Kyanite, 381, 775, 1043  
  
 Li, 631  
 $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$ , 120  
 Labrador  
   anorthosite, 1  
 Lacroixite, 431  
 Lanthanite group, 1209  
 Laubmannite (= dufrenite), 1197  
 Lehnerite, 1431  
 Lehnerite (synthetic), 221  
 Lepidolite, 983  
 Leucite, 464  
 Leucodiorite, 27  
 Leuconorite, 1, 27  
 Leucotroctolite, 1  
 Limestone, 874  
 Liquid, 1349  
 Lithiomarsturite, 409  
 Lithiophorite, 490  
 Lithiophorite (Cu-bearing), 490  
 Liveingite, 289  
 Liveingite (disordered), 289  
 Liveingite (relationship to baumhauerite-2a), 915  
 Lizardite, 813  
 Low albite, 135  
 Lunar mineralogy, 676  
  
 $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$  (MASH) system, 105  
 $\text{MgSiO}_3$  perovskite, 443  
 $\text{Mg}_2\text{Si}_2\text{O}_6-\text{CaMgSi}_2\text{O}_6$ , 1080  
 $\text{Mn}^{2+}$ , 237  
 $\text{Mn}^{3+}$ , 237  
 $\text{Mn}_3\text{O}_4$ -II, 1249  
 Magma ocean, 46  
 Magnéli phases (natural), 1431  
 Magnesian calcite, 1151  
 Magnesioaubertite, 1431  
 Magnetic properties  
   bunsenite, 781  
   magnetite, 781  
   pyrrhotite, 755  
 Magnetite, 781, 840, 1059, 1327  
 Magnetite-hematite, 781  
 Magnolite, 431  
 Maine  
   biotite, 656  
   metacarbonate, 59  
   Maine, *cont.*  
     pelite, 59  
 Manandonite, 1209  
 Mantle metasomatism, 97  
 Mantle nodules (xenoliths), 97  
 Mcauslanite, 706  
 Mechanical properties  
   density, 46  
   garnet, 731  
   melt during anorthosite genesis, 46  
   olivine, 731  
   orthopyroxene, 731  
   viscosity, 1231  
 Melt, 1349  
 Melt during anorthosite genesis, 46  
 Melt structure  
   galliosilicate, 1231  
   rhyolite, 1311  
   rhyolitic-composition glass, 1009  
   tectosilicates, 1159  
 Melted amphibolite, 1349  
 Memorials  
   Gottardi, Glauco, 940  
   Grimm, Ralph E., 1229  
   Kullerud, Gunnar, 1451  
 Merlinoite, 201  
 Merlinoite (by EMP), 188  
 Merlinoite (synthetic), 188, 201  
 Metacarbonate, 59  
 Metamictization, 1447  
 Metamorphic fluid, F-rich, 859  
 Metamorphic petrology  
   amphibolite, 1349  
   amphibolite facies, 589  
   B, 874  
   biotite, 886  
   calc-silicate reaction, 874  
   cordierite, 71  
   eclogite, 381  
   enstatite, 1029  
   feldspar thermometry, 544  
   fluid inclusion, 59  
   fluids, 387  
   garnet, 886  
   granulite, 1349  
   greenschist, 230  
   hematite, 886  
   ilmenite, 886  
   mantle metasomatism, 97  
   metamorphic fluid, F-rich, 859  
   Metamorphic petrology, *cont.*  
     metapelitic rocks, 367  
     phlogopite, 1029  
     quartzofeldspathic gneisses, 589  
 Metapelitic rocks, 367  
 Metasomatism, 97  
 Meteorite, lunar, 46  
 Mexico  
   galena (Ag-Sb-bearing), 1438  
 Mica, 529, 874  
 Mica-diorite, 27  
 Microcline, 1268  
 Microcline-sanidine- $\text{H}_2\text{O}$ , 1362  
 Microdiorite, 620  
 Mineral formula recalculation, 424  
 Mineral solid solutions, 539  
 Mineral X, 431  
 Mineralogical Society of America  
   Award  
     acceptance of, 719  
     presentation of, 718  
 Minnesota  
   bytowntite, 170  
 MINTAB, 424  
 Modulated microstructures, 495  
 Monazite, 687  
 Monoclinic polymorph of  $\text{SiO}_2$ , 1431  
 Montana  
   annite, 183  
   chlorapatite, 687  
   hydroxyapatite, 687  
   monazite, 687  
 Montana, Stillwater Complex, 687  
 Montebrasite, 992  
 Montesommaite, 1415  
 Montmorillonite, 970  
 Monzosyenite, 13, 572  
 Moon  
   anorthosite, 46  
   norite, 46  
   troctolite, 46  
   yoshiokaite, 676  
 Moschelite, 1209  
 Mössbauer spectroscopy  
   biotite, 656, 886  
   pyrrhotite, 755  
 Mückeite, 706  
 Mullite (Cr-doped synthetic), 392  
 Multianvil device, 1020  
 Muscovite, 970, 983, 1406

- Muscovite analysis, statistical treatment of, 1406
- Muscovite (dehydroxylated), 529
- Muscovite (phengitic), 983
- NaAlSi<sub>3</sub>O<sub>8</sub> glass, 943
- Na<sub>2</sub>Ca<sub>6</sub>[Si<sub>2</sub>O<sub>7</sub>][SiO<sub>4</sub>]<sub>2</sub>, 963
- Na<sub>2</sub>CO<sub>3</sub>-H<sub>2</sub>O, 667
- Na<sub>2</sub>CO<sub>3</sub>-H<sub>2</sub>O fluids, 667
- Na<sub>2</sub>O-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 120
- Nb, 631
- Nd and Sr isotopes, 13
- Ni-NiO, 781
- Ni<sub>3</sub>Sn<sub>2</sub>, 431
- Nacareniobsite-(Ce), 706
- Namibia
- agate, 1205, 1207
  - kegelite, 702
- Nanpingite, 706
- Natroalunite, 209
- Navajoite, 508, 1216 [erratum]
- New equipment
- multianvil device, 1020
- New Hampshire
- amphibole, 1092
  - camptonite, 1092
  - pyroxene, 1092
  - syenite, 1092
- New Jersey
- wawayandaite, 405, 1216 [erratum]
  - zincian caryopillite or zincian greenalite, 705
- New Mexico
- feldspar, 1059
  - ilmenite, 1059
  - magnetite, 1059
  - pelitic schists, 1043
  - rhyolite, 1059
- New Mexico (Precambrian)
- pelitic schist, 886
- New mineral data (abstracts)
- analcime, 1209
  - arsenohauchecomite, 706
  - beckelite, 431
  - benjaminite (Cu-free), 706
  - berndtite polytypes, 1431
  - calciovolborthite, 1209
  - chaidamuite, 1431
  - cuprotungstite, 706
  - davyne, 1431
  - euchlorine, 1209
  - ferrihydrate, 431
- New mineral data (abstracts), *cont.*
- hainite, 931
  - holtedahllite, 931
  - holtite, 931
  - kulanite, 240
  - lacroixite, 431
  - lanthanite group, 1209
  - magnolite, 431
  - manandonite, 1209
  - nisaite = phurcalite, 1209
  - robinsonite, 1431
  - sapphirine polytypes, 931
  - stibivanite-2O, 931
  - tangeite, 1209
  - tokkoite, 1209
  - tučekite (As-bearing), 706
  - volkovskite, 1431
  - wolframoixiolite, 1209
  - wölsendorfite group, 240
  - yafsoanite, 931
  - zirconolite, 1209
- New minerals (abstracts)
- (Ag,Bi)<sub>2</sub>Se, 706
  - akhtenskite, 931
  - annivite, 706
  - arupite, 1209
  - ashoverite, 431
  - auroantimonate, 931
  - baiyuneboite-(Ce), 240
  - bernardite, 1209
  - Cd-freibergite, 706
  - Cu<sub>5</sub>Fe<sub>9</sub>S<sub>14</sub>, 706
  - Cu<sub>7</sub>Fe<sub>8</sub>S<sub>16</sub>, 706
  - cervandonite-(Ce), 931
  - cervelleite, 1431
  - chalcopyrite (zincian), 706
  - chestermanite, 431
  - cliachite, 431
  - criddleite, 706
  - diaoyudaoite, 240
  - donharrisite, 706
  - edgarbaileyite, 1431
  - Fe-shafranovskite, 431
  - fedotovite, 240
  - ferrokesterite, 1431
  - feruvite, 706
  - florensovite, 1209
  - foordite, 706
  - françoisite-(Nd), 240
  - gartrellite, 931
  - godovikovite, 240
  - gold amalgam, 1209
  - hemloite, 1431
- New minerals (abstracts), *cont.*
- high cubanite (zincian), 706
  - hingganite-(Ce), 431
  - hydrotalcite (7.56-Å CO<sub>3</sub>-manasseite, 2H), 240
  - hydrotalcite (8.85-Å SO<sub>4</sub>-), 240
  - hydrotalcite (11-Å SO<sub>4</sub>-, 1H), 240
  - hydrotalcite (16.5-Å mixed-layer CO<sub>3</sub>-SO<sub>4</sub>-), 240
  - hydrotalcite (18.5-Å mixed-layer CO<sub>3</sub>-SO<sub>4</sub>-, 3R), 240
  - ilbaite, 1209
  - iron chlorides, 706
  - isochalcopyrite, 431
  - kamchatkite, 1209
  - klyuchevskite, 1209
  - lehnerite, 1431
  - magnéli phases (natural), 1431
  - magnesioaubertite, 1431
  - mcauslanite, 706
  - moschelite, 1209
  - mückeite, 706
  - nacareniobsite-(Ce), 706
  - nanpingite, 706
  - odinite, 431
  - Pb<sub>6</sub>Bi<sub>7</sub>(Cu,Ag)S<sub>17</sub>, 706
  - pararobertsite, 1209
  - petrukite, 1431
  - ponomarevite, 706
  - remondite-(Ce), 431
  - rhenium sulfide, 1209
  - rittmannite, 931
  - scrutinyite, 706
  - shabaite-(Nd), 431
  - sophiite, 1209
  - tetrahedrite-Cd, 706
  - ulrichite, 240
  - unnamed Ag-Cu and Ag-Sn sulfides, 706
  - unnamed Pd-As-Sb-Te minerals, 706
  - vanadium-titanium carbide, 1431
  - vaughanite, 706
  - velikite, 931
  - vochtenite, 1209
  - voggite, 1431
  - whiteite-(CaMnMg), 931
  - zabuyelite, 240
  - zemkorite, 931
  - zhanghengite, 240
  - zimbabweite, 240
  - zincovoltaita, 240



- New minerals (descriptions)  
 baumhauerite-2a, 915  
 boggsite, 1200  
 francisite, 1421  
 jahnsite-(CaMnMn), 401  
 lithiomarsturite, 409  
 montesommaite, 1415  
 orlymanite, 923  
 wawayandaite, 405, 1216  
 [erratum]  
 werdingite, 415  
 wilkinsonite, 694  
 yoshiokaite, 676
- New South Wales  
 diamond, 1290  
 wilkinsonite, 694
- New York  
 bentonite, 267
- New Zealand  
 augite, 170  
 hornblende, 170  
 illite, 1282  
 microdiorite, 620  
 pyroxene (Fe-rich), 620
- Niger  
 berthierine, 909  
 genthelvite, 909
- Nisaite = phurcalite, 1209
- Nissonite, 1170
- NMR spectroscopy  
 beidellite, 970  
 hectorite, 970  
 illite/smectite, 970  
 kaolinite, 970  
 montmorillonite, 970  
 muscovite, 970  
 NaAlSi<sub>3</sub>O<sub>8</sub> glass, 943  
 phlogopite, F-rich, 970  
 pyrophyllite, 970  
 rhyolitic-composition glass,  
 1009  
 saponite, 970  
 talc, 970  
 vermiculite, 970
- Norite, 27, 46
- North Carolina  
 lithiomarsturite, 409
- North Sea  
 ankerite, 495
- O<sup>1-</sup> centers, 237
- Odinite, 431
- Officers of MSA  
 Former officers, medal  
 recipients, and meeting places,  
 list of, 1223  
 Officers and committees for  
 1990, 1227
- Olivine, 97, 731
- Olivine-plagioclase-silica, 46
- Omphacite, 381
- Optical properties  
 amblygonite, 992  
 baumhauerite, 915  
 baumhauerite-2a, 915  
 biotite, 656  
 boggsite, 1200  
 clintonite, 656  
 jahnsite-(CaMnMn), 401  
 lehnerite (synthetic), 221  
 lithiomarsturite, 409  
 low albite, 135  
 montebrasite, 992  
 montesommaite, 1415  
 orlymanite, 923  
 wawayandaite, 405, 1216  
 [erratum]  
 werdingite, 415  
 wilkinsonite, 694  
 yoshiokaite, 676
- Optical spectroscopy  
 color, 237  
 Fe-Mn oxide, 256  
 Fe-Mn silicate, 256  
 Mn<sup>2+</sup>, 237  
 Mn<sup>3+</sup>, 237  
 O<sup>1-</sup> centers, 237  
 quartz, 791  
 tourmaline, 237
- Order-disorder  
 Al-Si order on melting, effect  
 of, 1362  
 albite, 443  
 alkali feldspar, 141  
 baumhauerite, 915  
 baumhauerite-2a, 915  
 Ca<sub>2</sub>ZnGe<sub>2</sub>O<sub>7</sub>, 847  
 calcite, 807  
 clathrasil, 748  
 clinoptilolite (Cs-exchanged),  
 522  
 Darken equation, 539  
 feldspar, II, 150  
 framework silicates, 1253  
 liveingite, 289
- Order-disorder, *cont.*  
 low albite, 135  
 pyrrhotite, 755  
 sartorite group, 289  
 silica minerals, 1253  
 silica polymorph, 748  
 thermodynamics, 539
- Oregon  
 boggsite, 1200  
 clinoptilolite, 522
- Orlymanite, 923
- Orthoenstatite, 1080
- Orthopyroxene, 27, 731, 1426
- Oxyamphibole, 163
- Oxygen fugacity control, 398
- Pb (in zircon), 21
- Pb chlorosulfosalts, 1431
- Pb-As-S, 289
- Pb<sub>5</sub>As<sub>8</sub>S<sub>17</sub> and argentiferous  
 baumhauerite, 431
- Pb<sub>6</sub>Bi<sub>7</sub>(Cu,Ag)S<sub>17</sub>, 706
- Pd-As-Sb-Te minerals, 706
- Pt-Fe alloy, 881
- Pt-Fe alloy; Pd, Ru, and Rh in,  
 881
- Paragonite (dehydroxylated), 529
- Pararobertsite, 1209
- Partial melt, 1349
- Pegmatite, 631
- Pelite, 59
- Pelitic schist, 886, 1043
- Pennsylvania  
 anthrasite, 825  
 illite, 825  
 Pt-Fe alloy, 881
- Penrose Conference papers, i, 1,  
 13, 21, 27, 37, 46
- Pentlandite, 881
- Pentlandite; Pd, Ru, and Rh in,  
 881
- Periclase, 1106
- Perovskite, 443
- Peru  
 fernandinite, 508, 1216  
 [erratum]
- Petrukite, 1431
- Phase equilibria  
 aluminum silicate, 1043  
 alunite, 209  
 analcime, 201  
 andradite, 1327  
 boehmite, 209

Phase equilibria, *cont.*

CaO-ZnO-GeO<sub>2</sub>-SiO<sub>2</sub>, 847  
 calcite, 801  
 carbonatite, 1106  
 chlorite stability, 105  
 chloritoid, 1043  
 clinoenstatite, 1080  
 clinoptilolite, 601  
 corundum, 209  
 diopside, 1080  
 enstatite, 1029, 1080  
 fairchildite<sub>ss</sub>-beutschliite-eitelite  
 eutectoid, 1147  
 feldspar-leucite relations, 1362  
 fluid immiscibility, 59  
 garnet (fluorian), 859  
 hedenbergite, 1327  
 hercynite, 1342  
 heulandite, 601  
 illite/smectite, 1182  
 KFMASH system, 367  
 magnetite, 1327  
 magnetite-hematite, 781  
 merlinoite, 201  
 metapelitic rocks, 367  
 Na<sub>2</sub>CO<sub>3</sub>-H<sub>2</sub>O, 667  
 Ni-NiO, 781  
 natroalunite, 209  
 orthoenstatite, 1080  
 phillipsite, 201, 601  
 phlogopite, 1029  
 potassium feldspar (K-Na-Al-Si-  
 H<sub>2</sub>O system), 201  
 protoenstatite, 1080  
 quartz, 1327  
 quartz-fayalite-magnetite, 781  
 spinel, 1342  
 staurolite, 1043  
 ternary feldspar solvus, 1071  
 tonalite-H<sub>2</sub>O, 345  
 tremolite, 358  
 tremolite (synthetic), 358  
 WO<sub>2</sub>-WO<sub>2.72</sub>(WO<sub>2.29</sub>,WO<sub>3</sub>),  
 1399  
 wollastonite, 1327  
 zeolite, 601  
 Phase transitions  
 leucite, 464  
 Phillipsite, 201, 601  
 Phlogopite, 97, 328, 983, 1029,  
 1375 [erratum]  
 Phlogopite, F-rich, 970  
 Phlogopite, Fe-rich, 983

PIXE, 956  
 Pipyte-caratiite, 1209  
 Plagioclase, 27, 89, 150, 1406  
 Plagioclase (lunar), 46  
 Plagioclase feldspar, 544  
 Polydymite, 247  
 Polyhedral model, 1376  
 Polyhedral modeling  
 garnet, 731  
 olivine, 731  
 orthopyroxene, 731  
 Polyhedral units, 1376  
 Polymorphism, 1249  
 Polytype, *IM*, 305  
 Ponomarevite, 706  
 Portugal  
 jahnsite-(CaMnMn), 401  
 Potassium feldspar (K-Na-Al-Si-  
 H<sub>2</sub>O system), 201  
 Presidential Address for 1989, 443  
 Pressure, fluid, 1043  
 Pressure, rock, 1043  
 Proceedings for 1989, 1217  
 Prompt gamma neutron activation  
 (PGNAA), 874  
 Protoenstatite, 1080  
 PX, 1426  
 Pyrophyllite, 825, 970  
 Pyroxene, 1, 620, 764, 813, 1092,  
 1349, 1426  
 Pyroxene (Fe-rich), 620  
 Pyroxene, H in, 764  
 Pyroxene thermometry, 1426  
 Pyroxenite, 27  
 Pyrrhotite, 755, 881  
 Pyrrhotite; Pd, Ru, and Rh in, 881  
 Quantum mechanical calculations  
 Fe-Mn oxide, 256  
 Fe-Mn silicate, 256  
 Quartz, 443, 791, 1029, 1327,  
 1381  
 Quartz calcite, 387  
 Quartz syenite, 1092  
 Quartz-fayalite-magnetite, 781  
 Quartzite, 1043  
 Quartzofeldspathic gneisses, 589  
 Quebec  
 carbonatite, 1106  
 Raman spectroscopy  
 CH<sub>4</sub> fluid inclusion, 59  
 CO<sub>2</sub> fluid inclusion, 59

Raman spectroscopy, *cont.*

calcite, 801  
 calcite-I, 801  
 calcite-II, 801  
 forsterite, 109  
 GeO<sub>2</sub> (rutile structure), 1238  
 hydrocarbon inclusions  
 (synthetic, by Raman  
 microanalysis), 226  
 Rathite (relationship to  
 baumhauerite-2a), 915  
 Rectorite, 825  
 REE  
 anorthosite, 572  
 chlorapatite, 687  
 hydroxyapatite, 687  
 monazite, 687  
 monzosyenite, 572  
 Remondite-(Ce), 431  
 Reports for 1989  
 Editor, 1221  
 Financial Advisory Committee,  
 1219  
 Secretary, 1217  
 Treasurer, 1218  
 Reviewers for *American  
 Mineralogist* in 1989, 1222  
 Rhenium sulfide, 1209  
 Rhyolite, 1059, 1311  
 Rhyolite, CO<sub>2</sub> in, 1311  
 Rhyolite, CO<sub>2</sub> solubility in, 1311  
 Rhyolite melt, CO<sub>2</sub> solubility in,  
 1311  
 Rhyolite (melt inclusions), 1381  
 Rhyolitic glass, 1311  
 Rhyolitic liquid, CO<sub>2</sub> diffusion in,  
 1311  
 Rhyolitic-composition glass, 1009  
 Rietveld refinement, 477  
 Ringwoodite, 443  
 Rittmannite, 931  
 Robinsonite, 1431  
 Roebling Medal  
 acceptance of, 715  
 presentation of, 714  
 Routhierite, Sb analogue of, 931  
 Rutile, 97, 775  
 Rutile nodules, 97  
 Rutile-olivine nodules, 97  
 SiC, 1110  
 SiC inclusion, 1110  
 Sn, 631

- $\text{Sn}_2\text{O}_3$ - $\text{Sn}_3\text{O}_4$ , 1209  
 Sr and Nd isotopes, 13  
 Sakhaitite-like mineral, 1431  
 Saline lake system, 201  
 Sanidine, 775, 1029  
 Saponite, 970  
 Sapphirine polytypes, 931  
 Sartorite group, 289  
 Scanning tunneling microscopy (galena), 1438  
 Scrutinyite, 706  
 Secretary, 1989 Report of the, 1217  
 Serpentine, 813  
 Shabaite-(Nd), 431  
 Sheet silicates, 276  
 Silica minerals, 1253  
 Silica polymorph, 748  
 Sillimanite, 1043  
 Smectite, 1443  
 Software notices  
   AMPHIBOL, 421  
   graphical projections, 1428  
   mineral formula recalculation, 424  
   MINTAB, 424  
   PX, 1426  
   SPINEL, 1428  
   SPINELTAB, 1428  
 Solid solutions, 539  
 Sophiite, 1209  
 South Africa  
   alkremite, 775  
   anorthosite, 27  
   biotite, 27  
   diorite, 27  
   eclogite, 775  
   glimmerite, 27  
   grandidierite, 415  
   kornrupine, 415  
   norite, 27  
   orlymanite, 923  
   orthopyroxene, 27  
   plagioclase, 27  
   pyroxenite, 27  
   rutile-olivine nodules, 97  
   werdingite, 415  
 South Australia  
   francisite, 1421  
 South Dakota  
   granite, 631  
   graphite, 1447  
   pegmatite, 631  
 Spessartine, 314, 886  
 Spessartine (F-bearing), 314  
 Spessartine-grossular solid solutions, 319  
 Spinel, 775, 1342, 1428  
 SPINEL, 1428  
 SPINELTAB, 1428  
 Stable isotopes  
   agate, 1205, 1207  
 Star diopside, 840  
 Staurolite, 589, 1043  
 Stibivanite-2O, 931  
 Stillwater Complex, 37  
 Stishovite, 739, 951  
 Strazekite group, 508, 1216 [erratum]  
 Structure-energy calculations  
   albite, 443, 1268  
   anorthite, 1268  
   corundum, 439  
   forsterite, 443, 109  
   microcline, 1268  
   perovskite, 443  
   polyhedral units, 1376  
   quartz, 443  
    $\text{TiO}_2$  polymorphs, 443  
 Subduction zone magmatism, 105  
 Sudoite, 825  
 Surface analysis (by micro-FTIR), 226  
 Switzerland  
   baumhauerite, 915  
   baumhauerite-2a, 915  
   liveingite, 289  
   quartz, 791  
 Syenite, 1029, 1092  
 Sylvite, 226  
 Systems (chemical)  
    $\text{Al}_2\text{O}_3$ -Fe-O, 1342  
    $\text{CaNiSi}_2\text{O}_6$ - $\text{CaMgSi}_2\text{O}_6$ , 1274  
    $\text{CaO-Al}_2\text{O}_3$ - $\text{Fe}_2\text{O}_3$ - $\text{SiO}_2$ - $\text{H}_2\text{O}$ -HF, 859  
    $\text{CaO-Al}_2\text{O}_3$ - $\text{SiO}_2$ , 676  
    $\text{CaO-MeO-GeO}_2$ - $\text{SiO}_2$ -NaOH ( $\text{Me}^{2+} = \text{Zn, Fe, Mg}$ ), 963  
    $\text{CaO-ZnO-GeO}_2$ - $\text{SiO}_2$ , 847  
    $\text{H}_2\text{O-CaO-MgO-SiO}_2$ , 358  
    $\text{KAlSi}_3\text{O}_8$ - $\text{H}_2\text{O}$ , 1362  
    $\text{KCl-H}_2\text{O}$ -hydrocarbon, 226  
    $\text{K}_2\text{Ca}(\text{CO}_3)_2$ - $\text{Na}_2\text{Mg}(\text{CO}_3)_2$ , 1147  
    $\text{K}_2\text{O-Al}_2\text{O}_3$ - $\text{SiO}_2$ , 120  
 Systems (chemical), *cont.*  
    $\text{K}_2\text{O-MgO-Al}_2\text{O}_3$ - $\text{SiO}_2$ - $\text{H}_2\text{O}$ - $\text{CO}_2$ , 1029  
   KFMASH, 367  
    $\text{Li}_2\text{O-Al}_2\text{O}_3$ - $\text{SiO}_2$ , 120  
    $\text{MgO-Al}_2\text{O}_3$ - $\text{SiO}_2$ - $\text{H}_2\text{O}$  (MASH) system, 105  
    $\text{Mg}_2\text{Si}_2\text{O}_6$ - $\text{CaMgSi}_2\text{O}_6$ , 1080  
    $\text{Na}_2\text{CO}_3$ - $\text{H}_2\text{O}$ , 667  
    $\text{Na}_2\text{O-Al}_2\text{O}_3$ - $\text{SiO}_2$ , 120  
   olivine-plagioclase-silica, 46  
   Pb-As-S, 289  
   V bronzes, 508, 1216 [erratum]  
 Ta, 631  
 $\text{TiO}_2$  polymorphs, 443  
 Talc, 970  
 Tangeite, 1209  
 Tectosilicates, 1159  
 Ternary apatites, crystal structures, 1216, [erratum]  
 Ternary feldspar solvus, 1071  
 Tetrahedrite-Cd, 706  
 Texas  
   edgarbaileyite, 1192  
 TGA, DTA  
   graphite, 1447  
   lehnerite (synthetic), 221  
   merlinoite (synthetic), 188  
    $\text{Na}_2\text{CO}_3$ - $\text{H}_2\text{O}$ , 667  
 Thalenite-(Y), fluorine analogue of, 431  
 Thermodynamic data  
   almandine, 328, 1375 [erratum]  
   andradite, 1327  
   annite, 183, 328, 1375 [erratum]  
   bunsenite, 781  
   chloritoid, 1043  
   clinoptilolite, 601  
   diopside, 1080  
   dumortierite, 1370  
   enstatite, 1080  
   estimation, 1376  
   feldspar, 544  
   feldspar, I $\bar{1}$  (order parameters), 150  
   garnet, 328, 1375 [erratum]  
   garnet (fluorian), 859  
   garnet (hydrous), 859  
   grossular-almandine, 319  
   grossular-spessartine, 319  
   hedenbergite, 1327  
   hematite, 781  
   hercynite, 1342

Thermodynamic data, *cont.*

heulandite, 601  
 ilmenite, 328, 1375 [erratum]  
 $\text{Mg}_2\text{Si}_2\text{O}_6\text{-CaMgSi}_2\text{O}_6$ , 1080  
 magnetite, 781  
 merlinoite (synthetic), 188, 201  
 natroalunite, 209  
 phillipsite, 601  
 phlogopite, 328, 1029, 1375  
 [erratum]  
 rhyolite melt,  $\text{CO}_2$  solubility  
 in, 1311  
 spessartine, 886  
 staurolite, 1043  
 zeolite, 601  
 Thermodynamics, 539  
 Thiospinels, 247  
 Titanite, 97  
 Tokkoite, 1209  
 Tonalite, 345  
 Tonalite- $\text{H}_2\text{O}$ , 345  
 Tosudite, 825  
 Tourmaline, 237  
 Trace elements  
 alunite group, 1176  
 anorthosite, 1, 27, 572  
 B, 874  
 Be, 631  
 diamond (N), 1290  
 diorite, 27  
 Eu (in lunar anorthosite), 46  
 $\text{Fe}^{2+}$ , 237  
 $\text{Fe}^{3+}$ , 237  
 Ga (in lunar anorthosite), 46  
 glimmerite, 27  
 H (in pyroxene), 764  
 Li, 631  
 $\text{Mn}^{2+}$ , 237  
 $\text{Mn}^{3+}$ , 237  
 monzosyenite, 572  
 Nb, 631  
 norite, 27  
 Pb (in zircon), 21  
 Pt-Fe alloy; Pd, Ru, and Rh in,  
 881  
 pentlandite; Pd, Ru, and Rh in,  
 881  
 pyroxenite, 27  
 pyrrhotite; Pd, Ru, and Rh in,  
 881  
 quartz, 791  
 Sn, 631  
 Ta, 631

Trace elements, *cont.*

U (in zircon), 21  
 Trachyte, 694, 1092  
 Treasurer, 1989 Report of the,  
 1218  
 Tremolite, 358  
 Tremolite (synthetic), 358  
 Troctolite, 46  
 Tučekite (As-bearing), 706  
 Tuffaceous sediments, 201  
 U (in zircon), 21  
 Ulrichite, 240  
 Unit-cell data, 501  
 amblygonite, 992  
 andradite, 1327  
 anhydrous mica, 529  
 annite, 183  
 baumhauerite, 915  
 baumhauerite-2a, 915  
 biotite, 305  
 birnessite, 477  
 boggsite, 1200  
 bokite, 508, 1216 [erratum]  
 $\text{CaNiSi}_2\text{O}_6$  (synthetic), 1274  
 $\text{Ca}_5[(\text{Ge},\text{Si})_2\text{O}_7][(\text{Ge},\text{Si})\text{O}_4]$ ,  
 963  
 clinoptilolite (Cs-exchanged),  
 522  
 corvusite, 508, 1216 [erratum]  
 diopside (synthetic), 1274  
 edgarbaileyite, 1192  
 fernandinite, 508, 1216  
 [erratum]  
 francisite, 1421  
 hedenbergite, 1327  
 illite, 825  
 jahnsite-(CaMnMn), 401  
 $\text{K}_2\text{Al}_2\text{Si}_3\text{O}_{10}\cdot\text{KCl}$ , 947  
 kegelite, 702  
 lithiomarsturite, 409  
 $\text{Mn}_3\text{O}_4\text{-II}$ , 1249  
 magnesian calcite, 1151  
 magnetite, 1327  
 merlinoite (synthetic), 188, 201  
 montebrasite, 992  
 montesommaite, 1415  
 mullite (Cr-doped synthetic),  
 392  
 muscovite (dehydroxylated), 529  
 $\text{Na}_2\text{Ca}_6[\text{Si}_2\text{O}_7][\text{SiO}_4]_2$ , 963  
 navajoite, 508, 1216 [erratum]  
 nissonite, 1170

Unit-cell data, *cont.*

orlymanite, 923  
 paragonite (dehydroxylated), 529  
 pyrrhotite, 755  
 spessartine (F-bearing), 314  
 spessartine-grossular solid  
 solutions, 319  
 staurolite, 1043  
 stishovite, 739  
 wawayandaite, 405, 1216  
 [erratum]  
 werdingite, 415  
 wilkinsonite, 694  
 wollastonite, 1327  
 yoshiokaite, 676, 1186  
 Unnamed Ag-Cu and Ag-Sn  
 sulfides, 706  
 Unnamed Al sulfate, 431  
 Unnamed Au-Pb intermetallic, 931  
 Unnamed Bi sulfotelluride and Pb  
 sulfobismuthide, 431  
 Unnamed  $\text{Bi}_3\text{S}_5$ , 931  
 Unnamed  $\text{Cu}_2\text{Fe}_3\text{S}_3$  phases, 431  
 Unnamed  $\text{K}(\text{Nb},\text{Ti})_3\text{Si}(\text{O},\text{OH})_{10}\cdot$   
 $1.5\text{H}_2\text{O}$ , 1209  
 Unnamed layered titanosilicate,  
 240  
 Unnamed Mg oxalate, 931  
 Unnamed  $\text{MnSb}_2\text{S}_4$ , 931  
 Unnamed minerals  
 Ag-Cu and Ag-Sn sulfides, 706  
 $\text{Ag}_{1.97}\text{Hg}_{0.96}\text{S}_{2.07}$ , 431  
 $\text{Ag}_4\text{PbTe}_2\text{S}$  and  $\text{Ag}_8\text{Bi}_3\text{Te}_7$ ,  
 1209  
 $\text{AuBi}_5\text{S}_4$ , 431  
 $\text{BaAl}_2\text{Si}_2\text{O}_8\cdot 4\text{H}_2\text{O}$ , 1431  
 $\text{Be}(\text{OH})_2$ , 1209  
 $\text{BiPb}_2\text{S}_2$ , 1209  
 $\text{Bi}_3\text{S}_4$ , 1209  
 $\text{Bi}_3\text{S}_5$ , 1209  
 $\text{Bi}_9\text{Te}_4$ , 1209  
 $\beta\text{-SiC}$ , 1110  
 bannisterite, Ba analogue of,  
 931  
 $\text{Cu}_2\text{AgS}$ , 431  
 $\text{Cu}_{4.43}\text{Ag}_{1.05}\text{S}_{5.00}$ , 431  
 $\text{Fe}_{1-x}\text{S-Ni}_{1-x}\text{S}$  *Mss*, 431  
 mineral X, 431  
 monoclinic polymorph of  $\text{SiO}_2$ ,  
 1431  
 $\text{Ni}_3\text{Sn}_2$ , 431  
 Pb chlorosulfosalts, 1431

- Unnamed minerals, *cont.*  
   Pb<sub>5</sub>As<sub>8</sub>S<sub>17</sub> and argentiferous  
     baumhauerite, 431  
   Pd-As-Sb-Te minerals, 706  
   routhierite, Sb analogue of, 931  
   Sn<sub>2</sub>O<sub>3</sub>-Sn<sub>3</sub>O<sub>4</sub>, 1209  
   sakhaite-like mineral, 1431  
   thalenite-(Y), fluorine analogue  
     of, 431  
   unnamed Al sulfate, 431  
   unnamed Au-Pb intermetallic,  
     931  
   unnamed Bi sulfotelluride and  
     Pb sulfobismuthide, 431  
   unnamed Bi<sub>3</sub>S<sub>5</sub>, 931  
   unnamed Cu<sub>2</sub>Fe<sub>3</sub>S<sub>3</sub> phases, 431  
   unnamed K(Nb,Ti)<sub>3</sub>Si  
     (O,OH)<sub>10</sub>·1.5 H<sub>2</sub>O, 1209  
   unnamed layered titanosilicate,  
     240  
   unnamed Mg oxalate, 931  
   unnamed MnSb<sub>2</sub>S<sub>4</sub>, 931  
   unnamed Na-Ca-Zr silicate, 431  
   unnamed Na-P layered  
     titanosilicate, 931  
   unnamed Ni compound, 931  
   unnamed phosphate, 240  
   wicksite-like phase, 1431  
 Unnamed Na-Ca-Zr silicate, 431  
 Unnamed Na-P layered  
   titanosilicate, 931  
 Unnamed Ni compound, 931  
 Unnamed Pd-As-Sb-Te minerals,  
   706  
 Unnamed phosphate, 240  
 Utah  
   calc-silicate, 874  
   calc-silicate hornfels, 387  
   corvusite, 508, 1216 [erratum]  
  
 V bronzes, 508, 1216 [erratum]  
 V bronzes, fibrous (structure  
   types), 508, 1216 [erratum]  
  
 Vanadium-titanium carbide, 1431  
 Vaughanite, 706  
 Velikite, 931  
 Vermiculite, 970, 1443  
 Vermont  
   garnet amphibolite, 89  
 Vesuvianite, 387  
 Violarite, 247  
 Viscosity, 1231  
 Vochtenite, 1209  
 Voggite, 1431  
 Volatile contents (of cordierite), 71  
 Volkovskite, 1431WO<sub>2</sub>-  
   WO<sub>2.72</sub>(WO<sub>2.29</sub>,WO<sub>3</sub>), 1399  
  
 Wadsleyite, 443  
 Wawayandaite, 405, 1216  
   [erratum]  
 Werdingite, 415  
 Western Australia  
   diamond, 1290  
 Whiteite-(CaMnMg), 931  
 Wicksite-like phase, 1431  
 Wilkinsonite, 694  
 Wolframoixiolite, 1209  
 Wollastonite, 262, 1327  
 Wölsendorfite group, 240  
 Wyoming  
   anorthosite, 13, 572  
  
 XRD data  
   actinolite, 230  
   baumhauerite-2a, 915  
   biotite, 983  
   birnessite, 477  
   boggsite, 1200  
   bokite, 508, 1216 [erratum]  
   celadonite, 983  
   chlorite, 230  
   clay, 230  
   corvusite, 508, 1216 [erratum]  
   epidote, 230  
   feldspar, 230  
  
 XRD data, *cont.*  
   fernandinite, 508, 1216  
     [erratum]  
   francisite, 1421  
   illite, 825  
   jahnsite-(CaMnMn), 401  
   kaolinite, 825  
   kegelite, 702  
   krautite, 1140  
   lehnerite (synthetic), 221  
   lithiomarsturite, 409  
   montesommaite, 1415  
   muscovite, 983  
   muscovite (phengitic), 983  
   navajoite, 508, 1216 [erratum]  
   orlymanite, 923  
   phlogopite, 983  
   phlogopite (Fe-rich), 983  
   pyrrhotite, 755  
   tosudite, 825  
   wawayandaite, 405, 1216  
     [erratum]  
   werdingite, 415  
   wilkinsonite, 694  
   yoshiokaite, 676  
 XRF data  
   anorthosite, 572  
   monzosyenite, 572  
  
 Yafsoanite, 931  
 Yoshiokaite, 676, 1186  
  
 Zabuyelite, 240  
 Zemkorite, 931  
 Zeolite, 522, 601  
 Zeolite (montesommaite), 1415  
 Zhanghengite, 240  
 Zimbabweite, 240  
 Zincian caryopilite or zincian  
   greenalite, 705  
 Zincovoltaita, 240  
 Zirconolite, 1209