

## AUTHOR INDEX, VOLUME 79, 1994

- Ainsworth, P. *see* Dempster, T.J., 536  
Angel, R.J. *see* Hugh-Jones, D.A., 405, 1032  
Appleman, D.E. *see* Post, J.E., 370  
Aranovich, L.Y. *see* Gordon, T.M., 973  
Armbruster, T. *see* Bermanec, V., 562  
Armbruster, T. *see* Gunter, M.E., 675  
Artioli, G. *see* Merlini, S., 1185
- Bai, T.B., Koster van Groos, A.F., Guggenheim, S.: Phase transition, dehydration, and melting relationships of portlandite, 1223  
Baker, D.R. *see* Hudon, P., 145  
Baker, J.: Thermal expansion of scapolite, 878  
Baker, J., Newton, R.C.: Standard thermodynamic properties of meionite,  $\text{Ca}_4\text{Al}_6\text{Si}_6\text{O}_{24}\text{CO}_3$ , from experimental phase equilibrium data, 478  
Bancroft, G.M. *see* Li, D., 622, 785  
Banfield, J.F., Wasilewski, P.J., Veblen, D.R.: TEM study of relationships between the microstructures and magnetic properties of strongly magnetized magnetite and maghemite, 654  
Bassett, W.A. *see* Huang, W.-L., 683  
Baumgartner, L.P.: Acceptance of the Mineralogical Society of America Award for 1993, 773  
Beard, J.S. *see* Patiño Douce, A.E., 585  
Belkin, H.E., Dwornik, E.J.: Memorial of Charles Milton, 1896-1990, 190  
Bermanec, V., Armbruster, T., Tibljaš, D., Sturman, D., Kniewald, G.: Tuzlaite,  $\text{NaCa}[\text{B}_5\text{O}_8(\text{OH})_2] \cdot 3\text{H}_2\text{O}$ , a new mineral with a pentaborate sheet structure from the Tuzla salt mine, Bosnia and Hercegovina, 562  
Berner, R.A. *see* Regnier, P., 809  
Bertolo, S., Nimis, P., Dal Negro, A.: Low-Ca augite from experimental alkali basalt at 18 kbar: Structural variation near the miscibility gap, 668  
Bigi, S., Brigatti, M.F.: Crystal chemistry and microstructures of plutonic biotite, 63  
Bladh, K.W.: Memorial of John Williams Anthony, 1920-1992, 782  
Boettcher, S.L. *see* Manning, C.E., 1153  
Bonazzi, P., Menchetti, S.: Structural variations induced by heat treatment in allanite and REE-bearing piemontite, 1176  
Bose, K. *see* Navrotsky, A., 1099  
Bose, K., Ganguly, J.: Thermogravimetric study of the dehydration kinetics of talc, 692  
Bowman, J.R. *see* Cook, S.J., 513  
Brady, J.B.: Memorial of Benjamin M. Shaub, 1893-1993, 1017  
Brigatti, M.F. *see* Bigi, S., 63  
Brown, G.E., Jr. *see* Farges, F., 838  
Brown, N.E., Navrotsky, A.: Hematite-ilmenite ( $\text{Fe}_2\text{O}_3$ - $\text{FeTiO}_3$ ) solid solutions: The effects of cation ordering on the thermodynamics of mixing, 485  
Brydson, R. *see* Garvie, L.A.J., 411  
Burnham, C.W. *see* Zhang, J., 168  
Burnley, P. *see* Navrotsky, A., 1099  
Buseck, P.R. *see* Keller, L.P., 73  
Buseck, P.R. *see* Pósfai, M., 308  
Buseck, P.R. *see* Spry, P.G., 750
- Calkins, D.J.: Memorial of Harry M. Mikami, 1915-1992, 577  
Cannillo, E. *see* Hawthorne, F.C., 443  
Carlson, W.D., Reese, J.F.: Nearly pure iron staurolite in the Llano Uplift and its petrologic significance, 154  
Carmichael, I.S.E. *see* Wallace, P.J., 161  
Carpenter, M.A. *see* Cellai, D., 606  
Carpenter, M.A., Powell, R., Salje, E.K.H.: Thermodynamics of nonconvergent cation ordering in minerals: I. An alternative approach, 1053  
Carpenter, M.A., Salje, E.K.H.: Thermodynamics of nonconvergent cation ordering in minerals: II. Spinel and the orthopyroxene solid solution, 1068  
Carpenter, M.A., Salje, E.K.H.: Thermodynamics of nonconvergent cation ordering in minerals: III. Order parameter coupling in potassium feldspar, 1084  
Cartwright, I.: The two-dimensional pattern of metamorphic fluid flow at Mary Kathleen, Australia: Fluid focusing, transverse dispersion, and implications for modeling fluid flow, 526  
Cellai, D., Carpenter, M.A., Wruck, B., Salje, E.K.H.: Characterization of high-temperature phase transitions in single crystals of Steinbach tridymite, 606  
Chai, L. *see* Navrotsky, A., 1099  
Chai, L., Navrotsky, A.: Enthalpy of formation of siderite and its application in phase equilibrium calculation, 921  
Chang, L.L.Y. *see* Liu, H., 1159  
Chen, J. *see* Zhao, Y., 615  
Christie, I.A.D. *see* Rancourt, D.G., 51  
Circone, S. *see* Navrotsky, A., 1099  
Clarke, R.S., Jr. *see* Mason, B., 579  
Coddens, G. *see* Winkler, B., 801

- Cohen, R.E. *see* Marton, F.C., 789
- Condie, K.C.: Memorial of Frederick J. Kuellmer, 1924-1992, 393
- Connolly, J.A.D., Memmi, I., Trommsdorff, V., Franceschelli, M., Ricci, C.A.: Forward modeling of calc-silicate microinclusions and fluid evolution in a graphitic metapelite, northeast Sardinia, 960
- Conrad, P.G. *see* Hazen, R.M., 581
- Cook, S.J., Bowman, J.R.: Contact metamorphism surrounding the Alta stock: Thermal constraints and evidence of advective heat transport from calcite + dolomite geothermometry, 513
- Cooper, M. *see* Hawthorne, F.C., 1199
- Cooper, M., Hawthorne, F.C.: The crystal structure of curetonite, a complex heteropolyhedral sheet mineral, 545
- Cooper, M., Hawthorne, F.C.: The crystal structure of kombatite,  $Pb_{14}(VO_4)_2O_9C_4$ , a complex heteropolyhedral sheet mineral, 550
- Craven, A.J. *see* Garvie, L.A.J., 411
- Cruciani, G., Zanazzi, P.F.: Cation partitioning and substitution mechanisms in *IM* phlogopite: A crystal chemical study, 289
- Dal Negro, A. *see* Bertolo, S., 668
- Dalton, J.A. *see* Lane, S.J., 745
- Davidson, P.M.: Ternary iron, magnesium, calcium carbonates: A thermodynamic model for dolomite as an ordered derivative of calcite-structure solutions, 332
- Davidson, P.M., Lindsley, D.H.: Effect of Ca content and  $SiO_2$  activity on augite + olivine equilibria, 1123
- Demartin, F. *see* Graeser, S., 996
- Dempster, T.J., Tanner, P.W.G., Ainsworth, P.: Chemical zoning of white micas: A record of fluid infiltration in the Oughterard granite, western Ireland, 536
- Dereppe, J.-M., Pironon, J., Moreaux, C.: Characterization of the composition of fluid inclusions in minerals by  $^1H$  NMR, 712
- Dingwell, D.B. *see* Romano, C., 1125
- Dollase, W.A. *see* Waychunas, G.A., 274
- Dove, M.T. *see* Hammonds, K.D., 1207
- Downs, R.T. *see* Hazen, R.M., 581
- Downs, R.T., Hazen, R.M., Finger, L.W.: The high-pressure crystal chemistry of low albite and the origin of the pressure dependency of Al-Si ordering, 1042
- Downs, R.T., Palmer, D.C.: The pressure behavior of  $\alpha$  cristobalite, 9
- Drew, L.J.: Memorial of John C. Griffiths, 1912-1992, 779
- Dunn, P.J. *see* Grice, J.D., 991
- Dunn, P.J. *see* Kampf, A.R., 385
- Dwornik, E.J. *see* Belkin, H.E., 190
- Dyar, M.D. *see* Guidotti, C.V., 793
- Echer, C. *see* Vasconcelos, P.M., 80
- Eggleton, R.A. *see* Guggenheim, S., 438
- Eggleton, R.A. *see* Heinrich, A.R., 91
- Eggleton, R.A., Guggenheim, S.: The use of electron optical methods to determine the crystal structure of a modulated phyllosilicate: Parsettensite, 426
- Ehlers, K., Powell, R., Stüwe, K.: Cooling rate histories from garnet + biotite equilibrium, 737
- Endreß, M. *see* McCoy, T.J., 375
- Ericksen, G.E. *see* Konnert, J.A., 1003
- Evans, B.W. *see* Hirschmann, M., 862
- Evans, H.T., Jr. *see* Konnert, J.A., 1003
- Farges, F., Brown, G.E., Jr., Velde, D.: Structural environment of Zr in two inosilicates from Cameroon: Mineralogical and geochemical implications, 838
- Fawcett, J.J. *see* Vrdoljak, G.A., 107
- Fed'kin, V.V. *see* Gordon, T.M., 973
- Fei, Y., Virgo, D., Mysen, B.O., Wang, Y., Mao, H.K.: Temperature-dependent electron delocalization in  $(Mg,Fe)SiO_3$  perovskite, 826
- Feng, X.H. *see* Li, D., 622, 785
- Ferry, J.M.: Role of fluid flow in the contact metamorphism of siliceous dolomitic limestones, 719
- Finger, L.W. *see* Downs, R.T., 1042
- Finger, L.W. *see* Hazen, R.M., 581
- Finger, L.W. *see* Palmer, D.C., 1
- Fiquet, G., Guyot, F., Itié, J.-P.: High-pressure X-ray diffraction study of carbonates:  $MgCO_3$ ,  $CaMg(CO_3)_2$ , and  $CaCO_3$ , 15
- Fischer, R.X., Schneider, H., Schmäcker, M.: Crystal structure of Al-rich mullite, 983
- Fisher, G.W.: An improved method for algebraic analysis of metamorphic mineral assemblages (v. 78, p. 1257), 1166 [erratum]
- Fiske, P.S., Stebbins, J.F.: The structural role of Mg in silicate liquids: A high-temperature  $^{25}Mg$ ,  $^{23}Na$ , and  $^{29}Si$  NMR study, 848
- Fleet, M.E. *see* Li, D., 622, 785
- Fleischer, M.: Memorial of Fred Earl Ingerson, 1906-1993, 1019
- Fowler, A.D. *see* L'Heureux, I., 885
- Fowler, G.W. *see* Papike, J.J., 796
- Franceschelli, M. *see* Connolly, J.A.D., 960
- Ganguly, J. *see* Bose, K., 692
- Ganguly, J., Tazzoli, V.:  $Fe^{2+}$ -Mg interdiffusion in orthopyroxene: Retrieval from the data on intracrystalline exchange reaction, 930
- Garavelli, A., Vurro, F.: Barberiite,  $NH_4BF_4$ , a new mineral from Vulcano, Aeolian Islands, Italy, 381
- Garvie, L.A.J., Craven, A.J., Brydson, R.: Use of electron-energy loss near-edge fine structure in the study of

- minerals, 411
- Gasparik, T. *see* Hazen, R.M., 581
- Gasparik, T., Wolf, K., Smith, C.M.: Experimental determination of phase relations in the CaSiO<sub>3</sub> system from 8 to 15 GPa, 1219
- Ghose, S. *see* Yang, H., 633
- Ghosh, B. *see* Sen, S., 819
- Giddy, A.P. *see* Hammonds, K.D., 1207
- Gordon, T.M., Aranovich, L.Y., Fed'kin, V.V.: Exploratory data analysis in thermobarometry: An example from the Kisseynew sedimentary gneiss belt, Manitoba, Canada, 973
- Graeser, S. *see* Pring, A., 302
- Graeser, S., Schwander, H., Demartin, F., Gramaccioli, C.M., Pilati, T., Reusser, E.: Fetiasite (Fe<sup>2+</sup>,Fe<sup>3+</sup>,Ti)<sub>3</sub>-O<sub>2</sub>[As<sub>2</sub>O<sub>5</sub>], a new arsenite mineral: Its description and structure determination, 996
- Gramaccioli, C.M. *see* Graeser, S., 996
- Grew, E.S. *see* Jambor, J.L., 185, 387, 1210, 1214 [erratum]
- Grew, E.S. *see* Sykes, D., 904
- Grice, J.D., Dunn, P.J.: Johnnesite: Crystal-structure determination and its relationship to other arsenosilicates, 991
- Guggenheim, S. *see* Bai, T.B., 1223
- Guggenheim, S. *see* Eggleton, R.A., 426
- Guggenheim, S. *see* Heinrich, A.R., 91
- Guggenheim, S., Eggleton, R.A.: A comparison of the structures and geometric stabilities of stilpnomelane and parsettsite: A distance least-squares (DLS) study, 438
- Guidotti, C.V., Yates, M.G., Dyar, M.D., Taylor, M.E.: Petrogenetic implications of the Fe<sup>3+</sup> content of muscovite in pelitic schists, 793
- Guillemin, C.: Memorial of Jean Wyart, 1902-1992, 1015
- Gunter, M.E., Armbruster, T., Kohler, T., Knowles, C.R.: Crystal structure and optical properties of Na- and Pb-exchanged heulandite-group zeolites, 675
- Guyot, F. *see* Fiquet, G., 15
- Hammonds, K.D., Dove, M.T., Giddy, A.P., Heine, V.: Crush: A Fortran program for the analysis of the rigid-unit mode spectrum of a framework structure, 1207
- Han, O.H. *see* Regnier, P., 809
- Hawthorne, F.C. *see* Cooper, M., 545, 550
- Hawthorne, F.C., Cooper, M., Sen Gupta, P.K.: The crystal structure of pinchite, Hg<sub>5</sub>Cl<sub>2</sub>O<sub>4</sub>, 1199
- Hawthorne, F.C., Ungaretti, L., Oberti, R., Cannillo, E., Smelik, E.A.: The mechanism of <sup>6</sup>Li incorporation in amphiboles, 443
- Hazen, R.M. *see* Downs, R.T., 1042
- Hazen, R.M., Downs, R.T., Finger, L.W., Conrad, P.G., Gasparik, T.: Crystal chemistry of Ca-bearing majorite, 581
- Heaney, P.J., Veblen, D.R., Post, J.E.: Structural disparities between chalcedony and macrocrystalline quartz, 452
- Heine, V. *see* Hammonds, K.D., 1207
- Heinrich, A.R., Eggleton, R.A., Guggenheim, S.: Structure and polytypism of bementite, a modulated layer silicate, 91
- Hemley, R.J. *see* Kingma, K.J., 269
- Hemming, N.G. *see* Sen, S., 819
- Henderson, G.S. *see* Vrdoljak, G.A., 107
- Hennion, B. *see* Winkler, B., 801
- Henry, D.J. *see* Zhu, C., 909
- Herzberg, C. *see* Zhang, J., 497
- Hesse, R. *see* Vali, H., 644
- Higgins, M.D.: Numerical modeling of crystal shapes in thin sections: Estimation of crystal habit and true size, 113
- Hirschmann, M., Evans, B.W., Yang, H.: Composition and temperature dependence of Fe-Mg ordering in cumingtonite-grunerite as determined by X-ray diffraction, 862
- Holland, T. *see* Powell, R., 120
- Holtz, F. *see* Roux, J., 1145
- Housh, T.B., Luhr, J.F.: Plagioclase-melt equilibria in hydrous systems (v. 76, p. 477), 352 [erratum]
- Huang, W.-L., Bassett, W.A., Wu, T.-C.: Dehydration and hydration of montmorillonite at elevated temperatures and pressures monitored using synchrotron radiation, 683
- Hudon, P., Baker, D.R., Toft, P.B.: A high-temperature assembly for 1.91-cm (3/4-in.) piston-cylinder apparatus, 145
- Hugh-Jones, D.A., Angel, R.J.: A compressional study of MgSiO<sub>3</sub> orthoenstatite up to 8.5 GPa, 405
- Hugh-Jones, D.A., Woodland, A.B., Angel, R.J.: The structure of high-pressure C2/c ferrosilite and crystal chemistry of high-pressure C2/c pyroxenes, 1032
- Ilton, E.S. *see* Zhu, C., 909
- Inoue, A., Kitagawa, R.: Morphological characteristics of illitic clay minerals from a hydrothermal system, 700
- Itié, J.-P. *see* Fiquet, G., 15
- Ito, E. *see* Kawasaki, T., 461
- Jackson, M.D. *see* Lindsay, C.G., 215
- Jambor, J.L., Grew, E.S.: New mineral names, 185, 387, 1214 [erratum]
- Jambor, J.L., Grew, E.S., Roberts, A.C.: New mineral names, 1210
- Jambor, J.L., Puziewicz, J., Roberts, A.C.: New mineral names, 763
- Jambor, J.L., Roberts, A.C., Puziewicz, J.: New mineral

- names, 570
- Jambor, J.L., Roberts, A.C., Vanko, D.A.: New mineral names, 1009
- Jansen, H.J.F. *see* Skinner, A.J., 205
- Jenkins, D.M. *see* Smelik, E.A., 1110
- Joyce, D.B., Voigt, D.E.: A phase equilibrium study in the system  $\text{KAlSi}_3\text{O}_8\text{-NaAlSi}_3\text{O}_8\text{-SiO}_2\text{-Al}_2\text{SiO}_5\text{-H}_2\text{O}$  and petrogenetic implications, 504
- Kampf, A.R., Dunn, P.J.: Chavesite discredited, 385
- Kanzaki, M. *see* Xue, X., 31
- Kasrai, M. *see* Li, D., 622, 785
- Kawasaki, T., Ito, E.: An experimental determination of the exchange reaction of  $\text{Fe}^{2+}$  and  $\text{Mg}^{2+}$  between olivine and Ca-rich clinopyroxene, 461
- Keil, K. *see* McCoy, T.J., 375
- Keller, L.P., Buseck, P.R.: Twinning in meteoritic and synthetic perovskite, 73
- Keppler, H. *see* Saini-Eidukat, B., 555
- Keppler, H., McCammon, C.A., Rubie, D.C.: Crystal-field and charge-transfer spectra of  $(\text{Mg,Fe})\text{SiO}_3$  perovskite, 1215
- Khomyakov, A.P. *see* Merlino, S., 1185
- Kikegawa, T. *see* Zhao, Y., 615
- Kingma, K.J., Hemley, R.J.: Raman spectroscopic study of microcrystalline silica, 269
- Kirkpatrick, R.J. *see* Phillips, B.L., 1025
- Kitagawa, R. *see* Inoue, A., 700
- Kleppa, O.J. *see* Zhu, H., 134
- Klinowski, J. *see* Welch, M.D., 261
- Kniewald, G. *see* Bermanec, V., 562
- Knowles, C.R. *see* Gunter, M.E., 675
- Kodama, H. *see* Rancourt, D.G., 51
- Kohler, T. *see* Gunter, M.E., 675
- Kolodziejewski, W. *see* Welch, M.D., 261
- Konnert, J.A., Evans, H.T., Jr., McGee, J.J., Ericksen, G.E.: Mineralogical studies of the nitrate deposits of Chile: VII. Two new saline minerals with the composition  $\text{K}_6(\text{Na,K})_4\text{Na}_6\text{Mg}_{10}(\text{XO}_4)_{12}(\text{IO}_3)_{12} \cdot 12\text{H}_2\text{O}$ : Fuenzalidaite ( $\text{X} = \text{S}$ ) and carlosruizite ( $\text{X} = \text{Se}$ ), 1003
- Koster van Groos, A.F. *see* Bai, T.B., 1223
- Kucha, H. *see* Saini-Eidukat, B., 555
- Kusaba, K. *see* Zhao, Y., 615
- LaFemina, J.P. *see* Skinner, A.J., 205
- Lalonde, A.E. *see* Rancourt, D.G., 51
- Lane, S.J., Dalton, J.A.: Electron microprobe analysis of geological carbonates, 745
- Larsen, L.M. *see* Shearer, C.K., 340
- Lasaga, A.C. *see* Regnier, P., 809
- Lee, W.-J., Wyllie, P.J., Rossman, G.R.:  $\text{CO}_2$ -rich glass, round calcite crystals, and no liquid immiscibility in the system  $\text{CaO-SiO}_2\text{-CO}_2$  at 2.5 GPa, 1135
- Lefèvre, A. *see* Roux, J., 1145
- Leinenweber, K. *see* Northrup, P.A., 401
- Leinenweber, K. *see* Parise, J.B., 193
- Leinenweber, K., Wang, Y., Yagi, T., Yusa, H.: An unquenchable perovskite phase of  $\text{MgGeO}_3$  and comparison with  $\text{MgSiO}_3$  perovskite, 197
- Leonard, B.F. *see* McCoy, T.J., 375
- L'Heureux, I., Fowler, A.D.: A nonlinear dynamical model of oscillatory zoning in plagioclase, 885
- Li, D., Bancroft, G.M., Kasrai, M., Fleet, M.E., Feng, X.H., Tan, K.H.: High-resolution Si and P K- and L-edge XANES spectra of crystalline  $\text{SiP}_2\text{O}_7$  and amorphous  $\text{SiO}_2\text{-P}_2\text{O}_5$ , 785
- Li, D., Bancroft, G.M., Kasrai, M., Fleet, M.E., Secco, R.A., Feng, X.H., Tan, K.H., Yang, B.X.: X-ray absorption spectroscopy of silicon dioxide ( $\text{SiO}_2$ ) polymorphs: The structural characterization of opal, 622
- Lindsay, C.G., Jackson, M.D.: Modified electron gas modelings of calcite and aragonite: Comparison of polarizable anion and fully ionic methods, 215
- Lindsley, D.H. *see* Davidson, P.M., 1123
- Liou, J.G. *see* Zhang, R.Y., 397
- Liu, H., Chang, L.L.Y.: Lead and bismuth chalcogenide systems, 1159
- Lowenstern, J.B.: Chlorine, fluid immiscibility, and degassing in peralkaline magmas from Pantelleria, Italy, 353
- Luhr, J.F. *see* Housh, T.B., 352 [erratum]
- MacKenzie, K.J.D., Meinhold, R.H.:  $^{25}\text{Mg}$  nuclear magnetic resonance spectroscopy of minerals and related inorganics: A survey study, 250
- MacKenzie, K.J.D., Meinhold, R.H.: Thermal reactions of chrysotile revisited: A  $^{29}\text{Si}$  and  $^{25}\text{Mg}$  MAS NMR study, 43
- Manning, C.E., Boettcher, S.L.: Rapid-quench hydrothermal experiments at mantle pressures and temperatures, 1153
- Mao, H.K. *see* Fei, Y., 826
- Martin, R.F. *see* Vali, H., 644
- Marton, F.C., Cohen, R.E.: Prediction of a high-pressure phase transition in  $\text{Al}_2\text{O}_3$ , 789
- Mason, B.: Acceptance of the Roebling Medal of the Mineralogical Society of America for 1993, 770
- Mason, B., Clarke, R.S., Jr.: Memorial of Edward P. Henderson, 1898-1992, 579
- McCammon, C.A. *see* Keppler, H., 1215
- McCoy, T.J., Steele, I.M., Keil, K., Leonard, B.F., Endreß, M.: Chladniite,  $\text{Na}_2\text{CaMg}_7(\text{PO}_4)_6$ : A new mineral from the Carlton (IIICD) iron meteorite, 375
- McGee, J.J. *see* Konnert, J.A., 1003
- McGuinn, M.D., Redfern, S.A.T.: Ferroelastic phase

- transition along the join  $\text{CaAl}_2\text{Si}_2\text{O}_8\text{-SrAl}_2\text{Si}_2\text{O}_8$ , 24
- Meinhold, R.H. *see* MacKenzie, K.J.D., 43, 250
- Mellini, M., Viti, C.: Crystal structure of lizardite-1T from Elba, Italy, 1194
- Memmi, I. *see* Connolly, J.A.D., 960
- Menchetti, S. *see* Bonazzi, P., 1176
- Merlino, S. *see* Spry, P.G., 750
- Merlino, S., Pasero, M., Artioli, G., Khomyakov, A.P.: Penkvilksite, a new kind of silicate structure: OD character, X-ray single-crystal (1M), and powder Rietveld (2O) refinements of two MDO polytypes, 1185
- Milman, V. *see* Winkler, B., 200
- Moecher, D.P. *see* Sharp, Z.D., 951
- Moreaux, C. *see* Dereppe, J.-M., 712
- Murad, E. *see* Rancourt, D.G., 51
- Mysen, B.O. *see* Fei, Y., 826
- Navrotsky, A.: Repeating patterns in mineral energetics, 589
- Navrotsky, A. *see* Brown, N.E., 485
- Navrotsky, A. *see* Chai, L., 921
- Navrotsky, A. *see* Smelik, E.A., 1110
- Navrotsky, A., Rapp, R.P., Smelik, E., Burnley, P., Circone, S., Chai, L., Bose, K., Westrich, H.R.: The behavior of  $\text{H}_2\text{O}$  and  $\text{CO}_2$  in high-temperature lead borate solution calorimetry of volatile-bearing phases, 1099
- Nekvasil, H. *see* Wen, S., 316
- Newton, R.C. *see* Baker, J., 478
- Newton, R.C. *see* Zhu, H., 134
- Nimis, P. *see* Bertolo, S., 668
- Northrup, P.A., Leinenweber, K., Parise, J.B.: The location of H in the high-pressure synthetic  $\text{Al}_2\text{SiO}_4(\text{OH})_2$  topaz analogue, 401
- Northrup, P.A., Reeder, R.J.: Evidence for the importance of growth-surface structure to trace element incorporation in topaz, 1167
- Oberti, R. *see* Hawthorne, F.C., 443
- Odling, N.W.A.: An experimental simulation of upper mantle metasomatism, 148
- Osmond, J.K.: Memorial of Bennet Frank Buie, 1910-1992, 781
- Palmer, D.C. *see* Downs, R.T., 9
- Palmer, D.C., Finger, L.W.: Pressure-induced phase transition in cristobalite: An X-ray powder diffraction study to 4.4 GPa, 1
- Papike, J.J., Fowler, G.W., Shearer, C.K.: Orthopyroxene as a recorder of lunar crust evolution: An ion microprobe investigation of Mg-suite norites, 796
- Parise, J.B. *see* Northrup, P.A., 401
- Parise, J.B. *see* Zhao, Y., 615
- Parise, J.B., Leinenweber, K., Weidner, D.J., Tan, K., Von Dreele, R.B.: Pressure-induced H bonding: Neutron diffraction study of brucite,  $\text{Mg}(\text{OH})_2$ , to 9.3 GPa, 193
- Pasero, M. *see* Merlino, S., 1185
- Paterson, B.A. *see* Riciputi, L.R., 1227
- Patiño Douce, A.E., Beard, J.S.:  $\text{H}_2\text{O}$  loss from hydrous melts during fluid-absent piston cylinder experiments, 585
- Pattison, D.R.M.: Are reversed Fe-Mg exchange and solid solution experiments really reversed?, 938
- Payne, M.C. *see* Winkler, B., 200
- Peacor, D.R. *see* Rouse, R.C., 175
- Petrov, I.: Lattice-stabilized  $\text{CH}_3$ ,  $\text{C}_2\text{H}_5$ ,  $\text{NO}_2$ , and  $\text{O}^{\cdot-}$  radicals in feldspar with different Al-Si order, 221
- Phillips, B.L., Kirkpatrick, R.J.: Short-range Si-Al order in leucite and analcime: Determination of the configurational entropy from  $^{27}\text{Al}$  and variable-temperature  $^{29}\text{Si}$  NMR spectroscopy of leucite, its Cs- and Rb-exchanged derivatives, and analcime, 1025
- Pilati, T. *see* Graeser, S., 996
- Pironon, J. *see* Dereppe, J.-M., 712
- Pósfai, M., Buseck, P.R.: Djurleite, digenite, and chalcocite: Intergrowths and transformations, 308
- Post, J.E. *see* Heaney, P.J., 452
- Post, J.E., Appleman, D.E.: Crystal structure refinement of lithiophorite, 370
- Powell, R. *see* Carpenter, M.A., 1053
- Powell, R. *see* Ehlers, K., 737
- Powell, R., Holland, T.: Optimal geothermometry and geobarometry, 120
- Pring, A., Graeser, S.: Polytypism in baumhauerite, 302
- Puziewicz, J. *see* Jambor, J.L., 570, 763
- Rakovan, J., Reeder, R.J.: Differential incorporation of trace elements and dissymmetrization in apatite: The role of surface structure during growth, 892
- Rancourt, D.G., Christie, I.A.D., Royer, M., Kodama, H., Robert, J.-L., Lalonde, A.E., Murad, E.: Determination of accurate  $^{44}\text{Fe}^{3+}$ ,  $^{60}\text{Fe}^{3+}$ , and  $^{60}\text{Fe}^{2+}$  site populations in synthetic annite by Mössbauer spectroscopy, 51
- Rapp, R.P. *see* Navrotsky, A., 1099
- Redfern, S.A.T. *see* McGuinn, M.D., 24
- Reeder, R.J. *see* Northrup, P.A., 1167
- Reeder, R.J. *see* Rakovan, J., 892
- Reese, J.F. *see* Carlson, W.D., 154
- Regnier, P., Lasaga, A.C., Berner, R.A., Han, O.H., Zilm, K.W.: Mechanism of  $\text{CO}_3^{2-}$  substitution in carbonate-fluorapatite: Evidence from FTIR spectroscopy,  $^{13}\text{C}$  NMR, and quantum mechanical calculations, 809
- Reusser, E. *see* Graeser, S., 996
- Ribbe, P.H.: Acceptance of the Distinguished Public Service Medal for 1993, 777

- Ricci, C.A. *see* Connolly, J.A.D., 960
- Riciputi, L.R., Paterson, B.A.: High spatial-resolution measurement of O isotope ratios in silicates and carbonates by ion microprobe, 1227
- Robert, J.-L. *see* Rancourt, D.G., 51
- Roberts, A.C. *see* Jambor, J.L., 570, 763, 1009, 1210
- Romano, C., Dingwell, D.B., Sterner, S.M.: Kinetics of quenching of hydrous feldspathic melts: Quantification using synthetic fluid inclusions, 1125
- Ross, C.R., II *see* Waychunas, G.A., 274
- Rossman, G.R. *see* Lee, W.-J., 1135
- Rossman, G.R. *see* Sykes, D., 904
- Rouse, R.C., Peacor, D.R.: Maricopaite, an unusual lead calcium zeolite with an interrupted mordenite-like framework and intrachannel Pb<sub>4</sub> tetrahedral clusters, 175
- Roux, J., Holtz, F., Lefèvre, A., Schulze, F.: A reliable high-temperature setup for internally heated pressure vessels: Applications to silicate melt studies, 1145
- Royer, M. *see* Rancourt, D.G., 51
- Rubie, D.C. *see* Keppler, H., 1215
- Rumble, D., III: Presentation of the Mineralogical Society of America Award for 1993 to Lukas P. Baumgartner, 772
- Saini-Eidukat, B., Kucha, H., Keppler, H.: Hibbingite,  $\gamma$ -Fe<sub>2</sub>(OH)<sub>3</sub>Cl, a new mineral from the Duluth Complex, Minnesota, with implications for the oxidation of Fe-bearing compounds and the transport of metals, 555
- Salje, E.K.H. *see* Carpenter, M.A., 1053, 1068, 1084
- Salje, E.K.H. *see* Cellai, D., 606
- Schmücker, M. *see* Fischer, R.X., 983
- Schneider, H. *see* Fischer, R.X., 983
- Schulze, F. *see* Roux, J., 1145
- Schwander, H. *see* Graeser, S., 996
- Secco, R.A. *see* Li, D., 622
- Sen, S., Stebbins, J.F., Hemming, N.G., Ghosh, B.: Coordination environments of B impurities in calcite and aragonite polymorphs: A <sup>11</sup>B MAS NMR study, 819
- Sen Gupta, P.K. *see* Hawthorne, F.C., 1199
- Sharp, Z.D., Moecher, D.P.: O-isotope variations in a porphyroclastic meta-anorthosite: Diffusion effects and false isotherms, 951
- Shearer, C.K. *see* Papike, J.J., 796
- Shearer, C.K., Larsen, L.M.: Sector-zoned aegirine from the Ilímaussaq alkaline intrusion, South Greenland: Implications for trace-element behavior in pyroxene, 340
- Shimomura, O. *see* Zhao, Y., 615
- Skinner, A.J., LaFemina, J.P., Jansen, H.J.F.: Structure and bonding of calcite: A theoretical study, 205
- Skinner, B.J.: Memorial of Horace Winchell, 1915-1993, 1231
- Skogby, H.: OH incorporation in synthetic clinopyroxene, 240
- Smelik, E.A. *see* Hawthorne, F.C., 443
- Smelik, E.A. *see* Navrotsky, A., 1099
- Smelik, E.A., Jenkins, D.M., Navrotsky, A.: A calorimetric study of synthetic amphiboles along the tremolite-tschermakite join and the heats of formation of magnesiohornblende and tschermakite, 1110
- Smith, C.M. *see* Gasparik, T., 1219
- Smyth, J.R.: A crystallographic model for hydrous wadsleyite ( $\beta$ -Mg<sub>2</sub>SiO<sub>4</sub>): An ocean in the Earth's interior?, 1021
- Spry, P.G., Merlino, S., Wang, S., Zhang, X., Buseck, P.R.: New occurrences and refined crystal chemistry of colusite, with comparisons to arsenosulvanite, 750
- Stebbins, J.F. *see* Fiske, P.S., 848
- Stebbins, J.F. *see* Sen, S., 819
- Stebbins, J.F. *see* Xue, X., 31
- Steele, I.M. *see* McCoy, T.J., 375
- Sterner, S.M.: Precise pressure control in hydrothermal experiments with cold-seal pressure vessels, 1150
- Sterner, S.M. *see* Romano, C., 1125
- Stewart, D.B.: Memorial of Thomas Brennan Nolan, 1901-1992, 575
- Stewart, D.B.: Presentation of the Distinguished Public Service Medal for 1993 to Paul H. Ribbe, 775
- Sturman, D. *see* Bermanec, V., 562
- Stüwe, K. *see* Ehlers, K., 737
- Su, S.-C.: A revised dispersion method for determining the composition of olivine, orthopyroxene, augite, and plagioclase, 1204
- Sykes, D., Rossman, G.R., Veblen, D.R., Grew, E.S.: Enhanced H and F incorporation in borian olivine, 904
- Tan, K. *see* Parise, J.B., 193
- Tan, K.H. *see* Li, D., 622, 785
- Tanner, P.W.G. *see* Dempster, T.J., 536
- Taylor, M.E. *see* Guidotti, C.V., 793
- Taylor, S.R.: Presentation of the Roebling Medal of the Mineralogical Society of America for 1993 to Brian Mason, 768
- Tazzoli, V. *see* Ganguly, J., 930
- Tettenhorst, R.: Memorial of Henry Edward Wenden, 1916-1991, 392
- Thompson, G. *see* Zhu, C., 909
- Tibljáš, D. *see* Bermanec, V., 562
- Tivey, M.K. *see* Zhu, C., 909
- Toft, P.B. *see* Hudon, P., 145
- Trommsdorff, V. *see* Connolly, J.A.D., 960

- Ungaretti, L. *see* Hawthorne, F.C., 443
- Vali, H., Hesse, R., Martin, R.F.: A TEM-based definition of 2:1 layer silicates and their interstratified constituents, 644
- Vanko, D.A. *see* Jambor, J.L., 1009
- Vasconcelos, P.M., Wenk, H.-R., Echer, C.: In-situ study of the thermal behavior of cryptomelane by high-voltage and analytical electron microscopy, 80
- Vaughan, M.T. *see* Zhao, Y., 615
- Veblen, D.R. *see* Banfield, J.F., 654
- Veblen, D.R. *see* Heaney, P.J., 452
- Veblen, D.R. *see* Sykes, D., 904
- Veblen, D.R. *see* Zhu, C., 909
- Velde, D. *see* Farges, F., 838
- Virgo, D. *see* Fei, Y., 826
- Viti, C. *see* Mellini, M., 1194
- Voigt, D.E. *see* Joyce, D.B., 504
- Von Dreele, R.B. *see* Parise, J.B., 193
- Vrdoljak, G.A., Henderson, G.S., Fawcett, J.J., Wicks, F.J.: Structural relaxation of the chlorite surface imaged by the atomic force microscope, 107
- Vurro, F. *see* Garavelli, A., 381
- Wallace, P.J., Carmichael, I.S.E.: S speciation in submarine basaltic glasses as determined by measurements of SK $\alpha$  X-ray wavelength shifts, 161
- Wang, S. *see* Spry, P.G., 750
- Wang, Y. *see* Fei, Y., 826
- Wang, Y. *see* Leinenweber, K., 197
- Wang, Y. *see* Zhao, Y., 615
- Wasilewski, P.J. *see* Banfield, J.F., 654
- Waychunas, G.A., Dollase, W.A., Ross, C.R., II: Short-range order measurements in MgO-FeO and MgO-LiFeO<sub>2</sub> solid solutions by DLS simulation-assisted EXAFS analysis, 274
- Weidner, D.J. *see* Parise, J.B., 193
- Weidner, D.J. *see* Zhao, Y., 615
- Welch, M.D., Kolodziejewski, W., Klinowski, J.: A multinuclear NMR study of synthetic pargasite, 261
- Wen, S., Nekvasil, H.: Ideal associated solutions: Application to the system albite-quartz-H<sub>2</sub>O, 316
- Wenk, H.-R. *see* Vasconcelos, P.M., 80
- Westrich, H.R. *see* Navrotsky, A., 1099
- Wicks, F.J. *see* Vrdoljak, G.A., 107
- Winkler, B., Coddens, G., Hennion, B.: Movement of channel H<sub>2</sub>O in cordierite observed with quasi-elastic neutron scattering, 801
- Winkler, B., Milman, V., Payne, M.C.: Orientation, location, and total energy of hydration of channel H<sub>2</sub>O in cordierite investigated by ab-initio total energy calculations, 200
- Wolf, K. *see* Gasparik, T., 1219
- Woodland, A.B. *see* Hugh-Jones, D.A., 1032
- Wruck, B. *see* Cellai, D., 606
- Wu, T.-C. *see* Huang, W.-L., 683
- Wyllie, P.J. *see* Lee, W.-J., 1135
- Xu, H. *see* Zhu, C., 909
- Xue, X., Stebbins, J.F., Kanzaki, M.: Correlations between <sup>17</sup>O NMR parameters and local structure around oxygen in high-pressure silicates: Implications for the structure of silicate melts at high pressure, 31
- Yagi, T. *see* Leinenweber, K., 197
- Yang, B.X. *see* Li, D., 622
- Yang, H. *see* Hirschmann, M., 862
- Yang, H., Ghose, S.: In-situ Fe-Mg order-disorder studies and thermodynamic properties of orthopyroxene (Mg,Fe)<sub>2</sub>Si<sub>2</sub>O<sub>6</sub>, 633
- Yates, M.G. *see* Guidotti, C.V., 793
- Yusa, H. *see* Leinenweber, K., 197
- Zanazzi, P.F. *see* Cruciani, G., 289
- Zhang, J., Burnham, C.W.: Hollandite-type phases: Geometric consideration of unit-cell size and symmetry, 168
- Zhang, J., Herzberg, C.: Melting of pyrope, Mg<sub>3</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>, at 7-16 GPa, 497
- Zhang, R.Y., Liou, J.G.: Significance of magnesite paragenesis in ultrahigh-pressure metamorphic rocks, 397
- Zhang, X. *see* Spry, P.G., 750
- Zhao, Y., Parise, J.B., Wang, Y., Kusaba, K., Vaughan, M.T., Weidner, D.J., Kikegawa, T., Chen, J., Shimomura, O.: High-pressure crystal chemistry of neighborite, NaMgF<sub>3</sub>: An angle-dispersive diffraction study using monochromatic synchrotron X-radiation, 615
- Zhu, C., Xu, H., Ilton, E.S., Veblen, D.R., Henry, D.J., Tivey, M.K., Thompson, G.: TEM-AEM observations of Cl-rich amphibole and biotite and possible petrologic implications, 909
- Zhu, H., Newton, R.C., Kleppa, O.J.: Enthalpy of formation of wollastonite (CaSiO<sub>3</sub>) and anorthite (CaAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>) by experimental phase equilibrium measurements and high-temperature solution calorimetry, 134
- Zilm, K.W. *see* Regnier, P., 809