

AM-87-331

Variations in $Mg/(Mg+Fe)$, F , and $(Fe,Mg)Si=2Al$ in pelitic minerals in the Ballachulish thermal aureole, Scotland

Pattison

To be deposited: Appendix III

Am. Min. 72, 3-4 pp. 255-272

APPENDIX III

MICROPROBE ANALYSES

Instrument and operating conditions

Microprobe analyses were obtained using a Cambridge Instruments Microscan 5 with two crystal spectrometers and a Link Systems energy dispersive system. Take off angle was 75° and accelerating potential was 20 kV. For wavelength dispersive spectrometry (WDS), probe current (measured at a Faraday cage) was 30 nA, while for energy dispersive spectrometry (EDS), the probe current was 6 nA.

All analyses were performed with a focussed electron beam of 1-2 μm diameter, penetrating to a depth of about 3 μm . 40 second counting times on peaks of standards and unknowns were used, with 20 second counting times on the initial analysis of each new mineral.

Standards and correction procedure

The elemental standards used in this study are listed in Table AIII.1.

The vast majority of analyses were made using WDS. For WDS analysis, the raw X-ray counts are collected and run through an on-line computer program for ZAF corrections (after Sweatman & Long (1969), using the absorption co-efficients of Heinrich (1966)). The number of X-rays for an element in an unknown is related to the number of X-rays in that element's standard, which is read at least once in the same probe session to account for system variations.

For EDS analysis, an X-ray spectrum is collected in 100 livetime seconds, followed by the same on-line ZAF correction procedure described above. The abundance of each element is related to an overall element calibration by a secondary cobalt standard, which is read several times throughout a given session to account for system variations.

Table AIII.1 Element standards used in this study

| Element | Z | Standard | Typical counts sec ⁻¹ wt-% ⁻¹ |
|---------|----|------------------------------------|--|
| F | 9 | MgF ₂ | 19 |
| Na | 11 | NaAlSi ₂ O ₆ | 120 |
| Mg | 12 | MgO | 230 |
| Al | 13 | Al ₂ O ₃ | 260 |
| Si | 14 | CaSiO ₃ | 180 |
| K | 19 | KAlSi ₃ O ₈ | 62 |
| Ca | 20 | CaSiO ₃ | 130 |
| Ti | 22 | TiO ₂ | 170 |
| Cr | 24 | metal | 170 |
| Mn | 25 | metal | 165 |
| Fe | 26 | metal | 140 |
| Zn | 30 | metal | 70 |
| Ba | 56 | BaSO ₄ | 35 |

All radiation is K α , except for Zn which is L α . Zn and all elements up to Si were analysed using a quartz crystal; all other elements were analysed using an RAP crystal. All mineral standards are natural; all metals are synthetic. In general, lower counts sec⁻¹ wt-%⁻¹ indicate poorer detection limits.

Precision on analyses

Listed below are the elements analysed in each mineral.

| Mineral | Elements analysed |
|-----------------|--------------------------------------|
| Chlorite | Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K |
| Muscovite | Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K |
| Biotite | Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, F |
| Garnet | Si, Ti, Al, Cr, Fe, Mn, Mg, Ca |
| Cordierite | Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K |
| K-feldspar | Si, Al, Fe, Mg, Ca, K, Na |
| Plagioclase | Si, Al, Fe, Mg, Ca, K, Na |
| Spinel | Si, Ti, Al, Cr, Fe, Mn, Mg, Ca, Zn |
| Orthopyroxene | Si, Ti, Al, Cr, Fe, Mn, Mg, Ca, Na |
| Quartz | } Si, Ti, Al, Fe, Mg, Ca, K, Na |
| Aluminosilicate | |
| Corundum | |

Table AIII.2 lists the detection limits and two different types of precision calculation for typical analyses of each mineral for WDS analysis. The detection limit calculation and the first precision calculation measure the best possible analytical precision of the microprobe, based on the following formulae:

$$1) \text{ Detection limit} = \frac{3\sqrt{R_b}}{m\sqrt{T_b}}$$

$$2) \text{ Precision} = 2 \times \left[\frac{1}{\sqrt{T_p}} \times \frac{1}{\sqrt{R_p - R_b}} \right] \times (\text{wt}\%)$$

where m = counts (above background) $\text{sec}^{-1} (\text{wt}\%)^{-1}$

R_b = background count rate (counts sec^{-1})

T_b = time on background (sec)

R_p = peak count rate (counts sec^{-1})

T_p = time on peak (sec)

Table A11.2 Precision and detection limits for typical WDS analysis. **Reprod. - Reproducibility**

| A. CHLORITE D182 | | | | | B. MUSCOVITE D608-1 | | | | |
|--------------------------------|-----------|-------------------------------------|-----------------|-----------------------------|--------------------------------|-----------|-------------------------------------|-----------------|-----------------------------|
| Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) | Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) |
| SiO ₂ | 25.80 | 0.20 | 0.04 | 0.34 | SiO ₂ | 45.15 | 0.27 | 0.04 | 0.79 |
| TiO ₂ | 0.07 | 0.03 | 0.03 | 0.01 | TiO ₂ | 0.07 | 0.03 | 0.03 | 0.03 |
| Al ₂ O ₃ | 20.92 | 0.15 | 0.03 | 0.35 | Al ₂ O ₃ | 34.53 | 0.17 | 0.02 | 0.72 |
| FeO | 18.11 | 0.15 | 0.03 | 0.30 | FeO | 2.16 | 0.07 | 0.03 | 0.37 |
| MnO | 0.22 | 0.02 | 0.03 | 0.02 | MnO | 0.01 | 0.03 | 0.03 | 0.01 |
| MgO | 20.47 | 0.14 | 0.02 | 0.20 | MgO | 0.73 | 0.03 | 0.02 | 0.29 |
| | | | | | Na ₂ O | 0.51 | 0.17 | 0.02 | 0.06 |
| | | | | | K ₂ O | 10.73 | 0.13 | 0.03 | 0.20 |
| TOTAL | 85.60 | | | 0.83 | TOTAL | 93.91 | | | 0.66 |
| C. BIOTITE D63b | | | | | D. GARNET D568 | | | | |
| Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) | Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) |
| SiO ₂ | 37.79 | 0.25 | 0.04 | 0.87 | SiO ₂ | 37.53 | 0.25 | 0.04 | 0.41 |
| TiO ₂ | 2.34 | 0.07 | 0.03 | 0.12 | TiO ₂ | 0.04 | 0.03 | 0.03 | 0.01 |
| Al ₂ O ₃ | 19.31 | 0.14 | 0.02 | 0.62 | Al ₂ O ₃ | 21.34 | 0.14 | 0.02 | 0.09 |
| FeO | 7.0 | 0.11 | 0.04 | 0.6 | Cr ₂ O ₃ | 0.08 | 0.03 | 0.03 | 0.01 |
| MnO | 0.10 | 0.03 | 0.03 | 0.01 | FeO | 34.60 | 0.22 | 0.04 | 0.27 |
| MgO | 16.84 | 0.13 | 0.02 | 0.40 | MnO | 1.54 | 0.06 | 0.03 | 0.04 |
| CaO | 0.01 | 0.02 | 0.02 | 0.01 | MgO | 4.41 | 0.08 | 0.02 | 0.04 |
| Na ₂ O | 0.25 | 0.03 | 0.02 | 0.02 | CaO | 1.24 | 0.05 | 0.02 | 0.02 |
| K ₂ O | 9.95 | 0.13 | 0.02 | 0.20 | | | | | |
| F | 1.14 | 0.22 | 0.10 | 0.21 | TOTAL | 100.81 | | | 0.67 |
| TOTAL | 95.54 | | | 0.95 | | | | | |
| E. CORDIERITE D568 | | | | | F. K-FELDSPAR D608-1 | | | | |
| Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) | Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) |
| SiO ₂ | 47.76 | 0.28 | 0.04 | 0.41 | SiO ₂ | 64.65 | 0.30 | 0.04 | 1.07 |
| TiO ₂ | 0.01 | 0.03 | 0.03 | 0.01 | Al ₂ O ₃ | 18.81 | 0.13 | 0.02 | 0.12 |
| Al ₂ O ₃ | 32.31 | 0.17 | 0.02 | 0.41 | FeO | 0.02 | 0.03 | 0.03 | 0.02 |
| FeO | 11.09 | 0.13 | 0.04 | 0.10 | Ba | 0.41 | 0.07 | 0.06 | 0.04 |
| MnO | 0.20 | 0.03 | 0.03 | 0.01 | MgO | 0.02 | 0.02 | 0.02 | 0.01 |
| MgO | 6.69 | 0.08 | 0.02 | 0.05 | CaO | 0.05 | 0.03 | 0.02 | 0.02 |
| CaO | 0.01 | 0.01 | 0.02 | 0.01 | Na ₂ O | 2.92 | 0.07 | 0.02 | 0.47 |
| Na ₂ O | 0.18 | 0.03 | 0.02 | 0.02 | K ₂ O | 13.05 | 0.14 | 0.02 | 0.79 |
| K ₂ O | 0.01 | 0.02 | 0.02 | 0.01 | | | | | |
| TOTAL | 98.28 | | | 0.40 | TOTAL | 99.95 | | | 1.09 |
| G. PLAGIOCLASE D568 | | | | | H. SPINEL D608-1 | | | | |
| Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) | Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) |
| SiO ₂ | 59.44 | 0.30 | 0.04 | 0.95 | SiO ₂ | 0.02 | 0.04 | 0.04 | 0.02 |
| TiO ₂ | 0.01 | 0.03 | 0.03 | 0.01 | TiO ₂ | 0.07 | 0.03 | 0.03 | 0.02 |
| Al ₂ O ₃ | 25.51 | 0.15 | 0.02 | 0.51 | Al ₂ O ₃ | 56.12 | 0.19 | 0.03 | 0.41 |
| FeO | 0.07 | 0.03 | 0.03 | 0.02 | Cr ₂ O ₃ | 0.04 | 0.03 | 0.03 | 0.01 |
| MgO | 0.02 | 0.02 | 0.02 | 0.01 | FeO | 41.38 | 0.23 | 0.04 | 0.17 |
| CaO | 7.50 | 0.11 | 0.02 | 0.38 | MnO | 0.51 | 0.04 | 0.03 | 0.03 |
| Na ₂ O | 7.53 | 0.11 | 0.02 | 0.24 | MgO | 2.38 | 0.06 | 0.02 | 0.04 |
| K ₂ O | 0.26 | 0.03 | 0.02 | 0.04 | CaO | 0.01 | 0.02 | 0.02 | 0.01 |
| | | | | | ZnO | 0.27 | 0.07 | 0.05 | 0.03 |
| TOTAL | 100.35 | | | 0.79 | TOTAL | 100.82 | | | 0.51 |
| I. ORTHOPYROXENE D568 | | | | | | | | | |
| Oxide | Mean Wt % | Theoretical precision $\pm 2\sigma$ | Detection limit | Reprod. $\pm 2\sigma$ (n=5) | | | | | |
| SiO ₂ | 48.72 | 0.27 | 0.04 | 0.65 | | | | | |
| TiO ₂ | 0.15 | 0.06 | 0.03 | 0.02 | | | | | |
| Al ₂ O ₃ | 2.18 | 0.06 | 0.02 | 0.12 | | | | | |
| Cr ₂ O ₃ | 0.05 | 0.03 | 0.03 | 0.01 | | | | | |
| FeO | 37.56 | 0.23 | 0.04 | 0.16 | | | | | |
| MnO | 0.64 | 0.04 | 0.03 | 0.05 | | | | | |
| MgO | 11.30 | 0.12 | 0.02 | 0.03 | | | | | |
| CaO | 0.16 | 0.03 | 0.02 | 0.03 | | | | | |
| Na ₂ O | 0.01 | 0.01 | 0.01 | 0.01 | | | | | |
| TOTAL | 100.77 | | | 0.58 | | | | | |

The second precision calculation is a measure of the reproducibility of several consecutive analyses within a small area ($\sim 100 \mu\text{m}^2$); in general (but not always) it gives a higher 2σ than that based on the counting statistics. In a sense, this calculation is probably a better estimate of the practical, or "user", precision of the microprobe; during the course of a probe session, slight fluctuations in the vacuum, beam current, and/or peak positions may influence the quality of analyses. These effects are impossible to quantify.

The minerals with the poorest reproducibility are muscovite, biotite and K-feldspar. It is possible that these minerals may not have been homogeneous on the scale of $100 \mu\text{m}^2$.

Explanation of tables

In the following tables, mineral spot analyses are listed that are closest to the average value of the good analyses of a particular mineral in a given rock. Allowance is made for core-rim variation. The analyses are grouped together by rock, which are ordered numerically.

The following abbreviations are used:

| | |
|------------|---|
| n.d.: | not detected |
| CHL: | primary chlorite |
| CHL-2: | secondary chlorite, not specific |
| CHL-2(GT): | chlorite that is an alteration of garnet |
| MU: | primary muscovite |
| MU-2 | secondary muscovite; not specific |
| BI: | primary biotite. May be regional or contact metamorphic |
| BI-R: | schistosity-parallel (regional) biotite, as opposed to late, cross-cutting biotite |
| BI-L: | late biotite. May be with respect to regional <u>or</u> contact metamorphic specimens; in both cases, the biotite texturally appears to post date the dominant texture. |

| | |
|----------|--|
| BI-A: | biotite in medium and high grade rocks involved in the retrograde assemblage Mu-Chl-Bi. |
| BI-MZ: | biotite in the leucosome (melt zone) of heterogeneous migmatites. |
| BI-S: | biotite in the selvage of partially melted rocks. |
| BI-M: | biotite in the mesosome or in the middle of disrupted bedding fragments (i.e. well away from the selvage). |
| BI-MS: | biotite midway between the selvage and the unaffected mesosome. |
| CD: | cordierite. |
| CD-C: | cordierite core. |
| CD-R: | cordierite rim. |
| CD-A: | pinitized cordierite. |
| CD(+AS): | cordierite in a layer containing andalusite. |
| CD-MZ: | cordierite in the leucosome (melt zone) of heterogeneous migmatites. |
| CD-S: | cordierite in the selvage |
| CD-M: | cordierite in the mesosome or in the middle of disrupted bedding fragments (well away from the selvage). |
| CD-MS: | cordierite midway between the selvage and mesosome. |
| GT-C: | garnet core. |
| GT-R: | garnet rim. |
| KF: | K-feldspar. |
| KF-C: | K-feldspr core. |
| KF-R: | K-feldspr rim. |
| PL-A: | plagioclase (albite) |
| PL-O: | plagioclase (oligoclase) |
| SP: | spinel |
| HY: | hypersthene |
| EP: | primary epidote (in regional rocks). |
| EP-2: | secondary (alteration epidote). |
| SIL: | sillimanite. |
| AND: | andalusite. |
| COR: | corundum. |

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

| | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 |
|---------|-------|--------|-------|-------|-------|-------|--------|-------|
| SiO2 | 45.97 | 67.38 | 34.35 | 48.98 | 64.03 | 45.96 | 67.28 | 34.37 |
| TiO2 | 0.10 | 0.14 | nd | 0.14 | nd | 0.14 | 0.01 | 3.57 |
| Al2O3 | 39.17 | 20.33 | 18.38 | 32.58 | 18.64 | 35.35 | 21.14 | 18.51 |
| FeO | 1.17 | nd | 0.33 | 0.07 | 0.21 | 0.95 | 0.19 | 19.14 |
| MnO | 0.61 | 0.19 | 0.66 | 0.03 | 0.06 | nd | nd | 0.02 |
| MgO | nd | 0.48 | 0.18 | 0.17 | 0.53 | 0.70 | 0.03 | 8.60 |
| CaO | 0.60 | 11.18 | 0.18 | 0.70 | 10.02 | 0.72 | 0.03 | 0.12 |
| Mg2O | 10.40 | 0.48 | 9.14 | 0.02 | 14.14 | 10.11 | 0.12 | 9.53 |
| K2O | nd | nd | nd | 0.30 | nd | nd | nd | nd |
| total= | 95.22 | 100.81 | 93.45 | 98.74 | 98.95 | 94.49 | 100.20 | 93.93 |
| F | nd | nd | 0.59 | nd | nd | nd | nd | 0.41 |
| Si | 3.06 | 2.94 | 2.66 | 5.05 | 2.98 | 3.07 | 2.93 | 2.56 |
| Ti | 0.02 | 0.18 | 0.01 | 0.01 | 0.03 | 0.03 | 0.03 | 0.21 |
| Al | 2.83 | 1.06 | 1.78 | 3.96 | 1.02 | 2.79 | 1.09 | 1.59 |
| Fe2 | 0.07 | 0.01 | 1.19 | 0.84 | 0.05 | 1.24 | 0.07 | 0.99 |
| Mn | 0.06 | 0.07 | 1.00 | 0.07 | 0.07 | 0.07 | 0.07 | 0.99 |
| Ca | 0.08 | 0.92 | 0.03 | 0.03 | 0.14 | 0.09 | 0.85 | 0.03 |
| Mg | 0.88 | 0.03 | 0.90 | 0.03 | 0.84 | 0.86 | 0.85 | 0.94 |
| K | 0.08 | 0.03 | 0.30 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 |
| total= | 6.99 | 5.02 | 7.74 | 10.98 | 5.00 | 6.97 | 4.95 | 7.77 |
| oxygen= | [11] | [8] | [11] | [18] | [8] | [11] | [8] | [11] |

| | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| SiO2 | 48.85 | 64.60 | 61.45 | 34.07 | 47.78 | 64.09 | 45.52 | 68.72 |
| TiO2 | nd | 0.02 | nd | 0.16 | 0.09 | 0.09 | nd | nd |
| Al2O3 | 32.06 | 18.50 | 23.81 | 20.28 | 33.37 | 18.56 | 35.95 | 21.31 |
| FeO | 8.12 | 0.16 | 0.10 | 0.07 | 8.73 | 0.01 | 0.99 | 0.39 |
| MnO | 0.07 | nd | nd | 0.07 | 0.10 | nd | nd | 0.02 |
| MgO | 0.37 | 0.01 | 0.01 | 0.01 | 7.56 | 0.02 | 0.88 | 0.02 |
| CaO | 0.19 | 2.37 | 5.41 | 0.12 | 0.02 | nd | nd | 0.62 |
| Mg2O | 0.19 | 0.01 | 0.20 | 0.12 | 0.30 | 1.47 | 0.41 | 8.67 |
| K2O | 0.03 | 13.81 | 0.20 | 3.33 | 0.01 | 14.49 | 10.26 | 0.16 |
| total= | 97.66 | 99.50 | 99.32 | 94.64 | 97.39 | 99.45 | 93.70 | 99.59 |
| F | nd | nd | 0.26 | nd | nd | nd | 0.13 | nd |
| Si | 5.06 | 2.98 | 2.74 | 2.60 | 4.93 | 3.00 | 3.09 | 2.98 |
| Ti | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.02 | 0.02 |
| Al | 3.91 | 1.01 | 1.25 | 1.97 | 4.10 | 1.01 | 2.78 | 1.09 |
| Fe2 | 0.70 | 0.01 | 0.01 | 0.01 | 0.76 | 0.04 | 0.04 | 0.04 |
| Mn | 0.29 | 0.01 | 0.01 | 0.01 | 0.18 | 0.09 | 0.09 | 0.09 |
| Ca | 0.04 | 0.21 | 0.26 | 0.02 | 0.06 | 0.13 | 0.05 | 0.03 |
| Mg | 0.88 | 0.81 | 0.91 | 0.91 | 0.85 | 0.88 | 0.88 | 0.73 |
| K | 0.08 | 5.03 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| total= | 11.01 | 5.03 | 5.00 | 7.74 | 11.05 | 4.99 | 6.96 | 4.84 |
| oxygen= | [18] | [8] | [11] | [11] | [18] | [8] | [11] | [8] |

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

| | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| SiO2 | 62.36 | 36.31 | 35.00 | 35.01 | 47.67 | 0.15 | 64.35 | 45.67 |
| TiO2 | nd | nd | 0.17 | 2.16 | 0.03 | 1.59 | nd | 0.84 |
| Al2O3 | 22.63 | 61.46 | 48.51 | 20.35 | 33.07 | 97.75 | 18.96 | 35.58 |
| FeO | 0.23 | 0.13 | 0.15 | 0.17 | 0.11 | 0.17 | 0.17 | 1.16 |
| MnO | nd | nd | 0.10 | 0.12 | 0.11 | 0.04 | 0.05 | 0.03 |
| MgO | nd | 0.05 | 8.94 | 9.58 | 7.38 | 0.04 | 0.05 | 0.03 |
| CaO | 3.23 | 0.21 | 0.04 | 0.03 | 0.05 | nd | 0.02 | 0.02 |
| Mg2O | 9.54 | 0.21 | 0.18 | 0.14 | 0.23 | 0.02 | 1.98 | 0.17 |
| K2O | 0.18 | 0.38 | 9.46 | 9.59 | nd | 0.01 | 14.02 | 10.14 |
| total= | 97.97 | 98.78 | 95.44 | 95.27 | 97.89 | 99.73 | 99.56 | 94.69 |
| F | nd | nd | 0.25 | 0.10 | nd | 0.01 | nd | nd |
| Si | 2.81 | 1.00 | 2.65 | 2.65 | 4.96 | 0.02 | 2.97 | 3.05 |
| Ti | 1.20 | 1.99 | 1.79 | 1.82 | 4.05 | 1.97 | 1.03 | 2.80 |
| Fe2 | 0.01 | 0.01 | 1.17 | 1.15 | 0.81 | 0.01 | 0.06 | 0.06 |
| Mn | 0.01 | 0.01 | 1.01 | 1.08 | 0.01 | 0.01 | 0.01 | 0.01 |
| Ca | 0.15 | 0.01 | 0.03 | 0.03 | 0.05 | 0.01 | 0.18 | 0.07 |
| Mg | 0.83 | 0.01 | 0.91 | 0.93 | 0.05 | 0.01 | 0.83 | 0.86 |
| K | 0.01 | 0.01 | 0.91 | 0.93 | 0.05 | 0.01 | 0.18 | 0.07 |
| total= | 5.01 | 3.02 | 7.75 | 7.79 | 11.03 | 1.99 | 5.02 | 5.97 |
| oxygen= | [8] | [5] | [11] | [11] | [18] | [3] | [8] | [11] |

| | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| SiO2 | 67.06 | 32.89 | 23.92 | 63.06 | 43.52 | 61.72 | 35.33 | 23.75 |
| TiO2 | nd | 2.77 | 0.31 | 0.01 | 0.68 | 0.02 | 0.02 | 0.84 |
| Al2O3 | 19.74 | 19.36 | 17.55 | 18.75 | 34.83 | 23.35 | 17.62 | 21.41 |
| FeO | 0.07 | 22.13 | 30.69 | 0.08 | 2.65 | 0.15 | 21.71 | 29.01 |
| MnO | nd | 0.36 | 0.37 | nd | nd | 0.01 | 0.22 | 0.01 |
| MgO | 0.35 | 0.02 | 10.74 | 0.62 | 0.38 | nd | 7.71 | 11.80 |
| CaO | 11.16 | 0.17 | 0.03 | 0.62 | 0.62 | 6.23 | 0.02 | nd |
| Mg2O | 0.05 | 9.58 | 0.05 | 14.22 | 10.32 | 0.10 | 0.13 | 0.01 |
| total= | 98.43 | 95.12 | 83.53 | 97.77 | 93.10 | 98.72 | 93.55 | 86.75 |
| F | nd | 0.33 | 0.21 | nd | nd | 0.02 | 0.28 | nd |
| Si | 2.98 | 0.16 | 0.77 | 2.97 | 3.00 | 2.77 | 2.79 | 2.82 |
| Ti | 1.03 | 1.78 | 2.39 | 1.04 | 2.84 | 1.23 | 0.13 | 0.13 |
| Fe2 | 0.01 | 1.44 | 2.99 | 0.01 | 0.15 | 0.01 | 1.61 | 2.75 |
| Mn | 0.01 | 0.02 | 0.04 | 0.04 | 0.04 | 0.01 | 0.01 | 0.01 |
| Mg | 0.02 | 0.91 | 1.78 | 0.04 | 0.04 | 0.04 | 0.89 | 1.92 |
| Ca | 0.02 | 0.03 | 0.03 | 0.15 | 0.10 | 0.20 | 0.02 | 0.02 |
| Mg2 | 0.96 | 0.95 | 0.91 | 0.85 | 0.91 | 0.79 | 0.79 | 0.79 |
| K | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| total= | 4.99 | 7.87 | 10.02 | 5.01 | 7.05 | 5.01 | 7.67 | 10.00 |
| oxygen= | [8] | [11] | [14] | [8] | [11] | [8] | [11] | [16] |

89 D49A-PL-A
90 D49C-KF
91 D49C-CH-2

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

| | | | | | | | | | |
|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|
| S102 | 64.32 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 |
| Si | nd | 65.62 | nd | 45.31 | 67.83 | 66.01 | 35.23 | 48.17 | 65.24 |
| Al | 0.04 | 18.89 | 0.02 | 34.51 | 19.94 | 21.91 | 3.54 | nd | nd |
| Fe | 0.49 | 0.87 | 0.17 | 3.04 | 0.17 | 0.30 | 17.09 | 32.71 | 18.88 |
| Mg | 0.09 | 0.01 | 0.58 | 0.61 | nd | nd | 16.38 | 7.04 | nd |
| Mn | 0.05 | 0.04 | nd | 0.23 | 0.17 | 0.22 | 0.55 | 0.49 | 0.05 |
| Ca | 0.63 | 12.54 | 0.68 | 11.48 | 10.26 | 0.19 | 0.44 | 0.74 | 2.52 |
| K | nd | 13.97 | 0.27 | 9.99 | 0.20 | 0.27 | 9.49 | 13.26 | nd |
| total | 99.48 | 100.15 | 94.47 | 99.78 | 100.84 | 93.61 | 97.40 | 100.52 | nd |

| | | | | | | | | | |
|--------|------|------|------|------|------|------|-------|------|------|
| F | nd | nd | nd | 0.31 | nd | nd | nd | nd | nd |
| Si | 2.97 | 2.99 | 3.07 | 2.97 | 2.88 | 2.71 | 4.99 | 2.98 | 2.98 |
| Al | 1.03 | 1.01 | 0.02 | 1.03 | 1.12 | 1.55 | 4.00 | 1.02 | 1.02 |
| Fe | 0.02 | - | 0.17 | - | 0.01 | 0.01 | 0.61 | - | - |
| Mg | - | - | - | - | - | 1.30 | 1.31 | - | - |
| Mn | - | - | 0.06 | - | - | - | - | - | - |
| Ca | 0.15 | 0.24 | 0.09 | 0.01 | 0.10 | 0.03 | 0.09 | 0.01 | 0.01 |
| K | 0.82 | 0.73 | 0.86 | 0.58 | 0.87 | 0.02 | 0.02 | 0.23 | 0.77 |
| total | 5.00 | 4.98 | 7.02 | 5.01 | 5.00 | 7.79 | 11.05 | 5.01 | 5.01 |
| oxygen | [8] | [8] | [8] | [8] | [8] | [11] | [18] | [8] | [8] |

| | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| S102 | 64.60 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
| Si | nd | 45.79 | nd | 60.40 | 25.05 | 33.51 | 47.17 | 64.43 | 45.77 |
| Al | 0.06 | 1.49 | 0.12 | 25.36 | 20.78 | 22.69 | 32.64 | 18.07 | 36.30 |
| Fe | 0.06 | 1.49 | 0.12 | 22.69 | 20.78 | 22.69 | 11.20 | 1.94 | 0.24 |
| Mg | 0.05 | nd | nd | 0.26 | 0.13 | 0.53 | 0.53 | nd | 0.48 |
| Mn | 0.05 | 1.57 | nd | 16.13 | 6.46 | 6.21 | 0.33 | 0.33 | 0.48 |
| Ca | 0.77 | 0.32 | 0.32 | 9.33 | nd | 0.03 | 0.29 | 0.29 | nd |
| K | 14.72 | 9.37 | 0.16 | 0.16 | 0.33 | 0.27 | 2.23 | 0.63 | 0.63 |
| total | 99.76 | 92.85 | 99.78 | 84.98 | 94.51 | 98.03 | 99.84 | 95.11 | 95.11 |

| | | | | | | | | | |
|--------|------|------|------|------|------|-------|------|------|------|
| F | nd | nd | nd | 0.03 | 0.21 | nd | nd | nd | nd |
| Si | 2.98 | 3.09 | 2.69 | 2.69 | 2.61 | 4.95 | 2.98 | 3.03 | 3.03 |
| Al | 1.01 | 2.76 | 1.33 | 2.63 | 1.87 | 4.04 | 0.99 | 0.03 | 0.03 |
| Fe | 0.08 | - | - | 0.02 | 1.45 | 0.06 | 0.07 | 0.07 | 0.07 |
| Mg | - | - | - | 0.02 | 0.75 | 0.97 | 0.02 | 0.05 | 0.05 |
| Mn | 0.02 | 0.16 | 0.30 | 0.64 | - | 0.02 | 0.01 | 0.01 | 0.01 |
| Ca | 0.12 | 0.04 | 0.04 | - | 0.02 | 0.05 | 0.20 | 0.08 | 0.08 |
| K | 0.87 | 0.85 | 0.85 | - | 0.89 | - | 0.71 | 0.88 | 0.88 |
| total | 5.01 | 6.99 | 4.97 | 9.99 | 7.76 | 11.06 | 4.99 | 6.99 | 6.99 |
| oxygen | [8] | [11] | [8] | [14] | [11] | [8] | [8] | [11] | [11] |

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

| | | | | | | | | | |
|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| S102 | 66.61 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 |
| Si | 0.03 | 62.68 | 0.03 | 36.29 | 48.15 | 25.59 | 47.01 | 61.68 | 35.03 |
| Al | 0.02 | 0.03 | 0.03 | 3.56 | 0.03 | 0.05 | 0.26 | nd | 4.87 |
| Fe | 20.25 | 23.50 | 23.50 | 18.08 | 32.76 | 22.91 | 35.13 | 23.91 | 16.88 |
| Mg | 0.07 | 0.02 | 0.02 | 0.12 | 0.31 | 0.31 | 1.32 | 0.72 | 22.20 |
| Mn | 0.07 | 0.02 | 0.02 | 10.11 | 8.12 | 17.28 | nd | nd | 9.27 |
| Ca | 1.80 | 4.36 | 4.36 | 0.21 | 0.02 | 0.02 | 0.86 | 0.37 | 7.36 |
| K | 10.17 | 8.90 | 8.90 | 0.21 | 0.18 | 0.01 | 9.82 | 8.06 | 0.09 |
| total | 100.45 | 100.02 | 95.78 | 97.65 | 87.54 | 95.50 | 99.53 | 96.57 | 96.57 |

| | | | | | | | | | |
|--------|------|------|------|-------|------|------|------|------|------|
| F | nd | nd | nd | 0.46 | nd | nd | nd | nd | nd |
| Si | 2.91 | 2.78 | 2.73 | 4.99 | 2.64 | 2.64 | 3.11 | 2.75 | 2.58 |
| Al | 1.10 | 1.22 | 1.60 | 4.00 | 2.79 | 2.79 | 2.74 | 1.25 | 1.52 |
| Fe | - | - | 1.14 | 0.71 | 1.85 | 1.85 | 0.07 | 0.03 | 1.42 |
| Mg | - | - | - | 0.02 | 0.02 | 0.02 | 0.11 | 0.03 | 0.02 |
| Mn | 0.08 | 0.21 | 1.13 | 1.26 | 2.65 | 2.65 | - | - | 0.86 |
| Ca | 0.86 | 0.26 | 0.03 | 0.04 | - | - | 0.11 | 0.21 | 0.01 |
| K | 4.97 | 4.99 | 7.73 | 11.02 | 9.96 | 9.96 | 5.98 | 4.99 | 7.75 |
| total | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 |
| oxygen | [8] | [8] | [11] | [11] | [14] | [14] | [11] | [8] | [11] |

| | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| S102 | 46.83 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 |
| Si | nd | 46.83 | 47.63 | 24.95 | 45.41 | 61.58 | 34.58 | 35.38 | 34.82 |
| Al | 0.02 | nd | nd | 0.17 | 0.12 | 0.12 | 3.84 | 3.86 | 3.70 |
| Fe | 10.55 | 31.77 | 32.28 | 20.53 | 34.77 | 22.99 | 17.59 | 17.57 | 17.70 |
| Mg | 0.44 | 0.44 | 9.82 | 30.38 | 2.05 | 0.12 | 22.53 | 21.47 | 23.04 |
| Mn | 5.39 | 6.46 | 0.46 | 11.39 | 0.02 | nd | 0.25 | 0.17 | 0.18 |
| Ca | 0.50 | 0.31 | 0.31 | 0.01 | 0.67 | 4.66 | 7.50 | 8.14 | 6.08 |
| K | 10.63 | 10.63 | 10.63 | 10.63 | 10.63 | 10.63 | 10.63 | 10.63 | 10.63 |
| total | 96.18 | 97.30 | 88.20 | 94.30 | 98.37 | 96.01 | 96.15 | 95.92 | 95.92 |

| | | | | | | | | | |
|--------|-------|-------|------|------|------|------|------|------|------|
| F | nd | nd | nd | nd | nd | nd | 0.26 | 0.28 | 0.17 |
| Si | 5.00 | 5.00 | 2.69 | 3.07 | 2.79 | 2.67 | 2.70 | 2.69 | 2.69 |
| Al | 0.01 | 0.01 | 0.01 | 2.77 | 1.22 | 1.60 | 1.58 | 1.62 | 1.62 |
| Fe | 0.94 | 0.86 | 2.74 | 0.72 | - | 0.43 | 1.37 | 1.49 | 1.49 |
| Mg | 0.04 | 0.04 | 1.90 | 0.07 | - | 0.86 | 0.91 | 0.91 | 0.91 |
| Mn | 0.12 | 0.06 | - | - | 0.21 | - | - | - | - |
| Ca | - | - | - | - | 0.07 | 0.03 | 0.03 | 0.04 | 0.04 |
| K | 11.06 | 11.03 | 9.99 | 7.03 | 5.00 | 7.76 | 7.77 | 7.76 | 7.76 |
| total | 11.06 | 11.03 | 9.99 | 7.03 | 5.00 | 7.76 | 7.77 | 7.76 | 7.76 |
| oxygen | [10] | [10] | [14] | [11] | [8] | [11] | [11] | [11] | [11] |

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

Table with 11 columns (161-169) and 18 rows (S102 to K20) showing elemental analysis for various samples. Includes a 'total' row and an 'oxygen' row.

Table with 11 columns (170-178) and 18 rows (S102 to K20) showing elemental analysis for various samples. Includes a 'total' row and an 'oxygen' row.

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AUREOLE

Table with 11 columns (177-185) and 18 rows (S102 to K20) showing elemental analysis for various samples. Includes a 'total' row and an 'oxygen' row.

Table with 11 columns (186-194) and 18 rows (S102 to K20) showing elemental analysis for various samples. Includes a 'total' row and an 'oxygen' row.

ANALYSES OF PELITIC MINERALS IN THE BALLACHULISH AMPHIBOLITE

Table with columns for mineral samples (S102, T102, Al203, FeO, MnO, MgO, CaO, Na2O, K2O, BeO, F) and values for various elements (Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, total, oxygen) for samples 233, 234, 235, 236, 237, 238, 239, 240.

ANALYSES OF PELITIC MINERALS IN THE BALLACHULISH AMPHIBOLITE

Table with columns for mineral samples (S102, T102, Al203, FeO, MnO, MgO, CaO, Na2O, K2O, BeO, F) and values for various elements (Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, total, oxygen) for samples 249, 250, 251, 252, 253, 254, 255, 256.

ANALYSES OF PELITIC MINERALS IN THE BALLACHULISH AMPHIBOLITE

Table with columns for mineral samples (S102, T102, Al203, FeO, MnO, MgO, CaO, Na2O, K2O, BeO, F) and values for various elements (Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, total, oxygen) for samples 241, 242, 243, 244, 245, 246, 247, 248.

ANALYSES OF PELITIC MINERALS IN THE BALLACHULISH AMPHIBOLITE

Table with columns for mineral samples (S102, T102, Al203, FeO, MnO, MgO, CaO, Na2O, K2O, BeO, F) and values for various elements (Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, total, oxygen) for samples 257, 258, 259, 260, 261, 262, 263, 264, 265, 266.

ANALYSES OF PELITIC MINERALS IN THE BALLAACHULISH AUREOLE

| | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 |
|---------------|-------|-------|--------------|-------|-------|-------------|-------|-------|
| SiO2 | 47.16 | 47.76 | 46.56 | 35.00 | 47.44 | 47.48 | 45.93 | 68.15 |
| TiO2 | 2.76 | 0.44 | 0.44 | 2.02 | 0.03 | 0.09 | 0.48 | nd |
| Al2O3 | 33.16 | 32.92 | 30.74 | 18.22 | 32.77 | 32.13 | 33.91 | 19.43 |
| FeO | 10.61 | 10.40 | 1.06 | 18.22 | 0.23 | 0.31 | 3.02 | 0.13 |
| MnO | 0.03 | 0.03 | 1.06 | 0.05 | 0.23 | 0.36 | 0.71 | nd |
| MgO | 6.92 | 7.19 | 1.08 | 9.40 | 7.39 | 7.24 | 1.71 | 0.27 |
| CaO | nd | nd | nd | nd | 0.12 | 0.03 | 0.04 | 0.18 |
| K2O | 0.35 | 0.22 | 0.49 | 0.24 | 0.51 | 0.29 | 1.10 | 11.58 |
| Na2O | 0.02 | 0.05 | 10.11 | 7.72 | 0.24 | 0.30 | 8.44 | 0.05 |
| total | 98.25 | 98.57 | 94.10 | 93.44 | 97.05 | 97.73 | 94.64 | 99.65 |
| F | nd | nd | nd | 0.50 | nd | nd | nd | nd |
| Si | 4.92 | 4.96 | 3.12 | 2.69 | 4.97 | 4.97 | 3.08 | 2.99 |
| Ti | 0.08 | 0.03 | 0.02 | 0.12 | 0.02 | 0.02 | 0.02 | 0.00 |
| Al | 4.08 | 4.03 | 2.72 | 1.79 | 4.05 | 3.96 | 2.68 | 1.00 |
| Fe2 | 0.93 | 0.90 | 0.06 | 1.24 | 0.73 | 0.82 | 0.17 | 0.00 |
| Mn | 1.08 | 1.11 | 0.11 | 1.08 | 0.02 | 0.02 | 0.17 | 0.01 |
| Mg | 0.07 | 0.04 | 0.06 | 0.04 | 0.05 | 0.05 | 0.14 | 0.98 |
| Ca | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| K | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| total | 11.08 | 11.05 | 6.96 | 7.70 | 11.07 | 11.09 | 6.99 | 5.00 |
| oxygen | [18] | [18] | [11] | [11] | [18] | [18] | [11] | [8] |
| 265 D266-CD-C | | | 268 D269-BI | | | 271 D269-MU | | |
| 266 D266-CD-R | | | 269 D268-C | | | 272 D269-PL | | |
| 267 D266-MU | | | 270 D268-C-R | | | | | |

ANALYSES OF PELITIC MINERALS IN THE BALLAACHULISH AUREOLE

| | 281 | 282 | 283 | 284 | 285 | 286 | 287 |
|-------------|-------|-------|---------------|-------|-------|-------------|-------|
| SiO2 | 31.26 | 47.23 | 64.02 | 45.67 | 65.08 | 63.67 | 36.11 |
| TiO2 | 3.23 | 32.71 | 18.70 | 0.24 | 0.13 | 0.02 | 2.60 |
| Al2O3 | 19.59 | 11.18 | 0.19 | 31.91 | 20.06 | 22.59 | 18.95 |
| FeO | 0.03 | 0.11 | nd | nd | 0.01 | 0.09 | 15.71 |
| MnO | 6.60 | 6.42 | 0.02 | 0.61 | 0.34 | 0.02 | 11.83 |
| CaO | nd | nd | nd | nd | 0.65 | 3.70 | nd |
| K2O | 9.55 | 0.18 | 14.12 | 10.59 | 10.44 | 9.11 | 0.18 |
| Na2O | 0.60 | nd | 0.20 | 0.12 | 0.53 | 0.25 | 9.65 |
| total | 95.41 | 97.23 | 99.03 | 94.70 | 98.36 | 99.84 | 95.08 |
| F | 0.45 | nd | nd | nd | nd | nd | 0.40 |
| Si | 2.67 | 4.99 | 2.98 | 3.06 | 2.92 | 2.81 | 2.71 |
| Ti | 1.78 | 4.00 | 1.02 | 0.01 | 0.06 | 0.15 | 0.15 |
| Al | 1.78 | 6.00 | 1.02 | 0.01 | 1.06 | 1.20 | 1.67 |
| Fe2 | 1.39 | 0.99 | 0.00 | 0.01 | 0.03 | 0.98 | 4.04 |
| Mn | 0.76 | 1.01 | 0.00 | 0.06 | 0.02 | 1.32 | 1.50 |
| Ca | 0.00 | 0.04 | 0.00 | 0.00 | 0.00 | 0.18 | 0.00 |
| K | 0.94 | 0.00 | 0.16 | 0.08 | 0.91 | 0.78 | 0.03 |
| total | 7.74 | 11.03 | 5.01 | 6.99 | 5.02 | 4.98 | 7.78 |
| oxygen | [11] | [18] | [8] | [11] | [8] | [11] | [18] |
| 281 D280-BI | | | 284 D280-MU-2 | | | 287 D286-BI | |
| 282 D280-CD | | | 285 D280-PL-2 | | | 288 D286-CD | |
| 283 D280-KF | | | 286 D280-PL-0 | | | | |

| | 289 | 290 | 291 | 292 | 293 | 294 | 295 |
|---------------|-------|-------|---------------|-------|-------|---------------|-------|
| SiO2 | 64.42 | 45.12 | 63.17 | 33.34 | 63.95 | 56.93 | 33.97 |
| TiO2 | 18.49 | 0.49 | 22.43 | 3.93 | nd | 0.21 | 1.52 |
| Al2O3 | 18.99 | 33.89 | 19.87 | 19.87 | 18.88 | 25.71 | 20.66 |
| FeO | 0.19 | 0.03 | 0.10 | 20.57 | 0.09 | 1.12 | 24.55 |
| MnO | 0.03 | 0.84 | 0.00 | 0.15 | nd | nd | 0.06 |
| CaO | nd | nd | 3.06 | 0.03 | 0.08 | 0.48 | 5.58 |
| K2O | 2.09 | 0.63 | 9.69 | 0.15 | 1.35 | 6.58 | 0.02 |
| Na2O | 13.72 | 10.36 | 0.26 | 9.57 | 15.03 | 9.75 | 9.45 |
| total | 99.55 | 94.77 | 98.72 | 96.06 | 99.83 | 96.94 | 95.95 |
| F | nd | nd | nd | 0.17 | nd | nd | 0.37 |
| Si | 2.97 | 3.06 | 2.82 | 2.55 | 2.97 | 2.59 | 2.63 |
| Ti | 1.03 | 0.02 | 0.23 | 0.23 | 1.03 | 1.38 | 1.89 |
| Al | 1.03 | 2.71 | 1.18 | 1.79 | 1.03 | 0.04 | 1.59 |
| Fe2 | 0.19 | 0.19 | 0.00 | 1.31 | 0.00 | 0.03 | 1.56 |
| Mn | 0.08 | 0.08 | 0.00 | 0.96 | 0.00 | 0.03 | 0.65 |
| Ca | 0.19 | 0.98 | 0.05 | 0.02 | 0.12 | 0.59 | 0.02 |
| K | 0.81 | 0.98 | 0.01 | 0.93 | 0.89 | 0.04 | 0.93 |
| total | 5.01 | 7.05 | 5.01 | 7.81 | 5.02 | 5.03 | 7.81 |
| oxygen | [8] | [11] | [8] | [11] | [8] | [11] | [11] |
| 289 D286-MU-2 | | | 292 D284-BI | | | 295 D311-BI-M | |
| 290 D286-MU-2 | | | 293 D284-KF | | | 296 D311-BI-S | |
| 291 D286-PL-0 | | | 294 D284-PL-0 | | | | |

| | 296 | 297 | 298 | 299 | 300 | 301 | 302 |
|---------------|-------|-------|---------------|-------|-------|---------------|-------|
| SiO2 | 63.93 | 63.17 | 63.17 | 33.34 | 63.95 | 56.93 | 33.97 |
| TiO2 | 23.00 | 0.49 | 22.43 | 3.93 | nd | 0.21 | 1.52 |
| Al2O3 | 18.99 | 33.89 | 19.87 | 19.87 | 18.88 | 25.71 | 20.66 |
| FeO | 0.19 | 0.03 | 0.10 | 20.57 | 0.09 | 1.12 | 24.55 |
| MnO | 0.03 | 0.84 | 0.00 | 0.15 | nd | nd | 0.06 |
| CaO | nd | nd | 3.06 | 0.03 | 0.08 | 0.48 | 5.58 |
| K2O | 2.09 | 0.63 | 9.69 | 0.15 | 1.35 | 6.58 | 0.02 |
| Na2O | 13.72 | 10.36 | 0.26 | 9.57 | 15.03 | 9.75 | 9.45 |
| total | 99.55 | 94.77 | 98.72 | 96.06 | 99.83 | 96.94 | 95.95 |
| F | nd | nd | nd | 0.17 | nd | nd | 0.37 |
| Si | 2.97 | 3.06 | 2.82 | 2.55 | 2.97 | 2.59 | 2.63 |
| Ti | 1.03 | 0.02 | 0.23 | 0.23 | 1.03 | 1.38 | 1.89 |
| Al | 1.03 | 2.71 | 1.18 | 1.79 | 1.03 | 0.04 | 1.59 |
| Fe2 | 0.19 | 0.19 | 0.00 | 1.31 | 0.00 | 0.03 | 1.56 |
| Mn | 0.08 | 0.08 | 0.00 | 0.96 | 0.00 | 0.03 | 0.65 |
| Ca | 0.19 | 0.98 | 0.05 | 0.02 | 0.12 | 0.59 | 0.02 |
| K | 0.81 | 0.98 | 0.01 | 0.93 | 0.89 | 0.04 | 0.93 |
| total | 5.01 | 7.05 | 5.01 | 7.81 | 5.02 | 5.03 | 7.81 |
| oxygen | [8] | [11] | [8] | [11] | [8] | [11] | [11] |
| 296 D286-MU-2 | | | 299 D304-BI | | | 302 D311-BI-M | |
| 297 D286-MU-2 | | | 300 D304-KF | | | 303 D311-BI-S | |
| 298 D286-PL-0 | | | 301 D304-PL-0 | | | | |

ANALYSES OF PELTIC MINERALS IN THE BALLACRULISH AUREOLE

| | | | | | | | | | |
|--------|-------|-------|-------|--------|-------|--------|-------|-------|-------|
| S102 | 47.40 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 |
| T102 | 0.01 | 47.28 | 23.77 | 64.07 | 46.20 | 69.24 | 61.80 | 32.57 | 32.57 |
| Al2O3 | 32.33 | 0.05 | 0.01 | nd | 0.23 | nd | 0.01 | 19.58 | 19.58 |
| FeO | 14.15 | 32.45 | 21.46 | 19.68 | 36.12 | 20.01 | 23.75 | 24.19 | 24.19 |
| MnO | 0.56 | 0.68 | 0.34 | nd | 0.12 | 0.14 | 0.25 | 0.60 | 0.60 |
| CaO | 0.58 | 0.16 | 0.01 | 0.13 | 0.01 | 0.52 | 0.01 | 5.80 | 5.80 |
| MgO | 0.16 | 0.16 | 0.01 | 0.16 | 0.31 | 0.89 | 4.63 | 0.01 | 0.01 |
| K2O | 0.16 | 0.04 | 0.04 | 0.08 | 10.89 | 8.54 | 0.29 | 0.29 | 0.29 |
| BaO | nd | nd | nd | 11.02 | 10.21 | 0.16 | 0.20 | 8.67 | 8.67 |
| total | 98.80 | 98.58 | 86.79 | 100.52 | 95.16 | 100.75 | 99.33 | 94.91 | 94.91 |
| F | nd | nd | nd | nd | nd | nd | nd | 0.07 | 0.07 |
| Si | 4.99 | 4.98 | 2.55 | 2.93 | 3.07 | 2.99 | 2.76 | 2.64 | 2.64 |
| Al | 4.01 | 4.03 | 2.82 | 1.06 | 2.83 | 1.02 | 1.25 | 0.15 | 0.15 |
| Fe | 1.25 | 1.21 | 3.06 | 0.04 | 0.07 | - | - | 1.58 | 1.58 |
| Mn | 0.02 | 0.02 | 0.03 | - | - | - | - | 0.68 | 0.68 |
| Ca | 0.72 | 0.74 | 1.39 | - | 0.05 | 0.01 | 0.22 | 0.04 | 0.04 |
| Mg | 0.03 | 0.04 | - | 0.27 | 0.08 | 0.91 | 0.74 | 0.86 | 0.86 |
| K | - | - | - | 0.01 | 0.87 | - | - | - | - |
| Ba | - | - | - | 0.01 | 0.21 | - | - | - | - |
| total | 11.02 | 11.02 | 9.95 | 5.02 | 5.97 | 4.96 | 4.99 | 7.75 | 7.75 |
| oxygen | (18) | (18) | (14) | (8) | (11) | (8) | (8) | (11) | (11) |

313 0372-PL-A
314 0377-B1
315 0377-C0

| | | | | | | | | | |
|--------|-------|-------|-------|-------|-------|--------|--------|-------|-------|
| S102 | 46.64 | 305 | 306 | 307 | 308 | 309 | 310 | 311 | 312 |
| T102 | nd | 47.72 | 35.57 | 0.37 | 2.25 | 0.10 | 38.49 | 38.10 | 48.31 |
| Al2O3 | 31.86 | 33.13 | 19.49 | 20.43 | 20.53 | 19.19 | 20.43 | 20.13 | 0.37 |
| FeO | 11.68 | 2.35 | 21.96 | 20.76 | 20.53 | 29.91 | 20.76 | 20.53 | 30.85 |
| MnO | 0.37 | 0.01 | 0.19 | 0.34 | 0.04 | 0.34 | 0.04 | 0.21 | 0.21 |
| CaO | 5.74 | 5.60 | 0.93 | 6.57 | 10.69 | 0.56 | 0.56 | 0.69 | 1.64 |
| MgO | 0.04 | 0.04 | nd | 0.15 | 0.15 | 0.15 | 9.42 | 8.88 | 0.01 |
| K2O | 0.27 | 0.37 | 0.88 | 0.16 | 0.01 | 0.01 | nd | 0.47 | 0.47 |
| BaO | 0.03 | 0.04 | 5.30 | 0.16 | 0.21 | 0.21 | nd | 9.90 | 9.90 |
| total | 96.59 | 97.19 | 94.69 | 95.31 | 86.66 | 101.49 | 100.22 | 94.77 | 94.77 |
| F | nd | nd | nd | 0.12 | nd | nd | nd | nd | nd |
| Si | 4.96 | 4.95 | 3.19 | 2.73 | 2.82 | 3.05 | 3.06 | 3.25 | 3.25 |
| Al | 4.01 | 4.05 | 2.61 | 1.76 | 0.01 | 0.01 | 1.96 | 0.02 | 0.02 |
| Fe | 1.04 | 1.06 | 0.13 | 0.01 | 2.52 | 2.74 | 1.66 | 2.44 | 2.44 |
| Mn | 0.03 | 0.03 | 0.01 | 0.01 | 1.72 | 0.54 | 0.34 | 0.16 | 0.16 |
| Mg | 0.51 | 0.89 | 0.09 | 0.75 | 0.02 | 0.80 | 0.08 | 0.16 | 0.16 |
| Ca | - | - | - | - | - | - | - | - | - |
| K | 0.06 | 0.06 | 0.11 | 0.02 | 0.03 | - | - | 0.06 | 0.06 |
| total | 11.04 | 11.05 | 6.94 | 7.72 | 9.92 | 6.00 | 6.00 | 6.97 | 6.97 |
| oxygen | (18) | (18) | (11) | (11) | (14) | (12) | (12) | (11) | (11) |

308 0372-B1
309 0372-CHL
310 0372-CT-C

ANALYSES OF PELTIC MINERALS IN THE BALLACRULISH AUREOLE

| | | | | | | | | | |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| S102 | 66.56 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 |
| T102 | nd | 33.98 | 47.64 | 45.72 | 68.14 | 34.52 | 34.52 | 48.31 | 64.13 |
| Al2O3 | 19.43 | 1.13 | nd | 0.36 | 19.35 | 26.10 | 26.10 | 0.03 | 0.03 |
| FeO | 0.02 | 20.71 | 32.59 | 34.39 | 19.35 | 14.77 | 14.77 | 31.82 | 18.56 |
| MnO | nd | 23.61 | 10.90 | 1.36 | 0.13 | 0.13 | 0.13 | 0.04 | 0.04 |
| CaO | nd | 0.19 | 0.40 | 0.68 | nd | nd | nd | 0.04 | 0.04 |
| MgO | nd | 7.81 | 5.96 | 0.68 | nd | nd | nd | 9.13 | 9.13 |
| K2O | 0.19 | nd | nd | 0.18 | nd | nd | nd | 0.01 | 0.01 |
| BaO | 11.12 | 7.77 | 0.40 | 0.84 | 11.54 | 9.55 | 9.55 | 0.31 | 2.32 |
| total | 99.73 | 95.20 | 97.97 | 92.47 | 99.34 | 93.63 | 93.63 | 97.49 | 98.74 |
| F | nd | nd | nd | nd | nd | nd | 0.48 | nd | nd |
| Si | 3.00 | 3.00 | 5.00 | 0.01 | 3.00 | 2.63 | 2.63 | 4.99 | 2.98 |
| Al | 1.00 | 1.88 | 4.03 | 2.76 | 1.00 | 0.13 | 0.13 | 3.99 | 1.02 |
| Fe | - | 1.52 | 0.96 | 0.08 | - | 0.84 | 0.84 | 0.59 | - |
| Mn | - | 0.01 | 0.04 | 0.07 | - | - | - | - | - |
| Mg | 0.97 | 0.90 | 0.93 | 0.07 | 0.98 | 1.35 | 1.35 | 1.40 | 0.21 |
| K | - | 0.76 | 0.08 | 0.11 | 0.98 | 0.03 | 0.03 | 0.06 | 0.79 |
| Ba | - | - | - | - | - | 0.92 | 0.92 | - | - |
| total | 4.99 | 7.75 | 11.04 | 5.84 | 4.99 | 7.81 | 7.81 | 11.05 | 5.01 |
| oxygen | (8) | (11) | (18) | (11) | (8) | (11) | (11) | (18) | (8) |

316 0377-MU
317 0377-PL-A
318 0391-B1
319 0391-C0
320 0391-KF

| | | | | | | | | | |
|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| S102 | 45.93 | 321 | 322 | 323 | 324 | 325 | 326 | 327 | 328 |
| T102 | 1.13 | 64.11 | 35.07 | 32.2 | 47.34 | 66.67 | 44.73 | 66.23 | 61.99 |
| Al2O3 | 34.37 | 21.26 | 12.16 | 12.20 | 18.60 | 18.60 | 34.88 | 20.66 | 0.03 |
| FeO | 0.74 | 0.08 | 20.05 | 0.20 | 0.32 | 0.32 | 1.02 | 0.09 | 21.91 |
| MnO | nd | nd | 7.45 | 6.31 | 0.06 | 0.06 | 0.74 | nd | 0.06 |
| CaO | 0.82 | nd | nd | nd | nd | nd | 0.04 | 1.02 | 0.01 |
| MgO | 0.56 | 10.16 | 0.14 | 0.17 | 2.08 | 2.08 | 0.56 | 10.66 | 2.00 |
| K2O | 10.35 | 0.24 | 8.79 | nd | 13.10 | 13.10 | 10.26 | 0.36 | 5.20 |
| BaO | nd | nd | nd | nd | 0.47 | 0.47 | nd | 0.36 | 0.26 |
| total | 93.90 | 98.13 | 94.86 | 97.61 | 101.30 | 92.95 | 99.49 | 96.96 | 96.96 |
| F | nd | nd | 0.61 | nd | nd | nd | nd | nd | nd |
| Si | 3.09 | 2.88 | 2.70 | 4.98 | 3.01 | 3.05 | 2.92 | 2.82 | 2.82 |
| Al | 0.06 | - | 0.16 | 4.01 | 0.99 | 0.04 | 0.04 | 1.07 | 1.18 |
| Fe | 0.04 | 1.12 | 1.75 | 1.00 | 0.01 | 0.06 | 0.06 | - | - |
| Mn | 0.08 | - | 0.05 | 0.92 | - | - | - | - | - |
| Ca | 0.07 | 0.11 | 0.02 | 0.03 | 0.18 | 0.07 | 0.07 | 0.06 | 0.14 |
| Mg | 0.07 | 0.88 | 0.02 | 0.03 | 0.75 | 0.89 | 0.89 | 0.02 | 0.02 |
| K | 0.89 | 0.01 | 0.86 | - | 0.75 | 0.89 | 0.89 | 0.02 | 0.02 |
| total | 6.97 | 5.01 | 7.71 | 11.03 | 4.96 | 6.99 | 5.01 | 5.03 | 5.03 |
| oxygen | (11) | (8) | (11) | (18) | (8) | (11) | (8) | (8) | (8) |

321 0391-MU
322 0427-CHL
323 0427-KF
324 0427-PL-A
325 0427-PL-B
326 0427-PL-C

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AMPHIBOLE

| | | | | | | | |
|----------------|-------|-------|---------------|--------|-------|--------------|-------|
| 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 |
| S102 | 35.48 | 35.17 | 47.72 | 59.77 | 0.07 | 34.52 | 24.66 |
| Ti | 15.75 | 7.10 | nd | 0.01 | 0.13 | 3.09 | 0.11 |
| Al2O3 | 15.75 | 7.32 | 32.18 | 24.84 | 58.81 | 18.93 | 20.86 |
| FeO | 20.99 | 20.92 | 11.23 | 0.04 | 32.78 | 21.33 | 28.03 |
| MnO | 0.07 | 0.09 | 0.15 | nd | 0.29 | 0.55 | 0.55 |
| MgO | 6.58 | 7.64 | 0.02 | 6.02 | 2.25 | 7.43 | 12.68 |
| CaO | 0.11 | nd | 0.01 | nd | nd | 0.09 | 0.01 |
| Mn2O | 0.33 | 0.13 | 0.14 | 7.75 | nd | 9.66 | 0.03 |
| K2O | 9.10 | 9.29 | 0.01 | 12.02 | 0.24 | nd | nd |
| BaO | nd | nd | nd | 0.34 | nd | 6.25 | nd |
| ZnO | nd | nd | nd | nd | nd | nd | 86.93 |
| total= | 94.74 | 94.97 | 97.96 | 100.49 | 98.81 | 100.44 | 95.44 |
| F | 0.33 | 0.50 | nd | nd | nd | nd | nd |
| S1 | 2.72 | 2.71 | 5.01 | 2.98 | 2.68 | 2.66 | 2.67 |
| Ti | 0.17 | 0.24 | nd | nd | nd | 0.18 | 0.11 |
| Al | 1.78 | 1.63 | 3.98 | 1.98 | 1.72 | 2.54 | 2.66 |
| Fe2 | 1.31 | 1.32 | 1.01 | 0.77 | 0.98 | 1.36 | 2.54 |
| Mn | 0.75 | 0.88 | 0.02 | nd | 0.10 | 0.85 | 2.05 |
| Ca | 0.05 | 0.02 | 0.03 | 0.30 | nd | 0.03 | nd |
| Mg | 0.89 | 0.91 | 0.70 | 0.01 | nd | 0.95 | nd |
| Na | 0.05 | 0.02 | nd | nd | 0.13 | nd | nd |
| K | 0.89 | 0.91 | nd | nd | nd | nd | nd |
| Zn | nd | nd | nd | nd | nd | nd | nd |
| total= | 7.69 | 7.71 | 11.02 | 5.03 | 3.00 | 7.79 | 9.89 |
| oxygens= | (11) | (11) | (18) | (8) | (4) | (11) | (14) |
| 329 0433-B1 | | | 332 0433-KF | | | 335 0440-B1 | |
| 330 0433-B1-MZ | | | 333 0433-PL-0 | | | 336 0440-CHL | |
| 331 0433-C | | | 334 0433-SP | | | | |

| | | | | | | | |
|---------------|-------|-------|---------------|-------|-------|--------------|-------|
| 337 | 338 | 339 | 340 | 341 | 342 | 343 | 344 |
| S102 | 45.57 | 34.08 | 47.87 | 64.49 | 64.90 | 64.90 | 35.40 |
| Ti | nd | 4.93 | nd | nd | 0.03 | 0.11 | 0.11 |
| Al2O3 | 35.45 | 17.22 | 31.96 | 18.81 | 19.42 | 58.79 | 21.47 |
| FeO | 1.66 | 22.30 | 11.87 | 0.13 | 0.08 | 0.09 | nd |
| MnO | 0.65 | 6.38 | 5.67 | 0.11 | 0.02 | 0.25 | 13.53 |
| CaO | nd | nd | 0.11 | 0.04 | 0.04 | 2.43 | 0.17 |
| MgO | 0.68 | 0.15 | 0.12 | 2.04 | 5.85 | 0.02 | 12.75 |
| Mn2O | 10.48 | 9.35 | 0.02 | 13.58 | 6.26 | 0.06 | nd |
| K2O | nd | nd | nd | 0.62 | 0.20 | nd | 9.30 |
| BaO | nd | nd | nd | nd | nd | nd | nd |
| total= | 94.39 | 94.56 | 98.05 | 99.81 | 99.66 | 100.32 | 94.44 |
| F | nd | 0.35 | nd | nd | nd | nd | nd |
| S1 | 3.07 | 2.67 | 5.03 | 2.98 | 2.99 | 2.85 | 2.64 |
| Ti | 0.29 | 0.29 | nd | nd | nd | nd | 0.07 |
| Al | 2.81 | 1.59 | 3.96 | 1.02 | 1.14 | 1.98 | 1.89 |
| Fe2 | 0.09 | 1.47 | 1.04 | nd | nd | 0.85 | 0.84 |
| Mn | 0.07 | 0.75 | 0.93 | nd | nd | 0.10 | 0.01 |
| Ca | 0.09 | 0.02 | 0.02 | 0.14 | 0.14 | 0.14 | 1.42 |
| Mg | 0.90 | 0.95 | 0.88 | 0.97 | 0.84 | 0.84 | 0.94 |
| Na | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.02 | 0.02 |
| Ba | nd | nd | nd | nd | nd | nd | nd |
| total= | 7.02 | 7.73 | 11.01 | 5.00 | 5.00 | 3.00 | 7.82 |
| oxygens= | (11) | (11) | (18) | (8) | (8) | (4) | (11) |
| 337 0440-MZ-2 | | | 340 0441-KF | | | 343 0441-SP | |
| 338 0441-B1 | | | 341 0441-PL-A | | | 344 0450A-B1 | |
| 339 0441-C | | | 342 0441-PL-0 | | | | |

ANALYSES OF PELTIC MINERALS IN THE BALLACHULISH AMPHIBOLE

| | | | | | | |
|----------------|-------|--------|----------------|-------|-------|-------------|
| 345 | 346 | 347 | 348 | 349 | 350 | 351 |
| S102 | 55.89 | 35.92 | 63.82 | 61.10 | 0.07 | 33.52 |
| Ti | nd | 2.71 | nd | nd | 0.07 | 2.13 |
| Al2O3 | 27.05 | 58.54 | 21.35 | 23.71 | 63.72 | 20.31 |
| FeO | nd | 28.09 | 10.08 | 0.02 | 0.15 | nd |
| MnO | nd | 10.53 | 0.02 | 0.09 | 29.61 | 22.82 |
| CaO | 0.11 | 5.37 | 13.67 | 0.08 | 12.32 | 0.10 |
| Mn2O | 8.87 | 0.11 | 0.01 | 5.57 | 6.18 | 5.23 |
| K2O | 6.25 | nd | 0.26 | 2.29 | 0.14 | 0.20 |
| BaO | nd | nd | 10.16 | 13.19 | 0.14 | 0.30 |
| ZnO | nd | 7.54 | nd | 0.76 | nd | nd |
| total= | 98.25 | 101.39 | 94.68 | 99.42 | 98.74 | 100.43 |
| F | nd | nd | 0.06 | nd | nd | nd |
| S1 | 2.55 | 2.64 | 2.96 | 2.74 | 2.62 | 4.99 |
| Ti | 1.46 | 1.15 | 1.05 | 1.26 | 1.88 | 1.87 |
| Al | 1.95 | 1.85 | 1.05 | 1.26 | 1.98 | 3.99 |
| Fe2 | 0.05 | 0.01 | 0.51 | 0.51 | 0.01 | 1.17 |
| Mn | 0.61 | 0.61 | 0.51 | 0.51 | 0.51 | 1.49 |
| Ca | 0.43 | 0.50 | 0.21 | 0.27 | 0.48 | 0.72 |
| Mg | 0.55 | 0.04 | 0.78 | 0.71 | 0.48 | 0.83 |
| Na | 0.01 | 0.95 | 0.01 | 0.01 | 0.03 | 0.06 |
| K | 0.01 | 0.15 | 0.01 | 0.01 | 0.01 | 0.02 |
| Ba | nd | nd | nd | nd | nd | nd |
| Zn | nd | nd | nd | nd | nd | nd |
| total= | 5.00 | 3.00 | 7.78 | 5.01 | 4.99 | 3.00 |
| oxygens= | (8) | (4) | (11) | (8) | (4) | (11) |
| 345 0450A-PL-0 | | | 348 0450C-KF | | | 351 0451-B1 |
| 346 0450A-SP | | | 349 0450C-PL-0 | | | 352 0451-C |
| 347 0450C-B1 | | | 350 0450C-SP | | | |

| | | | | | | |
|---------------|-------|-------|---------------|-------|-------|---------------|
| 353 | 354 | 355 | 356 | 357 | 358 | 359 |
| S102 | 64.03 | 67.73 | 60.80 | 35.78 | 24.37 | 37.50 |
| Ti | 0.01 | 19.70 | 0.69 | 18.98 | 0.04 | 0.13 |
| Al2O3 | 18.90 | 0.32 | 28.69 | 22.60 | 30.16 | 20.99 |
| FeO | 0.13 | nd | 0.05 | 0.27 | 0.27 | 2.81 |
| MnO | nd | nd | nd | 0.16 | 6.89 | 5.07 |
| CaO | 0.05 | 0.11 | 0.03 | 7.23 | 11.05 | 0.79 |
| Mn2O | 0.05 | 0.45 | 5.46 | nd | 8.61 | 7.66 |
| K2O | 3.12 | 11.16 | 8.56 | 0.21 | 0.01 | nd |
| BaO | 12.37 | 0.65 | 0.18 | 8.19 | 0.02 | nd |
| total= | 98.61 | 99.80 | 98.78 | 94.45 | 87.25 | 100.49 |
| F | nd | nd | nd | 0.09 | nd | nd |
| S1 | 2.97 | 2.96 | 2.73 | 2.77 | 2.66 | 3.03 |
| Ti | 1.03 | 1.02 | 1.26 | 1.67 | 2.74 | 1.96 |
| Fe2 | 0.01 | 0.01 | 0.01 | 1.46 | 2.75 | 1.92 |
| Mn | 0.83 | 0.83 | 0.83 | 1.75 | 0.02 | 0.34 |
| Ca | 0.28 | 0.95 | 0.26 | 0.83 | 1.75 | 0.09 |
| Mg | 0.73 | 0.04 | 0.01 | 0.81 | 0.74 | 0.67 |
| Ba | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 |
| total= | 5.02 | 5.02 | 7.82 | 7.70 | 9.97 | 8.00 |
| oxygens= | (8) | (8) | (11) | (11) | (14) | (11) |
| 353 0451-KF | | | 356 0478-B1 | | | 359 0478-GT-R |
| 354 0451-PL-A | | | 357 0478-CHL | | | 360 0478-MU-1 |
| 355 0451-PL-0 | | | 358 0478-GT-C | | | |

