

AM-89-410

Thermally induced changes in kalsilite (KAlSiO_4)

Christopher Capobianco, Michael Carpenter

For deposit: Tables of powder-diffraction data

American Mineralogist, 74, 7-8, 797-811. pp. [3]

| | comments | page | temperature | a | a sigma | b | b sigma | c | c sigma | v | v sigma |
|----|---------------------------------|--------|-------------|----------|---------|---------|---------|---------|---------|------------|---------|
| 1 | r.t. guinier,117482m(b) | 33.000 | 21.00000 | 5.16171 | 0.00019 | | | 8.71832 | 0.00058 | 201.16000 | 0.01200 |
| 2 | P8721,unannealed | 35.000 | 21.00000 | 5.16152 | 0.00013 | | | 8.71754 | 0.00040 | 201.13140 | 0.00830 |
| 3 | P8721,ion exchngd at 820 KCl,3 | 36.000 | 21.00000 | 5.16253 | 0.00015 | | | 8.71602 | 0.00053 | 201.17520 | 0.01250 |
| 4 | neph.,#62105 | 32.000 | 21.00000 | 9.99629 | 0.00073 | | | 8.37852 | 0.00091 | 725.06300 | 0.08200 |
| 5 | neph, ion exchngd at 950,KCl | 42.000 | 21.00000 | 5.15798 | 0.00029 | | | 8.69397 | 0.00085 | 200.31210 | 0.01790 |
| 6 | #564 m(m) unannealed | 44.000 | 21.00000 | 5.15950 | 0.00010 | | | 8.71710 | 0.00040 | 200.96470 | 0.01200 |
| 7 | #564m(m),pB20,cooling 850-750 | b33 | 21.00000 | 5.15956 | 0.00068 | | | 8.70477 | 0.00148 | 200.68390 | 0.03400 |
| 8 | #564m(m),pB20,cooling 850-750 | b34 | 930.00000 | 27.38663 | 0.00823 | 5.27838 | 0.00154 | 8.66685 | 0.00216 | 1252.85400 | 0.46470 |
| 9 | #564m(m),pB20,cooling 850-750 | b35 | 893.00000 | 27.35525 | 0.00725 | 5.27317 | 0.00135 | 8.66876 | 0.00191 | 1250.46000 | 0.40930 |
| 10 | #564m(m),pB20,cooling 850-750 | b36 | 860.00000 | 27.33391 | 0.01216 | 5.26642 | 0.00227 | 8.65498 | 0.00541 | 1245.90000 | 0.83439 |
| 11 | #564m(m),pB20,cooling 850-750 | b37 | 825.00000 | 5.24690 | 0.00094 | | | 8.66686 | 0.00205 | 206.63240 | 0.04860 |
| 12 | #564m(m),pB20,cooling 850-750 | b38 | 790.00000 | 5.24229 | 0.00092 | | | 8.66810 | 0.00202 | 206.29840 | 0.04780 |
| 13 | #564m(m),pB20,cooling 850-750 | b39 | 756.00000 | 5.23869 | 0.00099 | | | 8.66747 | 0.00217 | 206.00060 | 0.05130 |
| 14 | #564m(m),pB20,heating 790-850 | b41 | 825.00000 | 5.24680 | 0.00046 | | | 8.66680 | 0.00101 | 206.62310 | 0.02410 |
| 15 | #564m(m),pB20,heating 790-850 | b42 | 860.00000 | 5.25414 | 0.00120 | | | 8.66414 | 0.00261 | 207.13790 | 0.06220 |
| 16 | #564m(m),pB20,heating 790-850 | b43 | 896.00000 | 27.36234 | 0.00750 | 5.26879 | 0.00142 | 8.66756 | 0.00191 | 1249.57300 | 0.19077 |
| 17 | #564m(m),pB20,heating 790-850 | b44 | 930.00000 | 27.37870 | 0.00696 | 5.27400 | 0.00133 | 8.66566 | 0.00177 | 1251.28000 | 0.39863 |
| 18 | hydrothermal,pB26,50-840 | b48 | 40.00000 | 5.16383 | 0.00125 | | | 8.70927 | 0.00279 | 201.12060 | 0.06250 |
| 19 | hydrothermal,pB26,50-840 | b49 | 154.00000 | 5.17392 | 0.00110 | | | 8.70340 | 0.00243 | 201.77110 | 0.05480 |
| 20 | hydrothermal,pB26,50-840 | b50 | 263.00000 | 5.18453 | 0.00146 | | | 8.69723 | 0.00317 | 202.45590 | 0.06840 |
| 21 | hydrothermal,pB26,50-840 | b51 | 373.00000 | 5.19601 | 0.00123 | | | 8.69319 | 0.00255 | 203.25940 | 0.05900 |
| 22 | hydrothermal,pB26,50-840 | b52 | 482.00000 | 5.20637 | 0.00116 | | | 8.68884 | 0.00251 | 203.96790 | 0.05760 |
| 23 | hydrothermal,pB26,50-840 | b53 | 588.00000 | 5.21839 | 0.00111 | | | 8.68294 | 0.00239 | 204.77200 | 0.05500 |
| 24 | hydrothermal,pB26,50-840 | b54 | 693.00000 | 5.23058 | 0.00113 | | | 8.67673 | 0.00240 | 205.58230 | 0.05570 |
| 25 | hydrothermal,pB26,50-840 | b55 | 797.00000 | 5.24514 | 0.00111 | | | 8.67083 | 0.00234 | 206.58780 | 0.05460 |
| 26 | hydrothermal,pB26,50-840 | b56 | 897.00000 | 27.38156 | 0.00974 | 5.27980 | 0.00181 | 8.66236 | 0.00207 | 1252.31000 | 0.56070 |
| 27 | hydrothermal,pB26, 750- | b58 | 804.00000 | 5.24570 | 0.00020 | | | 8.66880 | 0.00060 | 206.58000 | 0.01000 |
| 28 | hydrothermal,pB26, 750- | b59 | 825.00000 | 5.24830 | 0.00060 | | | 8.66750 | 0.00130 | 206.76000 | 0.03000 |
| 29 | hydrothermal,pB26, 750- | b60 | 846.00000 | 5.25920 | 0.00110 | | | 8.66730 | 0.00230 | 207.61000 | 0.06000 |
| 30 | hydrothermal,pB26, 750- | b61 | 866.00000 | 27.36767 | 0.00692 | 5.27246 | 0.00108 | 8.66471 | 0.00143 | 1250.27600 | 0.35479 |
| 31 | hydrothermal,pB26, 750- | b62 | 886.00000 | 27.39006 | 0.00778 | 5.27504 | 0.00151 | 8.66173 | 0.00197 | 1251.47800 | 0.45682 |
| 32 | hydrothermal,pB26, 750- | b63 | 905.00000 | 27.41818 | 0.00342 | 5.27885 | 0.00066 | 8.65864 | 0.00086 | 1253.22100 | 0.20081 |
| 33 | hydrothermal,pB26, 750- | b64 | 21.00000 | 5.16080 | 0.00020 | | | 8.70590 | 0.00060 | 200.81000 | 0.01000 |
| 34 | ion exchngd pure KBr,pB30, 50-8 | b66 | 85.00000 | 5.16420 | 0.00050 | | | 8.71810 | 0.00200 | 201.36000 | 0.05000 |
| 35 | ion exchngd pure KBr,pB30, 50-8 | b67 | 195.00000 | 5.17380 | 0.00080 | | | 8.71470 | 0.00210 | 202.02000 | 0.05000 |
| 36 | ion exchngd pure KBr,pB30, 50-8 | b68 | 310.00000 | 5.18360 | 0.00090 | | | 8.70700 | 0.00200 | 202.61000 | 0.04000 |
| 37 | ion exchngd pure KBr,pB30, 50-8 | b69 | 405.00000 | 5.19230 | 0.00100 | | | 8.69760 | 0.00220 | 203.07000 | 0.05000 |
| 38 | ion exchngd pure KBr,pB30, 50-8 | b70 | 510.00000 | 5.20520 | 0.00060 | | | 8.69710 | 0.00130 | 204.07000 | 0.03000 |
| 39 | ion exchngd pure KBr,pB30, 50-8 | b71 | 615.00000 | 5.21580 | 0.00050 | | | 8.69230 | 0.00100 | 204.78000 | 0.02000 |
| 40 | ion exchngd pure KBr,pB30, 50-8 | b72 | 715.00000 | 5.22660 | 0.00050 | | | 8.68660 | 0.00100 | 205.50000 | 0.02000 |
| 41 | ion exchngd pure KBr,pB30, 50-8 | b73 | 810.00000 | 5.23910 | 0.00040 | | | 8.67970 | 0.00080 | 206.33000 | 0.02000 |
| 42 | ion exchngd pure KBr,pB30, 50-8 | b74 | 900.00000 | 5.25480 | 0.00040 | | | 8.67430 | 0.00090 | 207.43000 | 0.02000 |
| 43 | ion exchngd pure KBr,pB30, 50-8 | b75 | 21.00000 | 5.16050 | 0.00050 | | | 8.70850 | 0.00110 | 200.84000 | 0.02000 |
| 44 | ion exchngd pure KBr, pB30, 800 | b76 | 860.00000 | 5.24700 | 0.00040 | | | 8.67550 | 0.00090 | 206.84000 | 0.02000 |
| 45 | ion exchngd pure KBr, pB30, 800 | b77 | 878.00000 | 5.24910 | 0.00040 | | | 8.67460 | 0.00100 | 206.99000 | 0.02000 |
| 46 | ion exchngd pure KBr, pB30, 800 | b78 | 896.00000 | 5.25180 | 0.00050 | | | 8.67360 | 0.00110 | 207.18000 | 0.03000 |
| 47 | ion exchngd pure KBr, pB30, 800 | b79 | 914.00000 | 5.25510 | 0.00050 | | | 8.67600 | 0.00100 | 207.50000 | 0.03000 |
| 48 | ion exchngd pure KBr, pB30, 800 | b80 | 932.00000 | 27.36395 | 0.00724 | 5.26865 | 0.00187 | 8.67497 | 0.00170 | 1250.68100 | 0.43010 |
| 49 | ion exchngd pure KBr, pB30, 800 | b81 | 950.00000 | 27.37977 | 0.00477 | 5.27037 | 0.00203 | 8.67278 | 0.00106 | 1251.49500 | 0.40455 |
| 50 | #564,pB102,750-930 hi-T | b108 | 820.00000 | 5.24640 | 0.00060 | | | 8.67780 | 0.00160 | 206.85100 | 0.03600 |
| 51 | #564,pB102,750-930 hi-T | b109 | 850.00000 | 5.25050 | 0.00080 | | | 8.67720 | 0.00200 | 207.16100 | 0.00450 |
| 52 | #564,pB102,750-930 hi-T | b110 | 880.00000 | 5.25520 | 0.00060 | | | 8.67310 | 0.00160 | 207.43300 | 0.03600 |
| 53 | #564,pB102,750-930 hi-T | b111 | 910.00000 | 27.41727 | 0.00885 | 5.27376 | 0.00172 | 8.66950 | 0.00224 | 1253.54800 | 0.51967 |
| 54 | #564,pB102,750-930 hi-T | b112 | 940.00000 | 27.42550 | 0.01103 | 5.28065 | 0.00208 | 8.66727 | 0.00411 | 1255.23300 | 0.70710 |
| 55 | #564,pB102,750-930 hi-T | b113 | 970.00000 | 27.47328 | 0.00787 | 5.28563 | 0.00124 | 8.65509 | 0.00164 | 1256.83900 | 0.41918 |
| 56 | #564,pB102,750-930 hi-T | b114 | 1000.00000 | 5.29290 | 0.00080 | | | 8.65520 | 0.00200 | 209.98700 | 0.04600 |
| 57 | #564,pB102,750-930 hi-T | b115 | 21.00000 | 5.16240 | 0.00040 | | | 8.70690 | 0.00090 | 200.95500 | 0.02110 |

Kalsilite X-ray refinements

Thu, Feb 23, 1989 6:13 PM

| | comments | page | temperature | a | a sigma | b | b sigma | c | c sigma | v | v sigma |
|----|--------------------------------|------|-------------|----------|---------|---------|---------|---------|---------|------------|---------|
| 58 | #564,pB130,750-930 small T ste | b135 | 775.00000 | 5.23829 | 0.00039 | | | 8.67089 | 0.00098 | 206.05030 | 0.02250 |
| 59 | #564,pB130,750-930 small T ste | b136 | 790.00000 | 5.24028 | 0.00032 | | | 8.66924 | 0.00076 | 206.16730 | 0.01770 |
| 60 | #564,pB130,750-930 small T ste | b137 | 805.00000 | 5.24230 | 0.00042 | | | 8.66899 | 0.00100 | 206.32050 | 0.02340 |
| 61 | #564,pB130,750-930 small T ste | b138 | 820.00000 | 5.24515 | 0.00036 | | | 8.66823 | 0.00084 | 206.52690 | 0.01960 |
| 62 | #564,pB130,750-930 small T ste | b139 | 835.00000 | 5.24782 | 0.00031 | | | 8.66677 | 0.00073 | 206.70300 | 0.01720 |
| 63 | #564,pB130,750-930 small T ste | b140 | 850.00000 | 5.25234 | 0.00092 | | | 8.66893 | 0.00150 | 207.11020 | 0.03630 |
| 64 | #564,pB130,750-930 small T ste | b141 | 865.00000 | 27.38215 | 0.00705 | 5.24924 | 0.00168 | 8.66606 | 0.00178 | 1245.62000 | 0.47358 |
| 65 | #564,pB130,750-930 small T ste | b142 | 880.00000 | 27.38804 | 0.00450 | 5.27259 | 0.00226 | 8.66494 | 0.00098 | 1251.26900 | 0.44780 |
| 66 | #564,pB130,750-930 small T ste | b143 | 895.00000 | 27.38250 | 0.00512 | 5.27404 | 0.00116 | 8.66163 | 0.00126 | 1250.88300 | 0.32080 |
| 67 | #564,pB130,750-930 small T ste | b144 | 910.00000 | 27.37733 | 0.00461 | 5.27690 | 0.00084 | 8.65906 | 0.00123 | 1250.95300 | 0.26863 |
| 68 | #564,pB130,750-930 small T ste | b145 | 925.00000 | 27.42415 | 0.00599 | 5.27908 | 0.00090 | 8.65725 | 0.00120 | 1253.34900 | 0.29392 |
| 69 | #564,pB130,750-930 small T ste | b146 | 940.00000 | 27.44521 | 0.00523 | 5.28021 | 0.00078 | 8.65557 | 0.00112 | 1254.33400 | 0.26637 |
| 70 | #564,pB130,750-930 small T ste | b147 | 955.00000 | 27.44382 | 0.00841 | 5.28539 | 0.00128 | 8.65412 | 0.00171 | 1255.29200 | 0.42667 |
| 71 | #564,pB130,750-930 small T ste | b148 | 21.00000 | 5.15947 | 0.00041 | | | 8.70001 | 0.00108 | 200.56720 | 0.02390 |
| 72 | ks hydrothermal,pb168,750-915, | b169 | 750.00000 | 5.23975 | 0.00061 | | | 8.66651 | 0.00162 | 206.06130 | 0.03610 |
| 73 | ks hydrothermal,pb168,750-915, | b170 | 765.00000 | 5.24342 | 0.00064 | | | 8.66579 | 0.00145 | 206.33220 | 0.03290 |
| 74 | ks hydrothermal,pb168,750-915, | b171 | 780.00000 | 5.24535 | 0.00064 | | | 8.66540 | 0.00161 | 206.47580 | 0.03700 |
| 75 | ks hydrothermal,pb168,750-915, | b172 | 795.00000 | 27.37387 | 0.01318 | 5.25367 | 0.00260 | 8.67027 | 0.00278 | 1246.85500 | 0.82172 |
| 76 | ks hydrothermal,pb168,750-915, | b173 | 810.00000 | 27.40916 | 0.01601 | 5.27229 | 0.00300 | 8.67158 | 0.00351 | 1253.12300 | 0.99420 |
| 77 | ks hydrothermal,pb168,750-915, | b174 | 825.00000 | 27.36581 | 0.00893 | 5.26883 | 0.00167 | 8.66048 | 0.00240 | 1248.71800 | 0.51813 |
| 78 | ks hydrothermal,pb168,750-915, | b175 | 840.00000 | 27.40355 | 0.01246 | 5.27283 | 0.00189 | 8.65800 | 0.00249 | 1251.03200 | 0.62618 |
| 79 | ks hydrothermal,pb168,750-915, | b176 | 855.00000 | 27.41693 | 0.01141 | 5.27612 | 0.00171 | 8.65494 | 0.00228 | 1251.98000 | 0.55947 |
| 80 | ks hydrothermal,pb168,750-915, | b177 | 877.00000 | 27.43595 | 0.00779 | 5.27985 | 0.00117 | 8.65214 | 0.00156 | 1253.33100 | 0.38261 |
| 81 | ks hydrothermal,pb168,750-915, | b178 | 900.00000 | 27.45914 | 0.01090 | 5.28275 | 0.00197 | 8.64952 | 0.00217 | 1254.74200 | 0.60269 |
| 82 | ks hydrothermal,pb168,750-915, | b179 | 915.00000 | 27.46779 | 0.00676 | 5.28661 | 0.00106 | 8.64634 | 0.00141 | 1255.54700 | 0.35790 |

O1-KAlSiO4 X-ray refinements

Thu, Feb 23, 1989 6:05 PM

| page | temperature | a | a sigma | b | b sigma | c | c sigma | v | v sigma | |
|------|-------------|---------|---------|---------|----------|---------|---------|---------|------------|---------|
| 1 | 87.000 | 21.000 | 9.05087 | 0.00101 | 15.65479 | 0.00475 | 8.54792 | 0.00133 | 1211.14940 | 0.35560 |
| 2 | 88.000 | 95.000 | 9.05690 | 0.00145 | 15.68560 | 0.00688 | 8.56041 | 0.00193 | 1216.11720 | 0.51620 |
| 3 | 89.000 | 167.000 | 9.06820 | 0.00220 | 15.68690 | 0.01036 | 8.57081 | 0.00291 | 1219.21430 | 0.77890 |
| 4 | 90.000 | 239.000 | 9.07407 | 0.00229 | 15.71751 | 0.01132 | 8.58459 | 0.00300 | 1224.34920 | 0.85580 |
| 5 | 91.000 | 311.000 | 9.08086 | 0.00425 | 15.72150 | 0.01807 | 8.59819 | 0.00508 | 1227.51760 | 1.39120 |
| 6 | 92.000 | 383.000 | 9.09559 | 0.00218 | 15.75062 | 0.00875 | 8.61403 | 0.00233 | 1234.05720 | 0.63020 |
| 7 | 93.000 | 455.000 | 9.10409 | 0.00198 | 15.77438 | 0.00799 | 8.63544 | 0.00211 | 1240.14720 | 0.57800 |
| 8 | 94.000 | 527.000 | 9.11502 | 0.00243 | 15.77348 | 0.00819 | 8.66483 | 0.00219 | 1245.79110 | 0.60160 |
| 9 | 95.000 | 599.000 | 9.12646 | 0.00327 | 15.79739 | 0.01103 | 8.72779 | 0.00299 | 1258.32160 | 0.81890 |
| 10 | 96.000 | 671.000 | 9.13705 | 0.00169 | 15.83369 | 0.00573 | 8.74106 | 0.00154 | 1264.59610 | 0.42720 |
| 11 | 97.000 | 742.000 | 9.14916 | 0.00269 | 15.85037 | 0.00915 | 8.74960 | 0.00246 | 1268.84670 | 0.68390 |
| 12 | 98.000 | 815.000 | 9.16222 | 0.00345 | 15.85962 | 0.01171 | 8.75830 | 0.00315 | 1272.66290 | 0.87730 |
| 13 | 99.000 | 887.000 | 9.17200 | 0.00296 | 15.88359 | 0.01002 | 8.76794 | 0.00270 | 1277.35140 | 0.75270 |
| 14 | 183.000 | 379.000 | 9.09633 | 0.00173 | 15.74417 | 0.00487 | 8.61705 | 0.00124 | 1234.08390 | 0.34760 |
| 15 | 184.000 | 410.000 | 9.09781 | 0.00291 | 15.75287 | 0.00818 | 8.62583 | 0.00209 | 1236.22420 | 0.58490 |
| 16 | 185.000 | 442.000 | 9.10457 | 0.00291 | 15.75881 | 0.00816 | 8.63588 | 0.00209 | 1239.05180 | 0.58430 |
| 17 | 186.000 | 473.000 | 9.11053 | 0.00168 | 15.76329 | 0.00470 | 8.64729 | 0.00120 | 1241.85430 | 0.33730 |
| 18 | 187.000 | 505.000 | 9.11215 | 0.00151 | 15.78013 | 0.00423 | 8.66035 | 0.00125 | 1245.27890 | 0.31440 |
| 19 | 188.000 | 536.000 | 9.11605 | 0.00175 | 15.78323 | 0.00488 | 8.68496 | 0.00145 | 1249.59810 | 0.36450 |
| 20 | 189.000 | 567.000 | 9.12085 | 0.00118 | 15.80438 | 0.00333 | 8.72432 | 0.00100 | 1257.60460 | 0.26310 |
| 21 | 191.000 | 599.000 | 9.12888 | 0.00172 | 15.81292 | 0.00485 | 8.73202 | 0.00145 | 1260.50470 | 0.38360 |
| 22 | 192.000 | 630.000 | 9.13363 | 0.00198 | 15.81640 | 0.00559 | 8.73708 | 0.00168 | 1262.16750 | 0.44280 |
| 23 | 193.000 | 661.000 | 9.13961 | 0.00229 | 15.82662 | 0.00639 | 8.74251 | 0.00191 | 1264.59740 | 0.48170 |
| 24 | 194.000 | 693.000 | 9.14304 | 0.00260 | 15.84134 | 0.00448 | 8.74587 | 0.00120 | 1266.73480 | 0.32500 |
| 25 | 195.000 | 21.000 | 9.05039 | 0.00221 | 15.66358 | 0.00624 | 8.54998 | 0.00182 | 1212.05870 | 0.47760 |
| 26 | 214.000 | 490.000 | 9.11234 | 0.00465 | 15.76517 | 0.01015 | 8.66170 | 0.00276 | 1244.31840 | 0.72020 |
| 27 | 215.000 | 506.000 | 9.11456 | 0.00634 | 15.76406 | 0.01367 | 8.67257 | 0.00373 | 1246.09550 | 0.96680 |
| 28 | 216.000 | 523.000 | 9.11780 | 0.00488 | 15.78056 | 0.01067 | 8.68692 | 0.00292 | 1249.90820 | 0.76020 |
| 29 | 217.000 | 539.000 | 9.11894 | 0.00457 | 15.78012 | 0.00986 | 8.72044 | 0.00272 | 1254.85240 | 0.70250 |
| 30 | 218.000 | 556.000 | 9.11991 | 0.00577 | 15.79686 | 0.01263 | 8.72646 | 0.00348 | 1257.18670 | 0.90520 |
| 31 | 219.000 | 572.000 | 9.12373 | 0.00489 | 15.79526 | 0.01056 | 8.72954 | 0.00291 | 1258.02860 | 0.75410 |
| 32 | 220.000 | 589.000 | 9.12746 | 0.00378 | 15.79822 | 0.00816 | 8.73216 | 0.00225 | 1259.15610 | 0.58320 |
| 33 | 221.000 | 605.000 | 9.12865 | 0.00497 | 15.80826 | 0.01073 | 8.73418 | 0.00296 | 1260.41290 | 0.76660 |
| 34 | 222.000 | 622.000 | 9.13512 | 0.00528 | 15.80373 | 0.01139 | 8.73775 | 0.00314 | 1261.46100 | 0.81480 |