

Effect of composition on compressibility of skiagite-Fe-majorite garnet

**LEYLA ISMAILOVA^{1,2,3,*}, MAXIM BYKOV¹, ELENA BYKOVA¹, ANDREY BOBROV⁴, ILYA KUPENKO^{1,5,6},
VALERIO CERANTOLA^{1,5}, DENIS VASIUKOV^{1,2}, NATALIA DUBROVINSKAIA², CATHERINE MCCAMMON¹,
MICHAEL HANFLAND⁵, KONSTANTIN GLAZYRIN⁷, HANNS-PETER LIERMANN⁷,
ALEXANDER CHUMAKOV⁵, AND LEONID DUBROVINSKY¹**

¹Bayerisches Geoinstitut, University of Bayreuth, Universitätsstrasse 30, D-95440 Bayreuth, Germany

²Laboratory of Crystallography, University of Bayreuth, Universitätsstrasse 30, D-95440 Bayreuth, Germany

³Vernadsky Institute of Geochemistry and Analytical Chemistry, Russian Academy of Sciences, 19 ul. Kosygina, Moscow 119991, Russia

⁴Department of Petrology, Geological Faculty, Moscow State University, 119991 Moscow, Russia

⁵ESRF-The European Synchrotron CS40220 38043 Grenoble Cedex 9 France

⁶Institut für Mineralogie, University of Münster, Corrensstrasse 24, 48149 Münster, Germany

⁷Photon Sciences, Deutsches Elektronen-Synchrotron, Notkestrasse 85, D-22603 Hamburg, Germany

ABSTRACT

Skiagite-Fe-majorite garnets were synthesized using a multianvil apparatus at 7.5–9.5 GPa and 1400–1600 K. Single-crystal X-ray diffraction at ambient conditions revealed that synthesized garnets contain 23 to 76% of an Fe-majorite component. We found that the substitution of Fe²⁺ and Si⁴⁺ for Fe³⁺ in the octahedral site decreases the unit-cell volume of garnet at ambient conditions. Analysis of single-crystal X-ray diffraction data collected on compression up to 90 GPa of garnets with different compositions reveals that with increasing majorite component the bulk modulus increases from 159(1) to 172(1) GPa. Our results and literature data unambiguously demonstrate that the total iron content and the Fe³⁺/Fe²⁺ ratio in (Mg,Fe)-majorites have a large influence on their elasticity. At pressures between 50 and 60 GPa we observed a significant deviation from a monotonic dependence of the molar volumes of skiagite-Fe-majorite garnet with pressure, and over a small pressure interval the volume dropped by about 3%. By combining results from single-crystal X-ray diffraction and high-pressure synchrotron Mössbauer source spectroscopy we demonstrate that these changes in the compressional behavior are associated with changes of the electronic state of Fe in the octahedral site.

Keywords: Skiagite-majorite garnet, single-crystal X-ray diffraction, Mössbauer spectroscopy, equation of state, upper mantle, transition zone