

Origin and consequences of non-stoichiometry in iron carbide Fe₇C₃

FENG ZHU^{1,*†}, JIE LI², DAVID WALKER³, JIACHAO LIU^{4,‡}, XIAOJING LAI^{5,6}, AND DONGZHOU ZHANG⁷

¹Earth and Environmental Sciences, University of Michigan, Ann Arbor, Michigan 48109, U.S.A. Orcid: 0000-0003-2409-151X

²Earth and Environmental Sciences, University of Michigan, Ann Arbor, Michigan 48109, U.S.A. Orcid: 0000-0003-4761-722X

³Earth and Environmental Science, LDEO, Columbia University, Palisades, New York 10964, U.S.A.

⁴Earth and Environmental Sciences, University of Michigan, Ann Arbor, Michigan 48109, U.S.A. Orcid: 0000-0001-9676-7473

⁵Hawaii Institute of Geophysics and Planetology, University of Hawaii at Manoa, Honolulu, Hawaii 96822, U.S.A. Orcid: 0000-0003-4451-9421

⁶Department of Geology and Geophysics, University of Hawaii at Manoa, Honolulu, Hawaii 96822, U.S.A.

⁷Hawaii Institute of Geophysics and Planetology, University of Hawaii at Manoa, Honolulu, Hawaii 96822, U.S.A. Orcid: 0000-0002-6679-892X

ABSTRACT

The Eckstrom-Adcock iron carbide, nominally Fe₇C₃, is a potential host of reduced carbon in Earth's mantle and a candidate component of the inner core. Non-stoichiometry in Fe₇C₃ has been observed previously, but the crystal chemistry basis for its origin and influences on the physical properties were not known. Here we report chemical and structural analyses of synthetic Fe₇C₃ that was grown through a diffusive reaction between iron and graphite and contained 31 to 35 at% carbon. We found that more carbon-rich Fe₇C₃ has smaller unit-cell volume, suggesting that excess carbon atoms substituted for iron atoms instead of entering the interstitial sites of closed-packed iron lattice as in FeC_x steel. Carbon may be the lightest alloying element to substitute for iron. The substitution leads to a larger reduction in the unit-cell mass than the volume so that the carbon-rich end-member may be as much as 5% less dense than stoichiometric Fe₇C₃. If Fe₇C₃ solidifies from Earth's iron-rich liquid core, it is expected to have a nearly stoichiometric composition with a compositional expansion coefficient of ~1.0. However, laboratory experiments using carbon-rich synthetic Fe₇C₃ to model the inner core may overestimate the amount of carbon that is needed to account for the core density deficit.

Keywords: Iron carbide, non-stoichiometry, substitution, interstice, light element, density deficit, compositional expansion coefficient; Physics and Chemistry of Earth's Deep Mantle and Core