

Lepageite, $\text{Mn}_3^{2+}(\text{Fe}_7^{3+}\text{Fe}_4^{2+})\text{O}_3[\text{Sb}_5^{3+}\text{As}_8^{3+}\text{O}_{34}]$, a new arsenite-antimonite mineral from the Szklary pegmatite, Lower Silesia, Poland

ADAM PIECZKA^{1,*}, MARK A. COOPER², AND FRANK C. HAWTHORNE²

¹AGH University of Science and Technology, Department of Mineralogy, Petrography and Geochemistry, 30-059 Kraków, Mickiewicza 30, Poland. Orcid 0000-0002-2841-7313

²Department of Geological Sciences, University of Manitoba, Winnipeg, Manitoba R3T 2N2, Canada

ABSTRACT

Lepageite, a new arsenite-antimonite mineral, was discovered in a granitic pegmatite hosted by serpentinites of the Szklary massif, Lower Silesia, southwest Poland. Lepageite is a primary mineral formed during injection of an evolved LCT-type melt related to anatectic processes within the metasedimentary-metavolcanic complex of the nearby Góry Sowie Block, ~380 Ma, into serpentinite of the Szklary massif and its contamination by fluid-mobile serpentinite-hosted elements, among others As and Sb, transported in the form of H_2AsO_3^- and HSbO_2 species at $\text{pH} \approx 9\text{--}11$ and a low redox potential of -0.7 to -0.3 V.

Keywords: Lepageite, new mineral, arsenite, antimonite, chemical composition, crystal structure, crystallization conditions, Szklary, Poland