

## Pomite and pseudopomite, two new carbonate-encapsulating mixed-valence polyoxovanadate minerals

ANTHONY R. KAMPF<sup>1,\*</sup>, JOHN M. HUGHES<sup>2</sup>, CHI MA<sup>3,†</sup>, JOE MARTY<sup>1</sup>, AND TIMOTHY P. ROSE<sup>4</sup>

<sup>1</sup>Mineral Sciences Department, Natural History Museum of Los Angeles County, 900 Exposition Boulevard, Los Angeles, California 90007, U.S.A

<sup>2</sup>Department of Geology, University of Vermont, Burlington, Vermont 05405, U.S.A

<sup>3</sup>Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, California 91125, U.S.A

<sup>4</sup>Nuclear and Chemical Sciences Division, Lawrence Livermore National Laboratory, Livermore, California 94550, U.S.A

### ABSTRACT

Pomite (IMA2021-063), ideally  $\text{Ca}_3[\text{V}_5^{4+}\text{V}_{10}^{5+}\text{O}_{37}(\text{CO}_3)] \cdot 37\text{H}_2\text{O}$ , and pseudopomite (IMA2021-064), ideally  $\text{Ca}_{3.5}[\text{V}_6^{4+}\text{V}_9^{5+}\text{O}_{37}(\text{CO}_3)] \cdot 32\text{H}_2\text{O}$ , are two new polyoxometalate minerals from the Blue Streak mine, Bull Canyon, Montrose County, Colorado, U.S.A. Pomite properties: striated blades up to ~1 mm long; very dark green-blue color; green-blue streak; vitreous luster; brittle; Mohs hardness ≈2; irregular, splintery fracture; good cleavages on {010} and {001}; 2.19(2) g/cm<sup>-3</sup> density; refractive indices in the vicinity of 1.70; weakly birefringent with little or no pleochroism. Pseudopomite properties: striated prisms and blades up to ~1 mm; very dark blue-green color; blue-green streak; vitreous luster; brittle; Mohs hardness ≈2; curved, irregular fracture; probably two fair cleavages, {100} and {001}; 2.40(2) g/cm<sup>-3</sup> density; refractive indices in the vicinity of 1.72; no discernable birefringence or pleochroism. Electron microprobe analyses provided the empirical formulas  $\text{Ca}_{3.11}[\text{V}_{3.23}^{4+}\text{V}_{9.77}^{5+}\text{O}_{37}(\text{CO}_3)] \cdot 37\text{H}_2\text{O}$  and  $\text{Ca}_{3.49}[\text{V}_{3.98}^{4+}\text{V}_{9.02}^{5+}\text{O}_{37}(\text{CO}_3)] \cdot 29\text{H}_2\text{O}$  for pomite and pseudopomite, respectively. Pomite is triclinic,  $P\bar{1}$ , with  $a = 12.3668(10)$ ,  $b = 12.9692(12)$ ,  $c = 22.068(2)$  Å,  $\alpha = 99.038(7)$ ,  $\beta = 95.689(7)$ ,  $\gamma = 103.249(7)^\circ$ ,  $V = 3368.7(5)$  Å<sup>3</sup>, and  $Z = 2$ . Pseudopomite is triclinic,  $P\bar{1}$ , with  $a = 12.2910(18)$ ,  $b = 12.6205(15)$ ,  $c = 20.917(3)$  Å,  $\alpha = 77.381(6)$ ,  $\beta = 85.965(5)$ ,  $\gamma = 64.367(7)^\circ$ ,  $V = 2853.6(7)$  Å<sup>3</sup>, and  $Z = 2$ . The crystal structures of both minerals (pomite,  $R_1 = 0.103$ ; pseudopomite,  $R_1 = 0.116$ ) contain a novel  $[\text{V}_x^{4+}\text{V}_{15-x}^{5+}\text{O}_{37}(\text{CO}_3)]^{(1+x)-}$  heteropolyanion, which is unique in natural and synthetic materials but has similarities to the  $[\text{V}_8^{4+}\text{V}_7^{5+}\text{O}_{36}(\text{CO}_3)]^{7-}$  and  $[\text{H}_8\text{V}_{15}^{4+}\text{O}_{36}(\text{CO}_3)]^{6-}$  heteropolyanions reported in synthetic phases.

**Keywords:** Pomite, pseudopomite, new mineral, crystal structure, polyoxometalate, vanadate, carbonate encapsulation, Blue Streak mine, Montrose County, Colorado, U.S.A.