

Melt-mediated re-equilibration of zircon produced during meltdown of the Chernobyl reactor

**DENIS FOUGEROUSE^{1,2,*}, THORSTEN GEISLER³, STEVEN M. REDDY^{1,2,†}, MATVEI ALESHIN⁴,
LAURE MARTIN⁴, LUC S. DOUCET^{1,‡}, ZAKARIA QUADIR², DAVID SAXEY², AND WILLIAM RICKARD²**

¹School of Earth and Planetary Sciences, Curtin University, Perth, Kent Street, Bentley, Western Australia 6102, Australia

²Geoscience Atom Probe, Advanced Resource Characterisation Facility, John de Laeter Centre, Curtin University, Perth, Bentley, Western Australia 6102, Australia

³Institute for Geosciences, University of Bonn, 53115 Bonn, Germany

⁴CMCA, University of Western Australia, Perth, Western Australia 6009, Australia

ABSTRACT

The mineral zircon is used widely to constrain the age of rocks and the processes that formed them. Although zircon is robust to a range of physical and chemical processes, it may show evidence for rapid re-equilibration that is generally considered to reflect interaction with hydrous fluids. Here, we show that zircon grains that crystallized from melt produced during the catastrophic meltdown of the Chernobyl nuclear reactor exhibit re-equilibration textures that occurred in an environment without free water. The process of re-equilibration involved a melt-mediated interface-coupled dissolution-precipitation that took place over a few days to produce textures that are commonly observed in igneous and anatectic systems. Thus, the composition of zircon can be modified even in the absence of hydrous fluids in a short time frame. Through this process, zircon crystals may track the timing of the last silicate melt they interacted with.

Keywords: Zircon, anatexis, nanoscale, atom probe tomography, re-equilibration; Isotopes, Minerals, and Petrology: Honoring John Valley