

INDEX

Note: Page numbers followed by “f” and “t” indicate figures and tables.

abelsonite	96	Aquificae	586t
abiotic hydrocarbon synthesis	451–454	<i>Aquificales</i> spp.	633
accretion		aragonite, overview of mineralogy of	27–28, 28f
carbon loss during	184	aragonite group carbonates	
chondrites, evolution and	81–83, 81t	at high pressure	64, 64f
heterogeneous, during core		mineral evolution and	91
formation	189–191, 190f	overview of mineralogy of	22t, 27–28, 28f
planet formation and	160–163, 162f	serpentinization and	591–592
siderophile element		skeletal biomineralization and	95–96
partitioning and	243–246	arc volcanism	207–208, 324, 324f, 331–332, 340
accumulation chamber method	330	archaea	
acetate	593	anaerobic methanotrophic	588, 590, 596
acetone	513–514, 513f	carbon fixation and	596
acetyl-CoA pathway	596	in deep biosphere	555
achondrites	156	defined	651t
acidophiles	592f	high-pressure tolerance in	638, 639f
Actinobacteria	587t, 591	in serpentinite settings	585t
adaptations, to high pressure	563–564, 637–638	viruses of	652–653, 653f
adsorption, of hydrocarbons in nanopores	497, 499–506, 519–522	Archean Eon	87–89, 203–209, 206f
AGB stars. <i>See</i> asymptotic giant branch stars		Argon isotopic dating	394
aggregation, Precambrian deep		Argyle diamond mine	358
carbon cycle and	208–209	artinite	20f
albite-diopside join, silicate		asymptotic giant branch (AGB) stars	151
glasses along	269f, 270f, 272	Atlantis Massif	580–581, 588, 590, 591
albite glass	275, 275f	attenuated total reflection FTIR	
albite melts	312	(ATR-FTIR)	534
algae, evolution of biosphere and	91	aurichalcite	20f
alkalinity, carbon dioxide solubility		AVIRIS hyperspectral imagers	329
in silicate melts and	255–256	Avorinskii Placer	19
alkaliphiles	590–591, 592f	awaruite	480
alkanes	525–534	azurite	31, 90, 90f
alkylthiols	489	<i>Bacillus subtilis</i>	639
allotropes of carbon, overview of	8–13, 9t, 16t	bacteria. <i>See also</i> <i>Specific species</i>	
Alphaproteobacteria	633, 634, 657	carbon fixation and	596
alumina, behavior of alkanes near	525–528, 526f, 527f	in deep biosphere	555
amino acids	598	defined	651t
anaerobic methanotrophic archaea		piezophilic	632–635
(ANME)	588, 590, 596	pressure, lipids and	631
ancylite group	31	in serpentinite settings	586–587t
andesite	111	shock pressure resistance in	639
ankerite	20f, 22t, 26, 27, 87	viruses of	652–653, 653f
ANME. <i>See</i> anaerobic methanotrophic archaea		Bacteroidetes	586t
annealing experiments	274–277, 275f	Banda Sunda arc	341
anthracite	133, 133f	banded iron formations (BIF)	87
anthropogenic processes	324–325, 550	barophily	632–635

- basalt melts 253, 255f, 263f
- Bastin, Edson Sunderland 547–548
- bastnäsite group 31
- Bay of Islands Ophiolite, Newfoundland
578–579, 583, 588, 590
- Bay of Prony, New Caledonia 582
- Bayan Obo, China 31
- bct-C4 carbon 54, 54f
- β-track autoradiography 253, 255, 259,
260, 263, 280
- Betaproteobacteria 583–585, 586t
- BIF. *See* banded iron formations
- Big Bang 150, 150t
- biochemistry/biophysics (high-pressure)
- adaptations to high-pressure and
637–639, 638f, 639f
 - biochemical cycles and 632–637, 633f
 - biogeophysics and 552
 - of lipids and cell membranes
 - lamellar lipid bilayer phases 622–626,
623f, 624f, 625f
 - membranes 630–631, 630f
 - mixtures, cholesterol, and peptides
626–628,
627f, 628f
 - nonlamellar phases 628–630, 629f
 - relevance to deep carbon 631–632
 - of nucleic acids 620–622, 621f
 - overview of 607–608, 640
 - of proteins and polypeptides
 - aggregation 612–613
 - energy landscapes 613–616,
614f, 616f
 - folding and unfolding 611–612, 613f
 - phase diagrams 616–620,
617f, 618f
 - relevance to deep carbon 620
 - structures 608–609
 - thermodynamics 609–610
 - volume paradox 610–611
- biofilms 583, 588–590,
589f, 595f, 661–662
- biogeochemical cycles
- deep biota and 557, 560, 562
 - high-pressure microbiology and
632–637, 633f
 - phages and 557
 - in serpentinite settings 583–590, 584f
 - viruses and 655, 656f
- biogeophysics 552
- biohydrometallurgy 560
- biomarkers 455–457, 558, 599
- biomass, formation of hydrocarbons from
449–451
- biomineralization 29, 81t, 94–96, 95f
- bioremediation 550, 560–561
- biosphere (deep)
- analytical methodology for 550–553, 563
 - biomass of 557–558, 564–565
 - current state of knowledge on 548–550, 549f
 - diversity of life in 4–5, 555–557,
563–564
 - drilling and coring studies and
553–555
 - early studies and comprehensive
reviews on 547–548
 - ecosystem services provided by 560–562
 - future research on 562–566
 - genomics of 634–635
 - intermediate ocean and
91–93
 - microorganisms occupying 632–634, 633f
 - origins of life and rise of
chemolithoautotrophs in 86–89, 88f
 - photosynthesis and Great
Oxidation Event and 89–91
 - physiological processes of 558–559,
564–565
 - skeletal biomineralization and
94–96
 - snowball Earth and 93–94
 - viruses of
 - deep sediments 660–661
 - hydrologically active regions
658–660, 659f
 - metagenomic analysis of
662–665, 664t, 665f
 - surface-attached communities 661–662
- bituminous coal 133, 133f
- black smokers 331, 582
- bolide impacts 68, 562
- bonding, overview of 8
- Bowen, Norman 79
- Brachyspira* spp. 657
- Bridgman, Percy 611
- brown dwarfs 150
- brucite 594, 597
- bulk silicate Earth (BSE) 167, 169, 170f,
186–188, 187f,
190f, 234–237
- Bundy, Francis 13
- burial metamorphism 131–136
- Burkholderiales 583–584
- butene 135
- bütschliite 30
- Cabeço de Vide, Portugal 579, 581t, 590–591
- caklinsite 31
- calc-silicate skarns 110
- calcite. *See also Specific forms*
21–24, 21f, 127, 471

- calcite-aragonite sea intervals 95
- calcite group carbonates
- experimental studies of mineral solubility in CO₂-H₂O 118
 - at high pressure 63
 - as inclusions in granitoids 112
 - mineral evolution and 91–93
 - overview of mineralogy of 21–26, 21f, 22t, 23t, 25f, 27f
 - serpentinization and 591–592
 - skeletal biomineralization and 95–96
- calcium carbonates, hydrated 31–32
- Calvin-Benson-Bassham (CBB) pathway 583, 593
- Cambrian Period 94
- capsid, defined 651t
- carbides. *See also Specific forms*
- iron 55–57, 57f, 57t, 239–241
 - mineral evolution and 80
 - overview of 13–19, 14t, 15t, 16t
 - structure, bonding, and mineralogy of 55–57, 57f, 57t
- carbon dioxide
- abiotic hydrocarbon formation
 - in crust and 474, 480, 486
 - dissolved in silicate glasses 274
 - measurements of volcanic emissions of 333–336t, 337t, 338t
 - methods for measuring
 - geological efflux of 325–332
 - in silicate glasses 270–273, 271t
 - in silicate melts, eruptions and 252
 - simulation studies and 524, 531
 - solubility in anhydrous silicate melts 252–259, 255f, 256f, 257f, 258f
 - solubility in hydrous silicate melts 259–263
 - spectroscopic analysis of in silicate melts 266–270, 267f
 - storage in deep coal beds 517–518, 518f
 - storage in deep microbial communities 561
 - structure, bonding, and mineralogy of 57–61, 59f, 60f, 61f, 62f
 - volcanic emissions of 323–325
- C-H-O-N-S fluids, thermophysical properties of 495–496
- carbon isotopes. *See also isotopic signatures*
- abiogenesis vs. biogenesis and 598–599, 599f
 - core carbon content and hydrocarbon origins and 455–456, 456f
- carbon *K*-edge spectroscopy 438
- carbon monoxide
- microbial utilization of 593
 - in silicate glasses 274
- in solar nebula 159–160
 - solubility in silicate melts under reduced conditions 263
 - solubility in water 128–129, 129f
 - structure, bonding, and mineralogy of 61, 62f
 - volcanic emissions of 325
- C-O-H fluid/melts
- diamond formation and 356, 373–374, 393, 394, 405f
 - inhibition of methane formation and 129–130, 131f
 - magma ocean carbon storage and mineral evolution and 192, 83
 - neutron scattering and NMR for analysis of 498–499
 - solubility in silicate melts and 251–252
 - solubility of graphite in 136–137, 136f, 470
 - solubility under reduced conditions 263–266, 265f, 266f
 - sorption studies and 500–501, 504, 535
 - speciation at mantle conditions and 468–473, 469f, 470f
 - speciation in peridotite and 371–372
- carbonaceous chondrites 156, 167, 184, 197–198
- carbonaceous dust 152
- carbonado diamonds 376, 377f
- carbonate glasses 295–296, 295f, 297t
- carbonate groups
- nature of in silicate glasses 273–274
 - in silicate glasses 270–273, 271t
 - spectroscopic analysis of in silicate melts 267–268, 268f
- carbonate melts
- atomic structure of 292
 - carbonate glasses and 295–296, 295f, 297t
 - cation electronegativity of 292–293, 293f
 - diamond crystallization and 310
 - diamond formation in 401f, 402–404
 - as ionic liquids 292, 293f
 - magmas related to 310–311
 - mineral evolution and 83–84
 - in modern convecting oceanic mantle 214–216
 - overview of 289–291, 290f
 - physical properties of 291–292, 291t
 - speciation in 294, 294f
- carbonated peridotite solidus 201–202, 201f, 207, 214–215
- carbonates. *See also Specific forms*
- anhydrous 28–31

- aragonite group
 at high pressure 64, 64f
 mineral evolution and 91
 overview of mineralogy of 22t, 27–28, 28f
 serpentinization and 591–592
 skeletal biomineralization and 95–96
 calcite group
 experimental studies of mineral solubility in CO₂-H₂O 118
 at high pressure 63
 as inclusions in granitoids 112
 mineral evolution and 91–93
 overview of mineralogy of 21–26, 21f, 22t, 23t, 25f, 27f
 serpentinization and 591–592
 skeletal biomineralization and 95–96
 decomposition of, hydrocarbon generation in crust and 487–488
 equilibrium speciation in upper mantle and 471–472
 experimental studies of mineral solubility in sodium chloride solutions 116–118, 117f
 experimental studies of mineral solubility in water 115–116, 115f, 116f
 hydrocarbon formation from 453
 overview of chemistry of 112–115
 rhombohedral
 mineral evolution and 83, 96
 overview of 19–27, 20f, 21f, 22t, 23t
 serpentinization and 576, 576f, 591–595, 595f
 silicate 66–69, 68f, 69f
 storage of carbon at depth as 201–203
 structure, bonding, and mineralogy of 63–69, 64f, 65f, 66f, 67f, 68f
 subduction and sequestration of 87
 in terrestrial carbon inventory 165–166
 tetrahedral 64–66, 64f, 65f, 66f
 trigonal 63–64
 carbonatites
 diamond formation and 371–372
 diamonds, kimberlite and 367, 403–404
 exotic carbonate minerals associated with 30–31
 fibrous diamonds and 364, 365f
 future research on 311–312
 geochemistry of 301–303, 302t, 303t
 isotopic signatures of 305–308
 mineral deposits 304–305, 305t
 mineral evolution and 83–84
 overview of 289–291, 290f, 296–297, 299f
 silica clathrate in 66
 tectonic setting of 298–300
 temporal distribution of 300–301, 301f
 theories on origins of 309–311
 carbonic acid 112
 carbonic anhydrase 593
 carborundum. *See also* mossainite 14
 carbothermal residua, overview of 296
 carboxylic acids, abiotic hydrocarbon formation in crust and 489
 carbynes 52
Carnobacterium sp. 634
 catalysis. *See also* enzymes
 of Fischer-Tropsch-type synthesis 478, 480–482, 486–487
 of hydrocarbon synthesis by clay minerals 489–490, 525
 hydrothermal circulation and 596
 cathodoluminescence (CL) 367, 368–369
 cation electronegativity of carbonate melts 292–293, 293f
Caudovirales 651t
 CBB pathway. *See* Calvin-Benson-Bassham pathway
 cellular membranes 622–632
 cementite. *See also* cohenite 18
 Census of Deep Life 553, 565
 Central Indian Ridge 578t, 582, 590
 cerussite 27, 28
 Chapman-Enskog kinetic theory approach 515
 charnockitization 4
 chemical properties of carbon
 allotropes 8–13
 anhydrous carbonates 28–31
 aragonite group 27–28, 28f
 carbides 13–19, 14t, 15t, 16t
 in fluids of crust and mantle 112–138
 hydrous carbonates 31–32
 mineral-molecule interactions 34–35
 minerals incorporating organic molecules 32–34, 33t
 overview of 7–8, 35
 rhombohedral carbonates 19–27, 20f, 21f, 22t, 23t
 chemolithoautotrophs, evolution of biosphere and 86–89
 chibaite 33
 chlorophyll, biomarkers for origins of hydrocarbons and 455
 CHNOSZ program 119–120
 cholesterol 626–628, 628f
 chondrites. *See also* meteorites
 in accretion stage of evolution 81–83, 81t
 altered 82–83
 carbonaceous 156, 167, 184, 197–198

- CI 153–154, 153t, 158
 classification of 156
 magma ocean carbon cycle and 184
 organic matter in 158
 primary 81–82
 as reservoir of terrestrial carbon 169
 chondritic Earth model 150
 chromite 480–481, 482
 chromium-in-Cpx barometer 384, 384f
 Cr₂O₃ vs. CaO plots 388, 388f, 390
Chromohalobacter spp. 638
 CI chondrites 153–154, 153t, 158
 CL. *See* cathodoluminescence
 Clapeyron equation 621, 624
 clathrate hydrates. *See also* methane hydrates
 mineralogy and crystal chemistry of 33–34, 33t, 61
 overview of 449–450
 source of methane in 459–460
 stability in water-methane system 533–534
 clay minerals 94, 489–490, 525, 527–528
 CLAYFF force field 534
 Clifford's Rule 360–361
 climate change, subsurface microbes and 565–566
 clinopyroxene 382, 384, 384f
 clinopyroxenes, REE patterns for 393
 closed-chamber method 330
 Clostridiales 584–587
Clostridium perfringens 621
 clouds, dense molecular 80, 152
 cloudy diamonds 364, 368
 clustered regularly interspaced short
 palindromic repeats (CRISPR) 557, 663
 CNO cycle 150
 coal 4, 133–134, 517–518, 518f
 Coast Range ophiolite, United States 577, 580t
 coated diamonds 357f, 358, 364
 coesite 385–386, 386f
 cohenite 18, 19f, 56–57, 219, 239–243, 242f
 Collembola 556
 Collier-4 kimberlite, Brazil 395
Colwellia sp. MT-41 632
Colwellia spp. 634
 comets 153t, 154–155, 158, 168–169, 549
 component approach to thermodynamics
 of oxidized carbon in dilute
 aqueous solutions 118–119
 compound eyes 94–95, 95f
 compressibility, of proteins, volume vs. 609–610
 computational sciences 553
 computed tomography. *See* X-ray computed
 tomography
 condensation sequence 152, 159–160
 condensing effect 626
 conductivity, electrical 277–280, 290, 298, 300f
 conjugation 659
 constant-diversity (CD) model 655–657, 656f
 contamination 550, 553–554
 continental margins, subsurface
 microbes and 565
 continents 208–209
 convection, mantle 199–200
 cordylite 31
 core
 carbon content of 167–168, 231–237, 245–247
 density and phase diagram
 constraints on carbon content of 238–243, 239f, 246–247
 equilibrium fractionation of carbon
 between mantle and 185–189, 187f
 heterogeneous accretion and imperfect
 metal-silicate equilibration
 during formation of 189–191, 190f
 inefficient formation of, excess
 siderophile element abundance
 in mantle and 198–199
 magma ocean carbon cycle during
 formation of 184–191, 185f
 siderophile elements in mantle and 243–247
 coring process 550–551, 551t
 CORKs 551, 551t, 563
 cratons, mineral evolution and 84–86
 Crenarchaeota 585t
 CRISPR. *See* clustered regular interspaced short
 palindromic repeats
 critical depletion effect 500
 crust
 abiotic hydrocarbon formation in 474–494
 deep microbial communities and 562
 locations of diamonds in 359–361, 363f
 mineral evolution of 83–86
 overview of aqueous fluids of 109–110, 138
 oxidized carbon in aqueous fluids
 at high *P* and *T* 112–128
 recycling of carbon in 200
 reduced carbon in aqueous fluids
 at high *P* and *T* 128–138
 sources of carbon in aqueous fluids of 110–112
 crystallization 196, 310
 cultivation methods 552
 cyanobacteria 87–88
 cytoplasm, defined 651t

- dacite glass 275, 275f, 277f
 Darwinian threshold 669
 DCDD. *See* dolomite-coesite-diopside-diamond
 DCO buffer. *See* diamond-carbon-oxygen buffer
 DCO Program. *See* Deep Carbon Observatory Program
 decarboxylation reactions 134–136, 134f
 decompression melting, depth of onset of 200, 201–203, 201f
 Deep Carbon Observatory (DCO) Program 607
 deep-Earth gas hypothesis 451
 Deep Hot Biosphere theory 451–452
 degassing. *See also* volcanic emissions 112, 325, 330–331
 degree of polymerization 272–273, 279f
 dehalorespiration 564
Deinococcus spp. 638
 Del Puerto Ophiolite, California 588, 598
 Deltaproteobacteria 586t, 633
 dense molecular clouds 80, 152
 density
 of carbon dioxide in silicate melts 280
 constraints on core carbon content and 239–240, 246–247
 of pore fluid at fluid-rock interfaces 501–503, 503f
 depleted mantle (DM) 166–167
 desorption, of hydrocarbons at
 fluid-rock interface 497, 499–506
Desulfotomaculum 587, 587t, 588
Desulfovibrio spp. 634
 deuterium burning 150
 diagenesis 450–451
 diamond anvil cells (DAC) 423–426, 425f
 diamond-carbon-oxygen (DCO) buffer 372
 diamond stability field 359
 diamondite 358
 diamonds. *See also* nanodiamonds
 carbonate inclusions in 290
 carbonate melts and crystallization of 310
 cloudy 364, 368
 coated 357f, 358, 364
 distribution in Earth 359–360, 360f
 E-type 393–394
 fibrous 364–368, 365f, 377f, 381f, 394
 as first mineral 80, 81t
 fluid and micro-mineral inclusions in 364–368, 365f, 366f
 formation of
 in lithosphere 369–375, 370f
 in sublithosphere 375–381, 377f, 379f, 381f
 geodynamics, carbon motility, and carbon reservoirs in
 continent assembly, plate tectonics, and ancient recycling 396–401, 397f, 398f, 399f, 400f, 401f
 deep carbon cycling with mantle convection 402–403
 kimberlites, carbonatites and primordial vs. recycled carbon and 403–404
 404–406
 geologic setting for formation of 360–361, 363f
 impact 359
 inclusions hosted in
 geochemistry and age of 386–396, 387f, 388f, 389t, 391t, 392f
 thermobarometry of 382–386, 383f, 384f, 386f
 internal textures in 368–369
 lithospheric 359, 368–375
 microscale components in 361–368
 monocrystalline 357f, 358, 394
 nanodiamonds 157
 overview of 355–356
 overview of mineralogy of 8, 9t, 11–13, 11f, 12f
 parental and host rocks of 358–359
 polycrystalline 356–358, 357f, 368, 376, 377f
 questions and future work on 405–406
 structure, bonding, and mineralogy of 50–51, 50f
 superdeep (sub-lithospheric)
 dating of 395
 deep carbon cycling with mantle convection and 402–403
 defined 359
 formation of 375–381, 377f, 379f, 381f
 isotopic composition of 377f
 mineral inclusions in 390, 391t
 nano-inclusions in 368
 texture of 369
 synthesis of 13
 types of 356–358, 357f, 359–360
 diffusion
 of carbon in silicate melts 280–282, 281t, 283f
 degassing in tectonically active areas and 330–331
 in nanopores, simulation of 515–519, 530

- diopsides 384
- dipicolinic acid concentrations 558
- Disko Island, Greenland 18
- diversity
 in deep biosphere 4–5, 555–557, 563–564
 of viruses 654, 664–665
- DM. *See* depleted mantle
- DNA (deoxyribonucleic acid) 555, 620–622, 652
- DNA libraries 555–556
- dolomite-coesite-diopside-diamond (DCDD) 373
- dolomite group carbonates 21, 22t, 26–27, 27f
- dolomites
 at high pressure 63–64
 overview of mineralogy of 22t, 26, 26f
 as source of carbon in crust and mantle fluids 110
- dry ice 57–58
- dsrAB* genes 588
- dust. *See also* interplanetary dust particles 170–171
- E-type diamonds 393–394
- East African Carbonatite Line (EACL) 305, 306t, 307f
- East Pacific Rise 556
- EBSD. *See* electron backscatter diffraction
- EC. *See* eddy correlation
- eclogites
 as diamond carriers 358, 361, 385
 as diamond inclusions 388–390, 389t, 391t
 isotopic composition of diamonds with 377f, 379–380, 381, 381f
 oxygen fugacity and diamond formation in 372–373
 plate tectonics and 396, 399, 400f
 syngensis and 367
 thermobarometry of diamond inclusions and 382, 383f
- ecosystem services, provided by
 deep biosphere 560–562
- eddy correlation (EC), for monitoring volcanic carbon dioxide emissions 330
- EELS. *See* electron energy loss spectroscopy
- eicosapentaenoic acid (EPA) 635
- elastic methods, for geobarometry of diamonds 385–386, 386f
- electrical conductivity 277–280, 290, 298, 300f
- electrochemical gradients 592f
- electron acceptors 637
- electron backscatter diffraction (EBSD) 367
- electron diffraction 430
- electron donors 558–559, 583
- electron energy loss spectroscopy (EELS) 431–435, 432f, 434f, 534
- electronegativity, cation 292–293, 293f
- ELNES. *See* near-edge structures
- EMOD. *See* enstatite-magnesite-olivine-diamond
- emulsification 191
- endospore abundance 558
- enstatite-in-Cpx thermometer 384, 384f
- enstatite-magnesite-olivine-diamond (EMOD) 371–372
- Enterococcus faecalis* 639
- enzymes 595–596
- EPA. *See* eicosapentaenoic acid
- epigenetic inclusions 366
- Epsilonproteobacteria 586t, 633
- equations of state approaches 533
- equilibrium speciation
 for C-O-H system in mantle 468–473, 469f, 470f
 of carbon in silicate melts 274–277, 275f, 277f
 of hydrocarbons in nanopores 519–522, 521f, 524f
- Erzebirge terrane, Germany 359
- escape hypothesis 667
- Escherichia coli* 637–638, 638f, 639
- Eukarya 555, 556, 639
- Eureka diamond 12
- Europa 583
- Euryarchaeota* 585t, 633
- eutectic fluids, granitization and 85
- evenkite 96
- evolution
 diamond research and 13
 galactic chemical 150, 152
 hydrated calcium carbonates and 31–32
 impacts of viruses on 654–658
 mineral
 accretion stage of 81–83, 81t
 biosphere development in 81t, 86–96
 crust and mantle processing era in 81t, 83–86
 overview of 79–81, 81t
 plate tectonics and 85–86
 unanswered questions about 96–97
 evolutionary metadynamics 49
- excess mantle carbon paradox 188–191, 198–199
- extracellular polymeric substances 594

- Faint Young Sun Paradox 207–208
- fayalite-magnetite-quartz (FMQ) benchmark 371, 468
- fermentation 590–591, 637
- Fermi diad 267
- FIB. *See* focused ion beam
- fibrous diamonds 364–368, 365f, 377f, 381f, 394
- Firmicutes 587t
- Fischer-Tropsch synthesis 452–453, 476, 476f, 477
- Fischer-Tropsch-type (FTT) synthesis 160, 476–487, 476f, 576
- FISH. *See* fluorescence *in situ* hybridization
- fitness factors 658
- flagellar motility 635
- flow through *in situ* reactors (FTISR) 551, 563
- fluid-rock interfaces
- abiotic hydrocarbon formation in crust and 474–475
 - deep biosphere and 553
 - hydrocarbons at
 - adsorption-desorption behavior of 497, 499–506
 - dynamic behavior of 497, 506–515
 - molecular modeling and interfacial properties of 497, 515–534
 - overview of 495–497
 - microstructure of 503–506, 504f, 506f
 - molecular modeling and interfacial properties of 515–534
- fluorescence *in situ* hybridization (FISH) 555, 558
- focused ion beam (FIB) 367–368, 427–428
- folding (protein)
- pressure-induced unfolding and 611–612
 - protein volume paradox and 610–611, 612
 - thermodynamics of 609–610, 614–618, 614f
- fore-arc degassing 340
- formate 32
- formic acid 135–136, 593
- fossil fuels 111
- fossil record. *See also* biomineralization 29
- Fourier transform infrared spectroscopy (FTIR)
- for carbon dioxide diffusivity
 - in silicate melts 280–282, 281t
 - for carbon speciation
 - in silicate melts 276, 277f, 278f, 279f
 - for measurement of volcanic carbon dioxide emissions 326–327
 - for solubility of carbon dioxide
 - in silicate melts 252–253
 - for validation of simulation predictions 534
- framboids 358
- FTIR spectroscopy. *See* Fourier transform infrared spectroscopy
- FTISR. *See* flow through *in situ* reactors
- FTT synthesis. *See* Fischer-Tropsch-type synthesis
- fugacity. *See* oxygen fugacity
- fullerenes 8, 9t, 50f, 52, 54–55
- fungi 633
- Fuselloviridae* 653f, 662
- Gakkel Ridge 582
- galactic chemical evolution (GCE) 150, 152
- Galathea* expedition 632
- Gamma proteobacteria 586t, 588, 591, 634
- garnet-olivine-orthopyroxene (GOO)
- equilibrium 369–370, 370f
- garnet peridotite xenoliths 369–370, 370f
- garnets
- classification of 388, 388f, 390
 - as diamond inclusions 388–390, 388f, 393
 - thermobarometry of diamond inclusions and 382, 383f, 384
- gas hydrates. *See* clathrate hydrates
- GCE. *See* galactic chemical evolution
- GD. *See* gramicidin D
- gene transfer
- in biofilms 662
 - horizontal
 - parasitic elements and 669
 - viruses and 651t, 656f, 657–660, 659f, 663–664, 664t
 - lateral 662
 - parasitic elements and 669
 - gene transfer agents (GTA) 657–658
- generalized gradient approximation (GGA) 48
- generalized transduction 656f, 657–658
- genomics
- Bay of Islands Ophiolite, Newfoundland and 583
 - of deep microbial communities 634–635
 - of deep viral communities 660, 662–665, 664t, 665f
 - defined 651t
 - Lost City Hydrothermal Field and 593
 - Richmond Mine and 552
- geochemical evolution. *See* evolution
- GGA. *See* meta-generalized gradient approximation
- GM. *See* granodiorite-granite-monzogranite
- Gibbs free energy, calculation of 48, 118–122
- Gibbs-Thomson equation 522
- Giggenbach bottle sampling 326
- glaciation 93–94

- glasses
 albite 275, 275f
 carbonate 295–296, 295f, 297t
 dacite 275, 275f, 277f
 jadeite 275, 312
 phonolite 276
 silicate 269f, 270–274, 270f
 glassy carbon 439f
 GOE. *See* Great Oxidation Event
 goethite 26
 Gold, Thomas 451–452, 458
 GOO equilibrium. *See* garnet-olivine-orthopyroxene equilibrium
 gradients. *See also* pulsed field gradient NMR
 biogeochemical cycles and 632–633
 deep gas theories and 451
 geothermal, diamond formation and 12, 359–360, 370f
 hydrothermal circulation and 596, 659f, 660, 666
 hydrothermal vents and 666
 maintenance of 548, 549f, 552
 nanoscale X-ray diffraction and 436–437, 437f
 origins of life and 666, 668f, 669
 pH and electrochemical 591–592, 592f
 redox 88–93, 372, 633
 subduction zones and 86, 203
 supercontinent breakup and 209
 gramicidin D (GD) 626
 Grand Tack model 159, 163–165, 164f, 171
 granitization 81t
 granitoids 112
 granodiorite-granite-monzogranite (GGM) 84
 graphene 8, 9t, 10, 50f, 52, 54
 graphite
 compression of 52–54, 53f
 diamond vs. 12, 49
 in fluids of crust and mantle 110, 111, 136–137, 136f
 growth of diamonds from 368
 high-pressure X-ray Raman spectroscopic analysis of 439f
 hydrocarbon formation from 453
 mineral evolution and 81t, 83
 overview of mineralogy of 8, 9t, 10, 10f, 12f
 phase transitions in 49–50
 structure, bonding, and mineralogy of 50f
 graphite-to-diamond transition 51
 graphite-to-lonsdaleite transition 51
 Great Oxidation Event (GOE), evolution of
 biosphere and 81t, 89–91
 gregoryite 30
 Gruppo di Voltri, Italy 578–579, 581t
 GTA. *See* gene transfer agents
 HAADF STEM. *See* high-angle annular dark-field STEM
 Hadean Eon, inefficient subduction of
 carbon in 204f, 205–208
 Hall, Tracy 13
 Halley comet 153t, 155
 hallmark genes 667
Halobacterium spp. 638
 harzburgitic garnet 367
 Hawley equation 617
 haxonite 82
 HCTE method. *See* high-temperature configuration-space exploration method
 heap leach operations 560
 helium 166, 457
 helium burning 151
 herringbone calcite 91–93, 92f
 heterotrophs 558, 562, 590–591
 high-angle annular dark-field (HAADF) STEM 429, 429f
 high-resolution transmission electron microscopy (HRTEM) 429
 high-temperature configuration-space exploration (HTCE) method 516–517
 highly-siderophile elements (HSEs) 163
 HIMU-EM1 305, 306f
 homeostasis 591
 homogenization, viruses and 655–657, 656f
 HorA 631
 horizontal gene transfer
 parasitic elements and 669
 viruses and 651t, 656f, 657–660, 659f, 663–664, 664t
 hot springs 654
 Hoyle, Fred 451
 HRTEM. *See* high-resolution transmission electron microscopy
 HSEs. *See* highly-siderophile elements
 huanghoite 31
 huntite 29–30, 30f
 hydrates, methane. *See* methane hydrates
 hydrocarbons. *See also Specific hydrocarbons*
 abiotic
 in crust 474–494
 in upper mantle 468–474
 abiotic origins of 451–454, 594–595, 597–598
 biogenic origins of 449–451, 597–599
 carboxylic acid decarboxylation and 134–136, 134f
 chemical evidence for source of 454–457
 experimental synthesis of 453–455
 at fluid-rock interfaces
 adsorption-desorption behavior of 497, 499–506

- dynamic behavior of 497, 506–515
 overview of 495–497
- geological evidence for source of 457–458
- from hydrothermal vents 454
- microbial modification of 560–561
- in minerals 454
- in Mountsorrel, United Kingdom 458–459
- NMR analysis of 498
- in Songliao Basin, China 459
- in space 453
- types of 449–450
- unresolved questions in origins of 459–460
- hydrogen burning 150–151
- hydromagnesite 20f, 31
- hydrotalcaite 31
- hydrothermal circulation
 ingassing in modern Earth and
 measurements of carbon dioxide
 fluxes from 339t, 341t, 342
 precipitation of atmospheric carbon
 dioxide through 173
 as source of carbon in crust and
 mantle fluids 111
- hydrothermal conditions, Fischer-Tropsch-type
 synthesis and 476–487
- hydrothermal vents
 abiogenic hydrocarbons from 454
 biosphere and 549, 549f, 633
 catalysts and 596
 origins of life and 666–669
 phage populations in 557
 serpentinization and 582
 viruses and 658–660, 659f,
 664, 666–667
- hydrous carbonates 23t
- hydroxyapatite 597
- hyperspectral radiometry 328–329
- IDPs. *See* interplanetary dust particles
- igneous rocks. *See also* carbonatites
 evolution of 81t, 83–84
 exotic carbonate minerals
 associated with 30–31
 hydrocarbon origins and 454, 457–458
- ikaite 31–32
- impact diamonds 359
- impact shock metamorphism, mineral
 evolution and 82–83
- in situ* flow cells 551
- in situ* mining 560
- infectivity paradox 662
- infrared spectroscopy
 for carbon speciation in silicate melts
 266–269, 267f, 267t,
 268f, 268t, 269f, 270f, 271t
- of carbonate glasses 295, 296f, 297t
 for measurement of volcanic carbon
 dioxide emissions 326–327
 for solubility of carbon dioxide in
 silicate melts 252–253
- ingassing 194–196, 195f
- insoluble organic matter (IOM) 158
- integrases 663–664, 664t
- Integrated Ocean Drilling Program (IODP)
 554, 580–581, 590
- intermediate ocean, evolution of
 biosphere and 81t, 91–93
- internal pressure, diamond inclusions and 385
- International Mineralogical
 Association (IMA) 8
- interplanetary dust particles (IDPs)
 152, 155–156,
 158, 170–171
- interstellar medium (ISM) 152, 158
- IODP. *See* Integrated Ocean Drilling Program
- IOM. *See* insoluble organic matter
- ionic liquids, carbonate melts as 292, 293f
- iridium anomalies 93
- IRMS. *See* isotope ratio mass spectroscopy
- iron
 carbon storage in deep upper to
 lower mantle and 216–219, 217f
 core composition and 231–232
 density and phase diagram constraints
 on core carbon content and
 238–243, 239f
 disruption of hydration by CO₂ in high
P-T fluids 127
 Fe-C phase diagram 238–239, 239f
 Fe₇C₃ 241, 243
 as inclusion in diamond 56, 374–375
 isotope fractionation and
 236–237
- iron carbides. *See also* cohenite
 55–57, 57f,
 57t, 239–241
- iron-carbon alloy/graphite fractionation 236
- iron carbonates, mineral evolution and 87
- iron silicides, mossainite and 17
- iron sulfide bubbles 596, 669
- ISM. *See* interstellar medium
- isotope ratio mass spectroscopy (IRMS) 364
- isotopic fractionation, during
 Fischer-Tropsch-type synthesis 483–486,
 484f, 485f, 490
- isotopic signatures
 carbon
 abiogenesis vs. biogenesis and
 598–599, 599f
 core carbon content and 233–237, 246
 hydrocarbon origins and 455–456, 456f
 of carbonatites 305–308

- deep biosphere and 552
 diamond and 364, 367, 376–381, 377f, 394–396
 rhenium-osmium 395
 isovite 19
 Isua Greenstone Belt, Greenland 487–488, 594

 jadeite glass 275, 312
 Japan Trench 633
 Josephine ophiolite, United States 577
 Jouravskite 20f
 Jupiter 153, 159, 164–165
 Jurassic Period 95
 Jwaneng, Botswana 364

 Kaapvaal craton 339–370, 399, 399f, 400f
 Kairei Field 578t, 582
 Katmai-Novarupta volcano emission 344
 keels 360, 360f
 Kerguelen Archipelago 300, 309
 kerogen, formation of 450–451
 keystone taxa 565
 Kilauea volcano, Hawaii 344
 Kimberley block 399
 kimberlites
 carbonatites and 311
 coated diamond formation and 358
 as diamond carriers 12, 358, 360–361, 403–404
 diamonds, carbonatite and 367, 403–404
 exotic carbides associated with 19
 Group I vs. Group III, diamonds in 358
 Kokchetav massif, Kazakhstan 359
 komatiite 377f, 482, 594
 Krakatua volcano emission 344
 kratochvilite 96
 Kuhmo greenstone belt, Finland 594
 kutnohorite 22t, 26, 27

 LA-ICPMS. *See* laser ablation inductively-coupled plasma mass spectrometry
Lactobacillus plantarum 631
Lactococcus lactis 631
 Lake District, United Kingdom 110
 lakes, volcanic 332, 340
 Lambert Beer law 268–269
 lamellar lipids 623–628, 623f
 lamproites 358
 lamprophyres 358
 lanthanite group 31
 laser ablation inductively-coupled plasma mass spectrometry (LA-ICPMS) 364, 366–367, 366f
 Late Veneer 163, 169, 196–198, 197f

 latent redox systems 564
 lateral flagellum gene cluster (LF) 635
 lateral gene transfer 662
 lawsonite 402
 LCHF. *See* Lost City Hydrothermal Field
 LDA. *See* local density approximation approaches
 LF. *See* lateral flagellum gene cluster
 libraries, DNA 555–556
 life, origins of 86–89, 594–595, 666–669, 668f
 light elements, in core 231, 239, 247
 light rare earth elements (LREE), in carbonatites 302, 303
 lignin 131–134, 132f
 lignite 133, 133f
 limestone 110
 lipids 622–632, 623f, 624f, 627f
 lithium burning 150
 lithoautotrophs 558, 562
 lithosphere
 diamond texture in 368–369
 formation of diamond in 359, 369–375
 modern, carbon and carbonates in 215–216, 215f
 timing of diamond formation in 401
 lixiviant fluid 560
 LmrA 631
 local density approximation (LDA) approaches, overview of 48
 Logatchev vent field 579t, 581–582, 583, 590
 Lollar, Sherwood 485–487
 long-chain carboxylic acids 131, 134–136
 lonsdaleite 8, 9t, 11–13, 11f, 51, 52
 Lost City Hydrothermal Field (LCHF) 577, 579–581, 579t, 583, 585, 588–590, 589f, 592–593
 Lost City Methosarcinales 588, 589f
 low-field NMR 510–511
 Luobusha ophiolite complex 19
 lysogenic viruses 650, 650f, 651t, 658, 661
 lytic viruses 650f, 651t

 M carbon 54, 54f
 magic angle spinning (MAS) method 269
 magma ocean
 carbon cycle and
 after core formation 191–200
 during core formation 184–191, 185f
 equilibrium fractionation of carbon between core and mantle and 187f
 overview of 184
 crystallization of and fate of carbon 196
 interaction with atmosphere and ingassing of carbon 194–196, 195f

- Late Veneer addition of carbon to 197f
 storage capacity of carbon in 191–194, 192f, 193f
- magmas
 carbon trapping in 172–173
 as diamond carriers 358
 original carbon dioxide content of 343–344
 related to carbonate melts 310–311
 as source of carbon in crust and mantle fluids 111–112
 terrestrial carbon inventory and 166–167
- magnesite 21, 24, 65–66, 65f
 magnesium 24, 365f, 366
 magnesium/calcium ratio, skeletal biomineralization and 95
 magnesium carbonate 21, 24, 65–66, 65f
 magnetite 478, 479, 480–482, 594
 majorite 376, 385, 402
 malachite 31, 90, 90f
 manasseite 31
 manganese carbonate 20f, 21, 24–26
- mantle
 abiogenic hydrocarbon formation in 468–474
 chemical and physical properties of 468, 468f, 469f
 constraints on diamond growth in 369–376, 370f
 convection in 199–200
 deep upper to lower, storage in 216–219, 217f
 depleted 166–167
 equilibrium fractionation of carbon between core and 185–189
 estimated carbon content of 166–167
 excess mantle carbon paradox and 188–191, 198–199
 geology of carbon from diamonds of 396–406
 inefficient core formation and deep carbon storage and 198–199
 inefficient subduction of carbon in Archean and Proterozoic and 203–209
 locations of diamonds in 358–360, 363f
 mineral evolution of 83–86
 outgassing in ancient Earth and 201–203
 overview of aqueous fluids of 109–110, 138
 oxidized carbon in aqueous fluids at high *P* and *T* 112–128
 reduced carbon in aqueous fluids at high *P* and *T* 128–138
 siderophile elements in, carbon in core and 243–245, 245f, 246f
 sources of carbon in aqueous fluids of 110–112
- mantle keels 360, 360f
- Marianas Forearc 578t, 582, 591, 593
 Mars 159, 163–165, 164f, 234–235, 235f, 237, 582
- mass angle spinning (MAS) NMR 498–499, 510, 510f, 512–514, 513f, 514f
- mass spectrometry 327
 Mbuji Mayi, Zaire 364
 MCFC (molten carbon fuel cells) 294
 melanophlogite 33
 melt inclusion measurements 343
 melting 200, 201–203, 201f, 624
 melts. *See also* carbonate melts; silicate melts
 albite 312
 basalt 253, 255f, 263f
 C-O-H fluid/melt 356, 373–374, 405f, 468–473, 469f, 470f, 498–499
 rhyolite 253, 255f, 262, 262f, 263f
- membranes 622–632
 Mendeleev, Dmitri 451
 Mengyin kimberlite field 19
 Mesoproterozoic Era 91, 92f
 Mesozoic Era 96
 meta-generalized gradient approximation 48
- metabolism
 in serpentinite-hosted ecosystems 583–591, 595–596
 in subsurface biosphere 560, 564, 636–637, 636f
- metadynamics, evolutionary 49
- metagenomic analysis
 Bay of Islands Ophiolite, Newfoundland and 583
 of deep microbial communities 634–635
 of deep viral communities 660, 662–665, 664t, 665f
 defined 651t
 Lost City Hydrothermal Field and 593
 Richmond Mine and 552
- metal-silicate fractionation
 core carbon, siderophile elements in mantle and 232, 243–247
 during core formation 185–191, 187f, 190f
- metamorphism
 burial 131–136
 carbon-bearing minerals and 110
 impact shock 82–83
 ingassing in modern Earth and 211
 retrograde 4
 as source of carbon in crust and mantle fluids 111
- metasomatism, carbonate melts and 309–310

- metastability
of carbonate phases in carbonate melts 292
of organic compounds in fluids of
 crust and mantle 129–131
overview of 51f, 52–54, 53f, 54f
- metastable oxidants 564
- meteorites. *See also* achondrites; chondrites;
micrometeorites
in accretion stage of evolution 81–83, 81t
CI chondrites 153–154, 153t
cohenite and 18
composition of 2, 156–158, 157t
diamond, lonsdaleite and 13
mossainite and 17
organic matter in 158
planet formation and 162–163
primitive 150
- methane
abiogenic vs. biogenic
 formation of 597–599
clathrate hydrates and 449–450
 cycling of in serpentinite settings
 588–590, 589f
 deep microbial communities and 561–562
 in deeper fluids of crust and mantle 137–138
 diamond formation from 379
 equilibrium speciation in upper mantle
 468–473, 469f, 470f
 Fischer-Tropsch-type synthesis and 476,
 482–483, 486
 hydrocarbon formation from 453
 kinetic inhibition of formation of 129–131
 magma ocean-atmosphere interaction and
 194–196
 models for alkenes and 533–534
 origins of deep hydrocarbons and 451
 polymerization of in crust 487
 in silicate glasses 274
 in solar nebula 159–160
 solubility in water 128–129, 128f
 source of in clathrate hydrates 459–460
 as source of inorganic carbon in
 serpentinization zones 592
 storage in clay minerals in sediments
 527–528
 structure, bonding, and mineralogy of 61–63
 volcanic emissions of 325
- methane hydrates (methane ice)
 deep microbial communities and 561–562
 deposition of, mineral evolution and 87
 overview of 34, 34f, 450
 questions about 459–460
- Methanococcales 585t, 590
- methanogens 565, 657
- Methanopyrus kandleri* 590
- methanotrophs 633
- MFI. *See* mordenite framework inverted
- microbial zombies 560
- microdiamonds 376
- micrometeorites 170–171
- microorganisms. *See also* bacteria; *Specific
microorganisms*
 burial metamorphism and 131, 134–136
 pressure, biogeochemical cycles and
 632–637, 633f
- microRaman spectroscopy 385
- Mid-Atlantic Ridge 579t, 582
- Mid-Cayman Rise 582
- mid-ocean ridge basalt (MORB) 166, 168
- mid-ocean ridges (MOR) 331–332, 340,
341t, 579f, 581–582
- Milnesium tardigradum* 638, 639f
- Mimivirus 652
- mineral evolution
 accretion stage of 81–83, 81t
 biosphere development in 81t, 86–96
 crust and mantle processing era in 81t, 83–86
 overview of 79–81, 81t
 plate tectonics and 85–86
 unanswered questions about 96–97
- mining, *in situ* 560
- minrecordite 22t, 26
- miscibility, of CO₂-H₂O 123–126
- mixing, of CO₂-H₂O 123–126
- models
 chondritic Earth 150
 constant-diversity 655–657, 656f
 for fluid-rock interfaces 497, 515–534
 Grand Tack 159, 163–165,
 164f, 171
 Murad-Gubbins 533
 Nice 159
 oscillator 515–516
 Preliminary Earth Reference (PREM) 241
 solubility 256–259, 260–263, 262f
 Tse-Klein-McDonald 533
 VOLCALPUFF 325
- Moissan, Frederick-Henri 13, 14
- moissanite 13, 14–18, 14t,
15t, 17f, 199
- molar-tooth crystal structure 92f, 93
- molar volume 280
- molecular biomarkers 455–457, 558, 599
- molecular clouds 80, 152
- molecular dynamics studies
 for carbon dioxide diffusivity in
 silicate melts 282
 dynamics of hydrocarbons in nanopores and
 508–509, 526–530, 529f
 or carbonate melts 296

- overview of 531–534
- for solubility of carbon dioxide
in silicate melts 256, 258f, 276, 279f
- molybdenum 169, 243–245, 245f, 246f, 247
- monocrystalline diamonds 357f, 358, 394
- monohydrocalcite 31
- Moon 163, 232
- MORB. *See* mid-ocean ridge basalt
- mordenite framework inverted (MFI) 508–509
- Moritella* spp. 634
- Mountain Pass, California 31
- Mountsorrel, United Kingdom 458–459
- Mponeng Mine 556
- Mt. Pinatubo eruption 344
- mud volcanoes 582
- MultiGas approach to carbon efflux measurement 326
- Murad-Gubbins model 533
- muramic acid concentrations 558
- Myoviridae* 651t, 652, 653f
- nanodiamonds 157
- nanopores. *See* fluid-rock interfaces
- nanoscale samples
ex situ methods for analysis of
electron diffraction 430
electron energy loss spectroscopy 431–435, 432f, 434f
high-angle annular dark-field STEM 429, 429f
high-resolution transmission electron microscopy 429
near-edge structures 431–432, 432f
scanning transmission electron microscopy 429
scanning transmission X-ray microscopy 433–435, 434f
transmission electron microscopy 428–430, 429f
X-ray energy dispersive spectroscopy 430–431
- sample preparation with FIB-SEM and 426–428, 427f, 428f
- sample synthesis at high temperature and pressure and 423–426
- in situ* methods for analysis of
X-ray computed tomography 440–444, 441f, 442f, 444f
X-ray diffraction analysis 436–438, 437f, 438f
X-ray Raman spectroscopy 438–440, 439f
- nanotubes, structure, bonding, and mineralogy of 50f, 52
- nanoXCT. *See* X-ray computed tomography
- natrocarbonatite 302–303, 302t, 306, 306t, 311
- NBO/T parameter (degree of polymerization) 272–273, 279f
- near-edge structures (ELNES) 431–432, 432f
- Neiva River 19
- nematodes 556
- Neoproterozoic Era 89
- neon 154
- neutron scattering
for analysis of C-O-H behavior 498
dynamics of hydrocarbons in nanopores and 506–509, 509f, 514–515
for validation of simulation predictions 534
- Nice model 159
- NiFe-alloys 480, 482, 486, 487, 597
- nifH* genes 593–594
- niobium 304
- niobocarbide 19
- nitrogen
depletion in bulk silicate earth 169, 170f
in diamond 362–364, 368, 380–381, 381f, 403
- nitrogenase genes 590
- niveolanite 85
- NMR. *See* nuclear magnetic resonance
- noble gases, mantle composition and 166–167
- North Pacific Gyre 634
- nuclear magnetic resonance (NMR) 269, 272f, 498–499, 506, 509–515
- nuclear waste storage 561
- nucleation 252, 594
- nucleosynthesis, in stars 150–152, 150t
- Nussusuaq peninsula 18
- nutrient sources, in serpentinite settings 593–594
- nyerereite 30
- Ocean Drilling Program (ODP) 548, 554
- oceans
intermediate 81t, 91–93
magma 184–200, 185f, 187f
- OCO. *See* Orbiting Carbon Observatory
- OCS, volcanic emissions of 325
- ODP. *See* Ocean Drilling Program
- Oldoinyo Lengai, Tanzania 30, 83, 290f, 305, 306t
- oligarchic growth 160–161
- olivines 367, 382, 385–386, 386f, 482–483
- ophiolites 14, 19, 577–579, 580–581t, 588–590
- optical activity, hydrocarbon origins and 455
- orbital migration 161

- Orbiting Carbon Observatory (OCO) 329
- organic molecules. *See also* hydrocarbons
- acids, in mantle and crust 135–136
 - burial metamorphism of 131–136
 - carbon minerals incorporating 32–34, 33t
 - in chondrites 158
 - mineral evolution and 96
 - overview of 32–34, 33t
- organosulfur pathways for abiotic hydrocarbon formation in crust 488–489
- origins of life 86–89, 594–595, 666–669, 668f
- orthopyroxene 382, 383f, 384, 384f
- oscillator model theory 515–516
- outgassing. *See also* volcanic emissions 201–203, 214–219
- Outokumpu borehole, Finland 584
- oxalates 33t, 96
- oxidation. *See also* Great Oxidation Event 112–128, 199–200
- oxidation states. *See also* redox systems
- abiotic hydrocarbon formation in
 - crust and 474
 - carbonate melt stability and 289
 - diamond formation and 369
 - hydrocarbon origins and 458
 - overview of 8
 - oxygen 89–90, 91, 94
 - oxygen fugacities
 - in cratonic mantle, diamond formation and 369–371, 370f, 401f
 - depth vs. 202–203
 - in sub-lithospheric mantle, diamond formation and 375, 401f
 - of upper mantle 468
 - oxygen isotopes, diamond inclusions and 396
- PAH. *See* polycyclic aromatic hydrocarbons
- palladium/silver ratio, of silicate Earth 233, 235
- Pangea, impacts of break-up of 213
- panspermia 639
- parasites 31, 667–669, 668f
- partition function 48–49
- PCR. *See* polymerase chain reaction
- pegmatites 81t, 85, 112
- pelagic marine microorganisms 552
- pentlandite 482
- peptides 598, 626–628
- percolative fractionation 393
- peridotite melts 282
- peridotites
 - as diamond carriers 358, 385
 - as diamond inclusions 388–390, 389t, 391t, 393
- fibrous diamonds and 366
- isotopic composition of diamonds with 377f, 379–380, 379f, 381f
- oxygen fugacity and diamond formation in 371–372
- serpentinization and 577
- syngensis and 367
- permafrost thawing 549
- permeability, effect of loading on 531
- perovskite 376
- PF. *See* polar flagellum cluster
- PFM-NMR. *See* pulsed field gradient NMR
- phages 557, 652, 657–658
- Phalaborwa carbonatite 300
- Phanerozoic Eon 96, 208, 213
- phase transitions
 - constraints on core carbon content and 238–239, 246–247
 - of hydrocarbons in nanopores 519–524, 521f, 522–524, 524f
 - lipids and 623–626, 625f, 627f, 628f, 629f
 - protein unfolding and 616–620
- phases of carbon
 - fullerenes 54–55
 - metastable 51f, 52–54, 53f, 54f
 - stable 49–52, 50f, 51f, 52f
 - ultrahigh-pressure 55
- phenotype switching 662
- phonolite glass 276
- phosphate pumps 594
- phosphates 596
- phosphatidylcholines 623, 624, 625f
- phosphides 16t
- phosphorous 594, 597
- photoautotrophs, evolution of 87–88
- Photobacterium* spp. 631, 634–635
- photosynthesis 89–91, 658
- piezophilic bacteria 632–635
- Pilbara Craton 208
- planetary cycles, annual 565
- planetary embryos 160–161
- planetesimals 81–82, 160–161, 163, 170–171
- planets, formation of 160–162
- plate tectonics. *See also* tectonics
 - and carbon cycling in subduction zones 4–5
 - in crust and mantle evolution 81t, 85–86
 - diamond formation and 361, 396–401, 401f
 - hydrocarbon origins and 457
 - interaction of subducted water and
 - metallic core and 212
 - mantle differentiation and 200–219
 - subsurface microbes and 565

- plumes, volcanic
- airborne measurements of 328–329
 - constraints on measuring carbon
 - dioxide in 324–325
 - ground-based measurements of 325–327
 - space-based measurements of 329
 - submarine measurements of 331–332
- PMF. *See* proton motive force
- pmoA* genes 588
- Podoviridae* 651t, 652, 653f
- polar flagellum cluster (PF) 635
- polycrystalline diamonds 356–358, 357f, 368, 376, 377f
- polycyclic aromatic hydrocarbons (PAH) 159–160
- polymerase chain reaction (PCR) 555
- polymerization 272–273, 279f, 472–473, 487
- polypeptides. *See also* proteins 608–609
- polyunsaturated fatty acids (PUFA) 635
- Popigai impact crater 359
- pores. *See* fluid-rock interfaces
- Precambrian Era 208–209
- Precambrian shields 582
- Preliminary Earth Reference Model (PREM) 241
- PREM. *See* Preliminary Earth Reference Model
- pressure. *See also* phase transitions
- acquisition of resistance to 637–639
 - carbon dioxide solubility in silicate
 - melts and 253–255
 - carbonatites at high 311–312
 - density as function of 239–240, 239f
 - diamond inclusions and 382–386
 - Fe-C phase diagram and 238–239, 239f
 - hydrocarbon formation and 453–454
 - lipids and cell membranes and 622–632, 624f
 - metastability and 52
 - microbiology, biogeochemical cycles and 632–637
 - nucleic acids and 620–622
 - proteins and polypeptides and 608–620
 - ultrahigh, carbon phases at 55
- pressure-temperature stability fields 12
- primary carbonatites 296–297
- primary igneous carbonatite 305, 307f
- primordial origins of carbon
 - carbon in universe and 150–159, 150f
 - carbon trapping in Earth and 172–173
 - cosmic dust as source of terrestrial
 - volatiles and 170–171
 - nature of Earth's building blocks and 169–170
 - overview of 150–151
 - recycled carbon vs. 212–213
 - solar system dynamics and 159–165
 - terrestrial carbon inventory and 165–168
 - timing of volatile delivery and retention and 171–172
 - volatile elemental and isotopic constraints on 168–169
- Prochlorococcus* spp. 658
- propane, pore fluid densities and 501–502
- prophage 658
- proteins
 - effects of pressure on
 - energy landscapes 613–616, 614f, 616f
 - multimers and aggregates 612–613
 - P-T* phase diagrams and 616–620
 - unfolding behavior 611–612, 613f, 616–620
 - stability of 598
 - structures of 608–609
 - volume paradox of 610–611, 612
 - volume vs. compressibility and 609–610
- Proterozoic Era, inefficient subduction
 - of carbon in 203–209, 204f
- protogenic inclusions 386–388
- protomolecule assembly 454
- proton motive force (PMF) 591, 592f
- protoplanetary disks 159–161
- protosolar nebula 152, 159–160, 168
- Pseudomonas aeruginosa* 661
- Psychromonas* sp. CNPT-3 632
- Psychromonas* spp. 634
- psychrophilic/psychrotolerant bacteria 634
- Puerto Rico Trench 634
- PUFA. *See* polyunsaturated fatty acids
- pulsed field gradient NMR (PFG-NMR) 506, 509–515, 511f, 512f, 513f, 534
- push-pull tests 552
- Putorana Plateau, Siberia 18
- Pyrococcus* spp. 634
- pyrolite 56f
- pyrolysis experiments 454
- pyroxenes 382
- pyrrhotite 374
- QENS. *See* quasielastic neutron scattering
- quartz, solubility in CO₂-H₂O fluids 127
- quasielastic neutron scattering (QENS) 506–509, 509f, 514–515, 534
- qusongite 19
- radiolytic splitting 564
- Rainbow vent field 577, 579t, 581–582, 590
- Rangwa Caldera Complex, Kenya 311

- rare earth elements (REE)
 carbonatites and 31, 302, 302t, 304f, 305t
 in diamond inclusions 390–393, 392f
 fibrous diamonds and 367
 rarefaction curves 664–665, 665f
 Rayleigh isotopic fractionation 236–237
 Rayleigh–Taylor instabilities 211
 RecA protein 622
 recombinases 663–664, 664t
 recombination 651t, 653
 recycling
 continent assembly, plate tectonics and 396–401, 397f, 398f, 399f, 400f, 401f
 of crustal carbon 200
 in modern Earth 209–213, 210f
 primordial carbon vs. 404–406
 red giant branch (RGB) stars 151
 redox melting 402–403
 redox systems 564
 reduced conditions. *See also* oxidation states 128–138, 263–266
 reduction hypothesis 667
 REE. *See* rare earth elements
 refuge, deep biosphere as 562
 remediation 550, 560–561
 remnant pressure 385
 reproduction 559
 residual pressure 385
 respiration 559, 564
 retrograde metamorphism,
 lack of research on 4
 reverse tricarboxylic acid (rTCA) cycle 593
 RGB stars. *See* red giant branch stars
 rhenium–osmium isotopic dating 395
 Rhizobiales 633
Rhizobium radiobacter 661
Rhodobacter spp. 657
 rhodochrosite 20f, 21, 24–26
Rhodococcus spp. 639
 rhombohedral carbonates
 mineral evolution and 83, 96
 overview of 19–27, 20f, 21f, 22t, 23t
 rhyolite melts 253, 255f, 262, 262f, 263f
 Richmond Mine 552, 556
 Rifle uranium mill, Colorado 563
 rift volcanoes, as source of
 carbon dioxide 324, 324f
 RNA (ribonucleic acid) 591, 596–597, 620–622, 667–669
 RNA viruses 652
 RNA world theory 596–597
 Rodinia supercontinent 91
 roll front development 549
Roseobacter sp. 634
 RpoE sigma factor 634
 rTCA cycle. *See* reverse tricarboxylic acid cycle
 RuBisCO 593
Rudiviridae 653f, 662
 Russian-Ukrainian School 451
 ruthenium 169
 Sabatier-type reactions 597, 598
Saccharomyces cerevisiae 637
 salt, DNA and 621
 Samail ophiolite, Sultanate of Oman 577–578
 SANS. *See* small-angle neutron scattering
 Santa Rita, New Mexico 112
 satellite imagery 327–328
 Saturn 159, 164–165
 scanning electron microscopy (SEM) 367, 426–428, 427f, 428f
 scanning transmission electron microscopy (STEM) 429
 scanning transmission X-ray microscopy (STXM) 433–435, 434f
 SCIMPIs 551, 551t, 563
 secondary ion mass spectroscopy (SIMS) 252–253, 364
 sedimentation as source of carbon in
 crust and mantle fluids 110–111
 seismic activity 549, 565
 self-replicating networks 667
 SEM. *See* scanning electron microscopy
 sequestration 524, 531, 561
 serpentinization
 abiotic carbon cycle-biogeochemistry
 boundary and 584f, 597–600
 abiotic hydrocarbon formation in crust and 475, 478–479, 479f, 482–483, 486–487
 biological consequences in ecosystems with
 challenges of high pH 591
 limitations to carbon fixation 591–593
 metabolic strategies 583–591
 microbe–mineral interactions 594
 nutrient sources 593–594
 biosphere and 549f
 ingassing in modern Earth and 211
 locations of occurrence 577–583, 578–579t, 580–581t
 mineral evolution and 84
 origins of life and 594–597
 physical and chemical consequences of 575–576, 576f
 zones of 3
 SeSe kimberlite, Zimbabwe 395

- SFG. *See* sum-frequency generation
- shale 454–455
- shale gas 460, 495
- Shewanella* spp. 634, 635, 637–638
- shock conditions 639
- shock metamorphism 82–83
- SiC. *See* iron silicides
- siderite-ankerite deposition 87
- siderites 21, 26, 84, 87, 487–488
- siderophile elements
- carbon addition by Late Veneer and 196–198, 197f
 - fractionation of between mantle and core 232, 243–247
 - fractionation of between mantle and core during core formation 185–191, 187f, 190f
- Sierra Leone 364
- Siilinjärvi, Finland 300
- silica 127–128, 232–233
- silica aerogels 501–502, 502f, 504
- silica-based pores 528–531
- silicate carbonates 66–69, 69f
- silicate glasses 269f, 270f, 272, 274
- silicate melts
- carbon solubility in 192–194, 192f, 193f, 251–266, 254t
 - carbon speciation in 266–277
 - overview of 251, 282
 - physical properties of 277–282
- silicates 185–191, 187f, 190f, 507
- silicon carbide 13, 14–18, 14t, 15t, 17f, 199
- Siljini Ring Complex, Sweden 458
- silver 233, 235
- SIMS. *See* secondary ion mass spectroscopy
- simulations 515–534, 553
- single-crystal X-ray diffraction analysis, diamond inclusions and 368, 385
- single-stranded DNA (ssDNA) viruses 652
- Siphoviridae* 651t, 652, 653f
- Slave Craton, Canada 311, 378
- small-angle neutron scattering (SANS) 504–505, 504f, 535
- smectites 527
- smithsonite 21, 26
- snow line 159, 160, 170–171
- snowball Earth 81t, 93–94
- sodium chloride
- dependence of carbonate solubility on 116–118, 117f
 - dependence of CO₂-H₂O miscibility on 124–126
- dependence of of CO₂-H₂O miscibility on 124f, 125f
 - solubility of methane and carbon monoxide in water and 129
- solar system 2, 152, 159–165, 168, 452
- solar wind 153, 154, 168
- solid-ordered phase 623
- solubility
- of C-O-H fluids under reduced conditions in silicate melts 263–266, 265f, 266f
 - of carbon dioxide in anhydrous silicate melts 251–259
 - of carbon dioxide in hydrous silicate melts 259–263, 261f, 262f
 - of carbon in silicate melts 254t
 - of carbon in silicate melts at core-forming conditions 192–194, 192f, 193f
 - of graphite in crust and mantle 110, 111, 136–167, 136f
 - of methane and carbon monoxide in water 128–129, 128f
 - of minerals in CO₂-H₂O fluids 126–128
 - modeling 256–263, 262f
 - of oxidized carbon in dilute aqueous solutions 118–122
- soluble organic matter (SOM) 158
- Songliao Basin, China 459
- soot line 160, 170–171
- sorption 497, 499–506, 519–522
- Soufrière Hill volcano, Montserrat 344
- sound velocity measurements 241–243, 242f
- Southwest Indian Ridge 582, 590
- specialized transduction 657–658
- speciation. *See also* equilibrium speciation 118–119, 266–277, 325
- spectroscopic analysis
- carbon *K*-edge 438
 - of carbon speciation in silicate melts 266–270
 - of carbonate glasses 295, 296f, 297t
 - Fourier transform infrared (FTIR)
 - for carbon dioxide diffusivity in silicate melts 280–282, 281t
 - for carbon speciation in silicate melts 276, 277f, 278f, 279f
 - for measurement of volcanic carbon dioxide emissions 326–327
 - for solubility of carbon dioxide in silicate melts 252–253
 - for validation of simulation predictions 534
- infrared
- for carbon speciation in silicate melts 266–269, 267f, 267t, 268f, 268t, 269f, 270f, 271t

- of carbonate glasses 295, 296f, 297t
 for measurement of volcanic carbon
 dioxide emissions 326–327
 for solubility of carbon dioxide in silicate
 melts 252–253
 isotope ratio mass (IRMS) 364
 microRaman 385
 NMR 269, 272f
 secondary ion (SIMS) 252–253, 364
 for validation of simulation predictions 534
 X-ray energy dispersive (XEDS) 430–431
 X-ray Raman (XRS) 424, 438–440, 439f
 spontaneous polymerization 472–473
 spores 558
 Sputnik virus 652
 ssDNA viruses. *See* single-stranded DNA viruses
Staphylococcus spp. 661, 662
 Star of South Africa diamond 12
 Stardust mission 154–155, 158
 stars 80, 150–152
 Steelmaking data sourcebook 243–244
 stellar envelopes 13
 STEM. *See* scanning transmission electron
 microscopy
 Stichtite 20f
 strain birefringence analysis 385
 stromatolites 89
 Stromboli volcano 344
 Strong, Herbert 13
 strontianite 27, 28
 STXM. *See* scanning transmission X-ray
 microscopy
 sub-lithospheric diamonds. *See* superdeep
 diamonds
 subduction
 balancing with volcanic emissions
 324f, 342–343
 biosphere and 549
 carbon flux into Earth's mantle through 2, 4
 diamond formation and 396–401, 401f, 403
 inefficient, in Archean and Proterozoic
 203–209, 204f
 mineral evolution and 86–87
 precipitation of atmospheric carbon
 dioxide through 173
 subduction zones
 carbon dioxide emissions in 331–332
 ingassing in modern
 Earth and 209–212, 210f
 plate tectonics and carbon cycling in 4–5
 serpentinization and 582
 as source of carbon in crust and
 mantle fluids 110
 sulfate, in serpentinite settings 585–586
 sulfate reducers 585–586, 633, 634
 sulfides
 abiotic hydrocarbon formation in
 crust and 488–489
 diamond dating and 394–395
 diamond formation and 374
 diamond inclusions and 390, 397f,
 398–399
Sulfolobus spp. 654
 sulfur
 in core 233
 cycling of in serpentinite settings 585–586
 isotopes 396
 partitioning of W and Mo between mantle
 and core and 245, 245f, 246f, 247
 sulfur dioxide, measurement of geological
 carbon efflux and 325–327
 sum-frequency generation (SFG) 534
 Sun, composition of 152–154, 153t, 154f
 SUPCRT92 program 119–120, 122
 supercontinent formation 208–209
 superdeep (sub-lithospheric) diamonds
 dating of 395
 deep carbon cycling with mantle
 convection and 402–403
 distribution of 359
 formation of 375–381, 377f,
 379f, 381f
 isotopic composition of 377f
 mineral inclusions in 390, 391t
 nano-inclusions in 368
 texture of 369
 superhard graphite 54
 Suzuki, Keizo 611
 syenite-granite (SG) 84–85
 synchysite 31
Synechococcus spp. 658
 syngenetic inclusions 386–388, 387f
 syntrophy 651t
 Tablelands Complex, Newfoundland 583, 593
 Tambora volcano eruption 344
 Tanco pegmatite 85
 tantalocarbide 19
 tar line 160
 tectonics. *See also* plate tectonics
 diffusive degassing of deep carbon
 dioxide and 330–331
 inefficient subduction of carbon in Archean
 and Proterozoic and 203–209, 204f
 measurements of carbon dioxide fluxes and
 332, 339t, 342
 Tekirova ophiolites, Turkey 578, 581t
 TEM. *See* transmission electron microscopy

- temperature. *See also* phase transitions
- carbon dioxide solubility in
 - silicate melts and 255
 - carbon speciation in silicate melts and 274–276, 275f, 279f
 - diamond inclusions and 382–386
 - lipid volume and 624f
 - lipids and 623–624, 629
 - metastability and 52–53
 - protein unfolding and 611–612
 - sample synthesis in diamond
 - anvil cells and 424–425
 - ternary diagrams 136–137, 136f
 - terrestrial carbon inventory 149, 165–168
 - tetracarbonates 312
 - tetrahedral coordination 47, 53–54, 54f, 64–66
 - Thaumarchaea* 633
 - thermal decomposition 487–488
 - thermobarometry 382–385, 383f, 384f
 - thermodynamics
 - abiogenesis and 597–598
 - for calculation of hydrocarbon stability 456–457
 - of carbon dioxide solubility in anhydrous silicate melts 253–254
 - of oxidized carbon in dilute aqueous solutions 118–122
 - of protein folding 609–610, 614–618, 614f
 - subsurface microbes and 564–565
 - Thiomicrospira crunogena* 586t, 588
 - tholeiites 193
 - tidal forces 565
 - Titan 96
 - tonalite-trondhjemite-granodiorite (TTG) 84
 - tongbaite 19
 - ToxR 631
 - trace elements 303, 390–394, 392f
 - tracer gases 327
 - transduction 651t, 656f, 657–658
 - transition state ensemble (TSE) 615
 - transition zone
 - boundary with lower mantle 47
 - diamonds from 403
 - diamonds in 364, 375–378, 377f, 381, 385, 391t, 402–403
 - microorganisms of 585
 - modern carbon storage and 214–220, 218f
 - silicate melts and 252
 - transmission electron microscopy (TEM) 367–368, 428–430, 429f
 - transposases 663–664, 664t
 - trapping 172–173
 - travertine, serpentinization and 577
 - trigonal coordination 47, 63–64
 - trilobites, phacopid 94–95, 95f
 - TSE. *See* transition state ensemble
 - Tse-Klein-McDonald model 533
 - TTG. *See* tonalite-trondhjemite-granodiorite
 - tungsten, partitioning of 243–245, 245f, 246f, 247
 - type 2 migration 161
 - UAV. *See* unmanned aerial vehicles
 - UHPM (ultra-high-pressure metamorphic)
 - diamonds 359–360, 361
 - universe, overview of carbon in 150–159, 150f
 - unmanned aerial vehicles (UAV) 329
 - ur-minerals 80, 81t
 - Ural Mountains, Russia 19
 - Uranium-lead dating 395
 - uranyl carbonates 31
 - ureilites 156
 - urcite 96
 - valeric acid 135
 - Vanuatu island chain 341
 - vapor-liquid equilibria 519–522, 521f
 - vaterite 29, 29f
 - Venetia kimberlite 394–395
 - Vesta 234–235, 235f, 237
 - Vibrio cholerae* 631, 658
 - viral shunt 655, 656f
 - virus first hypothesis 667
 - virus-like RNA molecules 667–669
 - viruses
 - in deep biosphere 556–557
 - deep subsurface biosphere and
 - deep sediments 660–661
 - hydrologically active regions 658–660, 659f
 - metagenomic analysis of 662–665, 664t, 665f
 - surface-attached communities 661–662
 - genetic diversity of 654
 - hydrothermal vents and 666–667
 - impacts on host ecology and evolution 654–658, 656f
 - life cycles of 650–652, 650f, 651t
 - origins of life and 667–669, 668f
 - overview of 649–650, 669–670
 - sizes and morphologies of 652–653, 653f
 - terminology of 651t
 - viscosity 277–280
 - volatile elements
 - cosmic dust as source of 170–171
 - in cosmochemical ancestors 150, 154–155

- formation of solar system and 159–165
 isotopic and elemental constraints of 168–169
 nature of Earth's building blocks and
 169–170, 170f
 timing of delivery and retention of
 171–172, 172f
VOLCALPUFF model 325
 volcanic emissions
 balancing with weathering and subduction
 342–343
 comparisons to previous estimates of
 subaerial carbon dioxide flux 342, 342t
 diamond eruption and 359
 global deep carbon emission rates and
 340–342, 341t
 magnitude of 344–345
 methods for measuring geological carbon
 dioxide fluxes and 325–332
 overview of 345–346
 reported measurements of deep carbon fluxes
 from 332–340, 333–336t,
 337t, 338t, 339t, 341t
 role of in geological carbon cycle
 323–325, 324f
 subaerial 324–325, 332–340, 342
 submarine 340, 341t
 volcanic lakes 332, 340
 volcanism
 arc 207–208, 324, 324f,
 331–332, 340
 biosphere and 549, 549f
 plumes
 airborne measurements of 328–329
 constraints on measuring carbon
 dioxide in 324–325
 ground-based
 measurements of 325–327
 space-based measurements of 329
 submarine measurements of 331–332
 role of deep carbon in 343–344
 serpentinization and 582
 as source of carbon in crust and
 mantle fluids 111–112
W carbon 54f
 Wächtershäuser, Gunther 488
 waste repositories 550, 553–554,
 560–561
 water, subducted, interaction of
 metallic core and 212
 water maximum 372
 Wawa, Ontario 358
 weathering
 balancing with volcanic emissions
 324f, 342–343
 plate tectonics, mineral evolution and 85
 as sink for geological carbon 323, 324
 as source of carbon in crust and
 mantle fluids 111
 websterites 388–390, 389t
 weddellite 32
 Wentorf, Robert 13
 Western Gneiss terrane, Norway 359
 white dwarfs 151
 Wild 2 comet 154
 Wilson Cycle 200–219, 396
 witherite 27, 28
 Witwatersrand Basin 556
 WM buffer. *See* wustite- magnetite buffer
 Wöhler synthesis 452
 Wolf-Rayet (WR) stars 151–152
 Wood-Ljungdahl pathway 596
 wüstite 374–375
 wustite- magnetite (WM) buffer 468–470
X carbon 54, 54f
 X-ray computed tomography (XCT)
 440–444, 441f, 442f, 444f
 X-ray crystallography 622
 X-ray diffraction (XRD) studies
 424, 436–438, 437f, 438f
 X-ray energy dispersive spectroscopy
 (XEDS) 430–431
 X-ray Raman spectroscopy (XRS)
 424, 438–440, 439f
 XCT. *See* X-ray computed tomography
 XEDS. *See* X-ray energy dispersive
 spectroscopy
 xenon 171
 Xenon-HL 157
 xenon paradox 169
 XRS. *See* X-ray Raman spectroscopy
Y carbon 54, 54f
 yarlongite 19
 yimengite 395
Z carbon 54, 54f
 zabuyelite 85
 Zambales ophiolite, Philippines 578, 581t
 zemkorite 30
 zeolites
 alkanes in silica-based porous
 materials and 528–531
 dynamics of hydrocarbons in nanopores and
 507–508, 507f, 508t,
 512, 515, 516–517, 517f
 hydrocarbons in nanopores and 505–506
 Zimbabwe craton 399, 399f, 400f

zircon	84, 395
ZoBell, Claude	548
zombies, microbial	560
<i>Zygosaccharomyces bailii</i>	639