

Synthetic Argentojarosite: Physical Properties and Thermal Behavior

ALEXANDER MAY

*Tuscaloosa Metallurgy Research Laboratory, U.S. Bureau of Mines,
Tuscaloosa, Alabama*

J. J. SJOBERG, AND E. G. BAGLIN

Reno Metallurgy Research Center, U.S. Bureau of Mines, Reno, Nevada

Abstract

Artificial argentojarosite, $\text{Ag}_2\text{Fe}_6(\text{OH})_{12}(\text{SO}_4)_4$, prepared in connection with U. S. Bureau of Mines research on refractory silver ores, has been synthesized in considerably greater quantities than in previous studies. As a result, a detailed study of its thermal decomposition, optical properties, and physical properties was possible by a combination of chemical analyses, differential thermal analyses, X-ray diffraction, and optical techniques. Cell dimensions are $a = 7.347 (\pm 0.010)$, $c = 16.580 (\pm 0.053)$; refractive indices are $\epsilon = 1.789\text{--}1.790$, $\omega = 1.889\text{--}1.890$. Twenty-nine observed X-ray diffraction reflections including reflection indices, relative intensities, and observed and calculated d -spacings are listed.

Introduction

An appreciable fraction of the silver in some low-grade ores is refractory to conventional cyanidation. Recent studies have shown that ores of this type are also refractory to the more severe treatment sequence involving the electrolytic oxidation procedure developed by the Bureau of Mines, followed by cyanidation.¹ According to electron microprobe data, the silver often occurs as argentojarosite and as varieties of oxide and sulfide minerals. After leaching, some silver-bearing minerals are depleted, but jarosite is usually unaffected. Unfortunately, pure samples of argentojarosite are rarely found because argentojarosite is generally closely associated with one or more of the following minerals: potassium jarosite, plumbojarosite, iron oxides, and fine-grained silica. Thus, in an attempt to learn more about the nature of argentojarosite to aid in increasing the extraction of silver from refractory ores, synthetic argentojarosite was prepared and its physical properties and thermal behavior were studied.

Synthesis of argentojarosite was reported by Fairchild (1933); however, the yield was too small for a complete analysis. Silver was determined to be 19.1 percent Ag_2O compared with a theoretical 20.3 percent. Refractive indices were determined as $\epsilon = 1.785$, $\omega = 1.880$, which agreed with the refractive indices of the natural mineral. In contrast to Fairchild's work, the present syntheses gave good yields. Complete chemical analyses, refractive indices, cell dimensions, and specific gravity were obtained, and a comprehensive thermal study of the synthetic argentojarosite was performed.

Differential thermal analyses of this synthetic argentojarosite gave approximately the same peaks as for the natural argentojarosite studied by Kulp and Adler (1950). However, extensive weight loss experiments performed at fixed temperatures, coupled with X-ray diffraction analyses of the products obtained at various temperatures, resulted in a somewhat different interpretation of the differential thermal analysis peaks from that of Kulp and Adler (1950).

Chemical analyses of jarosites frequently reveal that the amount of water is greater than theoretical, and the alkali metal content is lower than theoretical (Brophy, Scott, and Snellgrove, 1962; Kubisz, 1961). We obtained these same results. Brophy and Sheridan

¹B. J. Scheiner, D. L. Pool, J. J. Sjoberg, and R. E. Lindstrom, Extraction of silver from refractory ores, Reno Metallurgy Research Center, Bureau of Mines, U. S. Department of the Interior, to be published.

(1965) attributed the "excess" water to hydronium ions. However, by considering the total volatile material, we conclude that hydronium ions may not adequately explain the apparent discrepancy.

Synthesis of Argentojarosite

Fairchild (1933), in his synthesis of argentojarosite, started with a saturated solution of Ag_2SO_4 mixed in a 1:3 *M* ratio of Ag_2SO_4 and $\text{Fe}_2(\text{SO}_4)_3$, plus a 20 percent excess of the latter, in 1.5–3 *N* H_2SO_4 . These reactants were heated in a sealed tube for three days at 110°–200°C. The crystals that formed were washed with water and dried.

In the present work, synthetic argentojarosite was prepared by a method similar to that used by Brophy *et al* (1962) to make jarosite and natrojarosite. Due to the limited solubility of Ag_2SO_4 , low concentrations were necessary. Samples were prepared under the following two conditions:

1. *Preparation in 0.2 N HNO₃*. 3.27 g (10.5 millimoles) Ag_2SO_4 was dissolved in a boiling solution containing 100 millimoles HNO_3 in 437 ml H_2O . 63 ml hot 0.5 *M* $\text{Fe}_2(\text{SO}_4)_3$ solution was added to the Ag_2SO_4 solution. The mixture was refluxed at 97°C for approximately 200 hours. A mustard-colored precipitate was filtered off, washed thoroughly with water, and dried over anhydrous CaSO_4 . The yield was 73 percent based on total Ag content of the mixture.

2. *Preparation in 0.2 N H₂SO₄*. 3.27 g (10.5 millimoles) Ag_2SO_4 was dissolved in 430 ml boiling H_2O . 63 ml hot 0.5 *M* $\text{Fe}_2(\text{SO}_4)_3$ solution and 5.7 ml 17.6 *N* H_2SO_4 (100 meq) were added to the Ag_2SO_4 solution. The total volume was 500 ml. The mixture was refluxed and the product recovered as above. The yield was 86 percent based on total Ag content of the mixture.

Elemental analyses for these two samples are reported in Table 1. X-ray diffraction patterns for both products were identical with no evidence of unreacted Ag_2SO_4 or $\text{Fe}_2(\text{SO}_4)_3$.

TABLE 1. Elemental Analyses of Synthetic Argentojarosite Samples (Wt Percent)

	Calculated for $\text{Ag}_2\text{Fe}_6(\text{OH})_{12}(\text{SO}_4)_4$	Sample prepared in HNO_3	Sample prepared in H_2SO_4
Ag	18.94	17.12	17.10
Fe	29.41	29.4	29.1
S	11.26	11.0	11.4
O	39.33	40.2	42.6
H	1.06	1.08	1.34

TABLE 2. Physical Properties of Argentojarosite

	1	2	3
Refractive index:			
ϵ	1.789–1.790	1.785	1.785
ω	1.889–1.890	1.882	1.905
$\omega - \epsilon$.099–.101	.097	.120
Cell dimensions:			
a	7.347 ± .010	-	7.22
c	16.580 ± .053	-	16.40
Specific gravity:			
Obs	3.62 ± .11	3.65	3.80
Calc	3.660	-	-
1. Sample EGB-6-42-3 (H_2SO_4 prep).			
2. Larsen and Berman, 1934, p. 91.			
3. Winchell and Winchell, 1961, p. 171.			

Physical Properties

Physical properties of the artificial argentojarosite prepared in this study are summarized in Table 2. Optical properties were obtained by using standard oil immersion grain mount techniques on a polarizing microscope.

The material was quite homogeneous and very fine grained, with individual crystals ranging from less than a micron to nearly 10 microns in diameter. Most grains were euhedral cube-like rhombohedrons, approximately 3–7 microns across.

Maximum observed refractive index was $\omega = 1.889$ – 1.890 , while the minimum observed was $\epsilon = 1.789$ – 1.790 , giving a birefringence of $\omega - \epsilon = \sim 0.100$. Excellent interference figures were obtained, confirming that the material was uniaxial negative. Individual crystals showed a strong yellow color in the grain mounts but only weak pleochroism. The bulk powder was deep yellow to yellowish brown in color.

X-Ray Diffraction and Density Measurements

X-ray powder diffraction measurements were made on a modified General Electric XRD-5 Diffractometer² using a Cr target X-ray tube ($\lambda = 2.29092\text{\AA}$). Powder smears on glass slides were scanned at 2° 2θ /min for identification, while the scans used for obtaining lattice parameters were run at 0.2° 2θ /min, with tungsten metal ($a = 3.16516\text{\AA}$ @ 25°C) as an internal standard. Figure 1 shows a typical scan of the synthetic argentojarosite; Table 3 lists 29 indices, corresponding relative intensities, observed *d*-spacings, and calculated *d*-spacings. The major peaks were initially indexed by analogy to existing

² Reference to specific brand names is for identification only and does not imply endorsement by the Bureau of Mines.




FIG. 1. X-ray diffractometer pattern of synthetic argentojarosite ($\text{CrK}\alpha$).

ASTM cards for jarosite (Card No. 10-443) and natrojarosite (Card No. 11-302). These were later confirmed and other minor peaks indexed by comparing d -spacings calculated from possible hkl combinations and the refined a and c values. Using a Wang 700 Programmable calculator, a and c unit cell dimensions were computed for over 65 possible line pair combinations. The average a value obtained was $7.347 \pm 0.010 \text{ \AA}$ while the c value was $16.580 \pm 0.053 \text{ \AA}$.

The calculated density was 3.660, which agrees closely with values reported in the literature. Because of the size and very fine-grained nature of the sample, obtaining a measured density proved fairly difficult; however, by using a Beckman Air Comparison Pycnometer (Model 930) calibrated with measured steel ball bearings that bracketed the sample volume,

a value of 3.62 ± 0.11 was obtained, which agrees quite well with the calculated density of 3.660 g/cm^3 .

Thermal Behavior


Differential thermal analysis (DTA) and weight loss experiments were performed on the synthetic argentojarosites. A typical DTA scan, shown in Figure 2, was obtained on a R. L. Stone differential thermal analyzer (Model KA-2H). Since the DTA runs used only approximately 50 mg, a number of larger samples (300 mg) were heated to constant weight at 200° , 350° , 500° , and 800°C so that chemical analyses and X-ray diffraction identification could be performed.

Correlation of the weight loss data (Table 4) with the X-ray diffraction data of the decomposition

products indicates that thermal decomposition of synthetic argentojarosite proceeds as follows:


(1) At 200°C, only a small loss in weight occurred, probably due to adsorbed moisture as the X-ray pattern still showed the presence of the jarosite structure.

(2) At 350°C, the samples darkened and very slowly lost weight (averaging 9.3 percent loss) as the jarosite structure disappeared. This decrease in weight closely corresponds to the removal of hydroxide groups as water, with the subsequent destruction of the jarosite crystal structure, as summarized by the probable reaction:




The exact nature of the decomposition products formed at 350°C could not be determined by X-ray diffraction because only a poor, rather complex pattern was obtained.

(3) When heated at 500°C for a short time, the samples appeared unchanged. However, on prolonged heating, they very slowly attained constant weight with a weight loss averaging 23.5 percent. The probable reaction is:



X-ray diffraction analyses of the solid products formed at 500°C confirmed the presence of only Fe_2O_3 and Ag_2SO_4 .

(4) Finally, prolonged heating at 800°C decomposed silver sulfate into Ag (metal) plus SO_3 and O_2 , thus:



The presence of silver metal and iron oxide was also confirmed by X-ray diffraction. This compares favorably with Hegedüs and Fukker (1956) who found that Ag_2SO_4 decomposed in air above 790°C.

DTA Interpretation

With weight loss and X-ray diffraction data as a basis, the DTA curve (Fig. 2) was interpreted as follows: The large endothermic peak from 400°–480°C corresponds to the decomposition of the argentojarosite into Ag_2SO_4 and other products. X-ray diffraction scans on samples that had been heated in the DTA to approximately 500°C gave only poor patterns; however, peaks were present that coincided

TABLE 3. X-ray Powder Diffraction Data for Artificial Argentojarosite

hkl	I/I ₀	d(obs)	d(calc)
101	50	5.98	5.9403
003	(1)	5.55	5.5266
012	6	5.08	5.0474
110	30	3.681	3.6735
104	(1)	3.479	3.4730
021	20	3.127	3.1244
113	100	3.062	3.0593
202	15	2.972	2.9702
006	20	2.763	2.7633
024	30	2.524	2.5237
211	5	2.380	2.3800
122	8	2.309	2.3097
107	30	2.218	2.2197
214	2	2.079	2.0801
303	25	1.9794	1.9801
125	3	1.9454	1.9468
027	1	1.9000	1.8998
220	20	1.8366	1.8368
208	4	1.7352	1.7365
217	4	1.6860	1.6875
315	4	1.5594	1.5578
226	8	1.5286	1.5297
404	5	1.4847	1.4851
0210	8	1.4690	1.4703
321	5	1.4537	1.4541
137	3	1.4143	1.4151
039	4	1.3892	1.3908
140			1.3885
413	6	1.3464	1.3466

with some of the peaks for silver sulfate, iron oxide, and a number of iron sulfate compounds. The fact that the first DTA peak does not occur closer to 350°C, as would be expected from the weight loss studies, is probably due to a time lag problem involving the reaction rates of decomposition. The DTA runs were made at ~10–15°/min while many hours were required to achieved equilibrium in the weight loss experiments. Kulp and Adler (1950) incorrectly assigned the 450° peak to the decomposition of Ag_2SO_4 while, in fact, Ag_2SO_4 merely undergoes an




FIG. 2. Differential thermal analysis curve of synthetic argentojarosite (heating rate approximately 10°C/min.).

TABLE 4. Loss in Wt Percent on Heating to Constant Weight

	Theory	HNO ₃ prep	H ₂ SO ₄ prep
Loss in weight (percent):			
@200° C, 18 hrs 1 mm Hg (as adsorbed moisture)	-	0.21	0.42
@350° C, 21 hrs 650 mm Hg (as bonded water)	9.49	10.21	8.36
@500° C, 47 hrs 650 mm (as SO ₃ from Fe ₂ (SO ₄) ₃)	21.08	22.66	24.40
@800° C, 90 hrs 650 mm (as SO ₃ + O ₂ from Ag ₂ SO ₄)	8.44	5.85	6.38
Total weight loss (excluding adsorbed moisture)	39.01	38.72	39.14

endothermic inversion near this temperature (432°C, Barshad, 1952). Thus, the 450° peak we observed is probably a double peak, partly due to breakdown of the argentojarosite structure into various iron sulfate compounds and Ag₂SO₄, and partly due to the inversion of the Ag₂SO₄ just formed.

Kulp and Adler (1950) attributed the small exothermic peak at 510°C to the crystallization of Fe₂O₃ formed during the argentojarosite breakdown. In our study, the exact nature of this small peak could not be determined; however, Fe₂O₃ was present in all samples heated to approximately 500°C, both in the DTA and in the weight loss experiments. It appears, though, that Fe₂O₃ is formed, at least in part, directly from the initial breakdown of the argentojarosite.

The endothermic peak at about 630°C probably corresponds to the melting of Ag₂SO₄ formed earlier. A DTA run on pure Ag₂SO₄ gave endothermic peaks for both the inversion point at ~430°C and the melting point at ~650°C.

Kulp and Adler (1950) assigned the 720°C peak to the decomposition of Fe₂(SO₄)₃, which is apparently correct. In spite of the weight loss data, Fe₂(SO₄)₃ would probably be present because of the short time span of the DTA run. Fe₂(SO₄)₃ produced during the 450°C decomposition of the argentojarosite apparently did not have time to convert completely to Fe₂O₃. DTA runs on pure Fe₂(SO₄)₃ did show a large peak at about 720°C, while samples of the artificial argentojarosite that had been heated to constant weight at 500°C showed only the 450° and 630° peaks for Ag₂SO₄.

"Excess" Water

Alternate ways (I and II) of representing the composition of argentojarosite are:

I	Percent, by weight
Adsorbed water.....	0.42
Ag ₂ O.....	18.37
Fe ₂ O ₃	41.60
SO ₃	28.46
Sum.....	88.85
Remainder.....	11.15
II	
Total volatiles.....	39.56
Ag.....	17.10
Fe ₂ O ₃	41.60
Sum.....	98.26
Remainder.....	1.74

The numbers are calculated from the elemental analyses in Table 1 and the weight loss data in Table 4 for the H₂SO₄ preparation.

If the remainder in listing I is taken as structurally bonded water, it represents an excess of 1.66 percent water above the theoretical value of 9.49 percent. Brophy and Sheridan (1965) postulated that jarosites contained hydronium ions. Thus they subtracted the theoretical amount of water from the remainder and calculated the difference as H₃O⁺, which in the above instance would be 1.66 percent H₃O⁺. Since H₃O⁺ is a cation, its amount was added to the alkali metal or silver, and by so doing, corrected for both the low alkali metal content and the high water content. Thus, in listing I, Ag₂O plus H₃O⁺ equal 20.03 percent as compared with the theoretical value of 20.34 percent for Ag₂O.

The total volatile material in listing II was determined by loss in weight measurements and represents all adsorbed water, bonded water, SO₃, O₂, and any other volatile material. The remaining 1.74 percent was non-volatile at 800°C, thus excluding the presence of hydronium ions in the solid products. X-ray patterns did not indicate the presence of unreacted Ag₂SO₄ or Fe₂(SO₄)₃ in the synthetic argentojarosite, and in any case, any adsorbed Ag or Fe salts would be included in the sum of listing II. Spectrographic analysis of the argentojarosite showed Al, Mg, Pb, and Mo, all at less than 0.005 percent, and Si at 0.01 percent, with 23 other elements undetected.

Since the values in listings I and II are based on only a few analyses, no attempt has been made in this report to explain the significance involved other than to point out that any discrepancies from theo-

retical values, that in one case were interpreted as "excess" water, can also be interpreted as unidentified solid impurities.

References

- BARSHAD, I. (1952) Temperature and heat of reaction calibration of differential thermal analysis apparatus. *Amer. Mineral.* **37**, 667-694.
- BROPHY, G. P., E. S. SCOTT, AND R. A. SNELGROVE (1962) Sulfate studies II: Solid solution between alunite and jarosite. *Amer. Mineral.* **47**, 112-126.
- , AND M. F. SHERIDAN (1965) Sulfate studies IV: The jarosite-natrojarosite-hydronium jarosite solid solution series. *Amer. Mineral.* **50**, 1595-1607.
- FAIRCHILD, J. G. (1933) Artificial jarosites—the separation of potassium from cesium. *Amer. Mineral.* **18**, 543-547.
- HEGEDÜS, A. J., AND K. FUKKER (1956) Thermoanalytical studies of the decomposition and reduction of sulfates. *Z. Anorg. U. Allgem. Chem.* **284**, 20-30.
- KUBISZ, J. (1960) Natural hydronium jarosites. *Bull. Acad. Polon. Sci., Ser. Sci. Chim. Geol. Geogr.* **8**, 95-99.
- KULP, J. L., AND H. H. ADLER (1950) Thermal study of jarosite. *Amer. J. Sci.* **248**, 475-487.
- LARSEN, E. S., AND M. BERMAN (1934) *The microscopic determination of the nonopaque minerals*, 2nd edition, *U.S. Geol. Soc. Bull.* **848**, 91.
- WINCHELL, A. N., AND H. WINCHELL (1961) *Elements of optical mineralogy*, Pt. II. Descriptions of minerals, p. 171.

Manuscript received, March 16, 1973; accepted for publication, June 13, 1973.